

	Matt wax i ui pic
	Section 1 Identification
1.1 Product identifie	r
	: Matt Wax Purple
	ed uses of the substance or mixture and uses advised against
	(s): Carving Wax, Milling Wax
	plier of the safety data sheet
	ufacturing & Supply Company
	oad, Avon, OH 44011
www.freeman	
Telephone (Ge	eneral) 440-934-1902 800-424-9300 - CHEMTREC
	Section 2 Hazards Identification
2.1 Classification of t	he substance or mixture
	according to OSHA 29 CFR 1910.1200 HCS
	nts, including precautionary statements
	ent(s) required
2.3 Hazards not othe	
	ct can cause serious burns.
	Section 3 Composition/Information on Ingredients
	Section 4 First Aid Measures
4.1 Description of fir	st aid measures
Inhalation	Get medical assistance if irritation develops or persists. If breathing is difficult,
	move the person to fresh air. Give artificial respiration if person is not breathing.
Skin contact	For thermal burns, flush or submerge effected area in cold water to dissipate heat.
	Cover with clean bandage material. Do not peel material from skin. Get medical attention.
	For contact at ambient temperatures, wash with soap and water.
Eye contact	Immediately flush with plenty of water for at least 15 minutes.
-	If irritation persists, get medical attention immediately.
Ingestion	If swallowed, rinse mouth with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.
	Section 5 Fire Fighting Measures
	Section 5 File Fighting Measures
5.1 Extinguishing me	dia
	nguishing media: Water fog, dry chemical, foam, carbon dioxide.
	xtinguishing media: Do not use a solid water stream as it may scatter and spread fire.
5.2 Special hazards a	rising from the substance or mixture
-	and Explosion Hazards: Avoid generating dust; fine dust dispersed in air in sufficient
	s, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous Co	s, and in the presence of an ignition source is a potential dust explosion hazard. Ombustion Products: Carbon dioxide, carbon monoxide, irritating smoke.
	ombustion Products: Carbon dioxide, carbon monoxide, irritating smoke.
5.3 Advice for firefigl	ombustion Products: Carbon dioxide, carbon monoxide, irritating smoke.



L

Section 6 Accidental Release Measures

 6.1 Personal precautions, protective equipment and emergency procedures Do not walk through spilled material. Avoid contact with skin and eyes. Do not breath dust or fumes. Ventilate closed spaces before entering. Wear appropriate personal protective equipment, see Section 8. 6.2 Environmental precautions Should not be released into the environment. Prevent product from entering drains. 6.3 Methods and materials for containment and cleaning up Avoid dust formation. Use clean non-sparking tools to collect material into suitable container for disposal.
Section 7 Handling and Storage
 7.1 Precautions for safe handling Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling. Use only in a well-ventilated area and avoid breathing fumes and dust (dust is unlikely). Avoid contact with molten material. Specific end use(s): Avoid heating above 212°F during the normal investment casting process (except dewax operations). If processing at > 600°F, consider use of a respirator to avoid breathing decomposition products. 7.2 Conditions for safe storage, including any incompatibilities Store in closed container at ambient temperatures. Keep away from ignition sources, heat, open flames, and direct sunlight. Do not store with incompatible materials: strong oxidizing agents.
Section 8 Exposure Controls/Personal Protection
 8.1 Control parameters Exposure Limits/Guideline No applicable exposure limits available for product or components. 8.2 Exposure controls Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, very hot processing, mechanical generation of dusts, etc. 8.3 Personal protective equipment Eye/Face Wear safety glasses equipped with side shields, or safety goggles. Hands Wear thermally resistant gloves and long sleeves if handling molten product. Skin/Body Prevent skin contact, wear long sleeves and/or coveralls. Respiratory The need for respiratory protection is not anticipated under normal use conditions and with adequate ventilation. If elevated airborne concentrations above applicable workplace exposure levels are anticipated or symptoms are experienced, use an air-purifying respirator. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. experienced. Safety Stations Make emergency eyewash stations and washing facilities available in work area. General Hygienic Practices Avoid contamination of food, beverages, or smoking materials. Wash thoroughly after handling, and before eating, drinking or smoking. Remove contaminated clothing promptly and clean thoroughly before reuse.



Section 9 Physical and Chemical Properties

9.1 Information on physical and chemical properties

Physical State:	Solid
Color:	Purple
Odor:	Odorless to mild
Odor Threshold:	No data available
pH:	Not applicable
Melting Point:	225°F (107°C)
Boiling Point:	No data available
Decomposition Temperature:	No data available
Flash Point:	365°F (185°C) (estimated)
Flammability:	Not flammable
Lower Explosion Limit (LEL):	No data available
Upper Explosion Limit (UEL):	No data available
Vapor Density:	No data available
Specific Gravity:	0.9 ± 0.05
Water Solubility:	Negligible
Partition Coefficient: n-octanol/water:	No data available
Autoignition Temperature:	No data available
Viscosity:	Solid at ambient temperature
Explosive Properties:	Not explosive
Oxidizing Properties:	Not an oxidizer

Section 10 Stability and Reactivity

10.1 Reactivity:	No dangerous reaction known under conditions of normal use.
10.2 Chemical stability:	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions:	Hazardous polymerization does not occur.
10.4 Conditions to avoid:	Heat, sparks, open flame. Avoid dust formation.
10.5 Incompatible materials:	Strong oxidizing agents.
10.6 Hazardous decomposition products	May produce: carbon monoxide, carbon dioxide, irritating
	smoke.
10.3 Possibility of hazardous reactions:10.4 Conditions to avoid:10.5 Incompatible materials:	Hazardous polymerization does not occur. Heat, sparks, open flame. Avoid dust formation. Strong oxidizing agents. May produce: carbon monoxide, carbon dioxide, irritating

Section 11 Toxicological Information

11.1 Information on toxicological effects
Acute Toxicity
Skin Corrosion/Irritation
Serious Eye Damage/Irritation
Respiratory or Skin Sensitization
Carcinogenicity

Germ Cell Mutagenicity Reproductive toxicity Specific Target Organ Toxicity (STOT) Repeated Exposure Single Exposure Aspiration Hazard Classification criteria not met Molten product will cause thermal burns on contact Classification criteria not met Classification criteria not met No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen. Classification criteria not met Classification criteria not met

No data available No data available Not relevant



Safety Data Sheet

Matt Wax Purple

Section 12 Ecological Information

12.1 Toxicity		No data available	
12.2 Persistence and degradability		No data available	
12.3 Bioaccumulative potentialNo data available12.4 Mobility in soilNo data available			
12.5 Results of PBT & vPvB asses	ssment	No data available	
	Section 13	B Disposal Consideration	5
13.1 Disposal		Follow applicable Fed	eral, State, and local regulations.
	Section 1	4 Transport Information	
14.1 DOT, TDG, IMO/IMDG, IATA	/ICOA:	Not regulated	
	Section 1	5 Regulatory Information	
15 1 Safaty health and anying an	nontal nagulation	a llogialation anacific for	
Inventories: This product China IECSC, EU EINECS/E SARA 302 EPCRA Compose SARA 311/312 Hazards (SARA 313 Components: T that exceed the threshold (RCRA: In the form delivered under the Resource Conser California Proposition 65 C.I. Solvent Yellow 14, white For more information, visit	complies with the LNICS, Japan ENC nents: No chemic Classifications: N This material does (De Minimis) repo ed, this product is rvation and Recov 5: AWARNING: T ch is known to the t www.P65Warni	e following inventories: Au S, Korea KECI, New Zealan als in this material are sub one ont contain any chemical orting levels established by not considered as hazardo very Act. This product may expose yo e State of California to caus ngs.ca.gov.	the product stralia AICS, Canada DSL/NDSL, d NZIOC, Philippines PICCS, USA TSCA ject to the reporting requirements. components with known CAS numbers SARA Title III, Section 313. us waste, and is not subject to reporting ou to chemicals including e cancer.
China IECSC, EU EINECS/E SARA 302 EPCRA Compor SARA 311/312 Hazards (SARA 313 Components: T that exceed the threshold (RCRA: In the form delivered under the Resource Conser California Proposition 65 C.I. Solvent Yellow 14, white For more information, visite Chemical Name	complies with the LNICS, Japan ENC nents: No chemic Classifications: N This material does (De Minimis) reported, this product is rvation and Recove 5: AWARNING: T ch is known to the t www.P65Warni CAS Number	e following inventories: Au S, Korea KECI, New Zealan als in this material are sub one ont contain any chemical orting levels established by not considered as hazardo very Act. This product may expose yo e State of California to caus ngs.ca.gov.	the product stralia AICS, Canada DSL/NDSL, d NZIOC, Philippines PICCS, USA TSCA ject to the reporting requirements. components with known CAS numbers SARA Title III, Section 313. us waste, and is not subject to reporting ou to chemicals including e cancer. <u>No Significant Risk Level (NSRL)</u>
Inventories: This product China IECSC, EU EINECS/E SARA 302 EPCRA Compose SARA 311/312 Hazards (SARA 313 Components: T that exceed the threshold (RCRA: In the form delivered under the Resource Conser California Proposition 65 C.I. Solvent Yellow 14, white For more information, visit	complies with the LNICS, Japan ENC nents: No chemic Classifications: N This material does (De Minimis) repo ed, this product is rvation and Recov 5: AWARNING: T ch is known to the t www.P65Warni	e following inventories: Au S, Korea KECI, New Zealan als in this material are sub one ont contain any chemical orting levels established by not considered as hazardo very Act. This product may expose yo e State of California to caus ngs.ca.gov.	the product stralia AICS, Canada DSL/NDSL, d NZIOC, Philippines PICCS, USA TSCA ject to the reporting requirements. components with known CAS numbers SARA Title III, Section 313. us waste, and is not subject to reporting ou to chemicals including e cancer.

EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict of liability arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled lab work and must be confirmed by Buyer by testing for its intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.

Date of Issue: March 30, 2017 Date of Revision: May 30, 2022