



## Sledge® (Model 95076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

<b>9594</b>	<b>Ball bearing kit, Sledge® (complete)</b>
<b>9594X</b>	<b>Ball bearing kit, stainless steel, Sledge® (complete)</b>
4889X	Ball bearings, black rubber sealed (10x19x5mm) (2)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)
5105A	Ball bearings, black rubber sealed (6x10x3mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)

### Body & Accessories

<b>1926</b>	<b>Antenna caps, vinyl (2)/ antenna spool</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
9510	Body reinforcement set, black/ skid pads (roof) (fits #9511 body)
<b>9510X</b>	<b>Body reinforcement set, blue/ skid pads (roof) (fits #9511 body)</b>
<b>9510G</b>	<b>Body reinforcement set, green/ skid pads (roof) (fits #9511 body)</b>
<b>9510T</b>	<b>Body reinforcement set, orange/ skid pads (roof) (fits #9511 body)</b>
<b>9510R</b>	<b>Body reinforcement set, red/ skid pads (roof) (fits #9511 body)</b>
9513X	Body support (assembled with front mount & rear latch)/ skid pads (roof) (left & right)
9513	Body support, center/ 3x12 CS (8) (fits Sledge®)
<b>9511</b>	<b>Body, Sledge® (clear, requires painting)/window, grille, lights decal sheet</b>
9511A	Body, Sledge®, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
9511G	Body, Sledge®, green (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
9511T	Body, Sledge®, orange (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
<b>9511X</b>	<b>Body, Sledge®, ProGraphix® (graphics are printed, requires paint &amp; final color application)/ window, grille, lights decal sheet</b>
9511R	Body, Sledge®, red (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
<b>2514</b>	<b>Decal sheet, racing sponsors</b>
<b>9550</b>	<b>Official Team Traxxas® racing decal set(flag logo/ 6-color)</b>

### Bumpers & Skidplates

9535	Bumper, front/ skidplate, front/ tie bar mount, front/ 3x25 CS (2)
9536	Bumper, rear/ skidplate, rear/ tie bar mount, rear/ 3x25 CS (2)

### Chassis & Attachments

9514	Body mount, front
9515	Body mount, rear/ shock guard (body retainer), front
9624	Box, receiver (sealed) w/ ESC mount/ receiver box cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (2)/ 3x10 BCS (4)
<b>9523</b>	<b>Center brace (T-Bar), 6061-T6 aluminum (black-anodized)/ 3x16 SS (2)</b>
<b>9523G</b>	<b>Center brace (T-Bar), 6061-T6 aluminum (green-anodized)/ 3x16 SS (2)</b>
<b>9523T</b>	<b>Center brace (T-Bar), 6061-T6 aluminum (orange-anodized)/ 3x16 SS (2)</b>
9523X	Chassis brace (T-Bar), 6061-T6 aluminum (blue-anodized)/ 3x16 SS (2)
<b>9523A</b>	<b>Chassis brace (T-Bar), 6061-T6 aluminum (dark titanium-anodized)/ 3x16 SS (2) (fits Sledge®)</b>
<b>9523R</b>	<b>Chassis brace (T-Bar), 6061-T6 aluminum (red-anodized)/ 3x16 SS (2)</b>
9520	Chassis brace, front/ 4x15 CCS (2)
9521	Chassis braces (rear (1), rear tower (2))/ 4x15 CCS (4)
9522	Chassis, Sledge®, aluminum (blue-anodized)
<b>9522A</b>	<b>Chassis, Sledge®, aluminum (dark titanium-anodized)</b>
<b>9522G</b>	<b>Chassis, Sledge®, aluminum (green-anodized)</b>
<b>9522R</b>	<b>Chassis, Sledge®, aluminum (red-anodized)</b>
9627	Hold down, battery
9516	Latch, body mount, rear
9628	Retainer, battery hold-down (front and rear) (1 each)
9625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
<b>9640</b>	<b>Shock tower, front, 5mm (carbon fiber) (fits Sledge®)</b>
9539	Shock tower, front, 6061-T6 aluminum (blue-anodized)
<b>9539A</b>	<b>Shock tower, front, 6061-T6 aluminum (gray-anodized)</b>
<b>9539G</b>	<b>Shock tower, front, 6061-T6 aluminum (green-anodized)</b>
<b>9539T</b>	<b>Shock tower, front, 6061-T6 aluminum (orange-anodized)</b>
<b>9539R</b>	<b>Shock tower, front, 6061-T6 aluminum (red-anodized)</b>
<b>9639</b>	<b>Shock tower, front, 7075-T6 aluminum (blue-anodized) (fits Sledge®)</b>
<b>9639A</b>	<b>Shock tower, front, 7075-T6 aluminum (dark titanium-anodized) (fits Sledge®)</b>

<b>9639G</b>	<b>Shock tower, front, 7075-T6 aluminum (green-anodized) (fits Sledge®)</b>
<b>9639T</b>	<b>Shock tower, front, 7075-T6 aluminum (orange-anodized) (fits Sledge®)</b>
<b>9639R</b>	<b>Shock tower, front, 7075-T6 aluminum (red-anodized) (fits Sledge®)</b>
<b>9641</b>	<b>Shock tower, rear, 5mm (carbon fiber) (fits Sledge®)</b>
9538	Shock tower, rear, 6061-T6 aluminum (blue-anodized)
<b>9538A</b>	<b>Shock tower, rear, 6061-T6 aluminum (gray-anodized)</b>
<b>9538G</b>	<b>Shock tower, rear, 6061-T6 aluminum (green-anodized)</b>
<b>9538T</b>	<b>Shock tower, rear, 6061-T6 aluminum (orange-anodized)</b>
<b>9538R</b>	<b>Shock tower, rear, 6061-T6 aluminum (red-anodized)</b>
<b>9638</b>	<b>Shock tower, rear, 7075-T6 aluminum (blue-anodized) (fits Sledge®)</b>
<b>9638A</b>	<b>Shock tower, rear, 7075-T6 aluminum (dark titanium-anodized) (fits Sledge®)</b>
<b>9638G</b>	<b>Shock tower, rear, 7075-T6 aluminum (green-anodized) (fits Sledge®)</b>
<b>9638T</b>	<b>Shock tower, rear, 7075-T6 aluminum (orange-anodized) (fits Sledge®)</b>
<b>9638R</b>	<b>Shock tower, rear, 7075-T6 aluminum (red-anodized) (fits Sledge®)</b>
9524	Side guards, chassis (left and right)/ 3x8 CCS (10)
<b>9623</b>	<b>Skidplate, chassis, black (fits Sledge®)</b>
<b>9623X</b>	<b>Skidplate, chassis, blue (fits Sledge®)</b>
<b>9623A</b>	<b>Skidplate, chassis, graphite gray (fits Sledge®)</b>
<b>9623P</b>	<b>Skidplate, chassis, gray (fits Sledge®)</b>
<b>9623G</b>	<b>Skidplate, chassis, green (fits Sledge®)</b>
<b>9623T</b>	<b>Skidplate, chassis, orange (fits Sledge®)</b>
<b>9623R</b>	<b>Skidplate, chassis, red (fits Sledge®)</b>
9527	Tie bars, front, 6061-T6 aluminum (blue-anodized)
<b>9527A</b>	<b>Tie bars, front, 6061-T6 aluminum (dark titanium-anodized)</b>
<b>9527G</b>	<b>Tie bars, front, 6061-T6 aluminum (green-anodized)</b>
<b>9527T</b>	<b>Tie bars, front, 6061-T6 aluminum (orange-anodized)</b>
<b>9527R</b>	<b>Tie bars, front, 6061-T6 aluminum (red-anodized)</b>
<b>9629</b>	<b>Tie bars, front, 7075-T6 aluminum (blue-anodized) (fits Sledge®)</b>
<b>9629A</b>	<b>Tie bars, front, 7075-T6 aluminum (dark titanium-anodized) (fits Sledge®)</b>
<b>9629G</b>	<b>Tie bars, front, 7075-T6 aluminum (green-anodized) (fits Sledge®)</b>
<b>9629T</b>	<b>Tie bars, front, 7075-T6 aluminum (orange-anodized) (fits Sledge®)</b>
<b>9629R</b>	<b>Tie bars, front, 7075-T6 aluminum (red-anodized) (fits Sledge®)</b>
9528	Tie bars, rear, 6061-T6 aluminum (blue-anodized)
<b>9528A</b>	<b>Tie bars, rear, 6061-T6 aluminum (dark titanium-anodized)</b>
<b>9528G</b>	<b>Tie bars, rear, 6061-T6 aluminum (green-anodized)</b>
<b>9528T</b>	<b>Tie bars, rear, 6061-T6 aluminum (orange-anodized)</b>
<b>9528R</b>	<b>Tie bars, rear, 6061-T6 aluminum (red-anodized)</b>
<b>9630</b>	<b>Tie bars, rear, 7075-T6 aluminum (blue-anodized) (fits Sledge®)</b>
<b>9630A</b>	<b>Tie bars, rear, 7075-T6 aluminum (dark titanium-anodized) (fits Sledge®)</b>
<b>9630G</b>	<b>Tie bars, rear, 7075-T6 aluminum (green-anodized) (fits Sledge®)</b>
<b>9630T</b>	<b>Tie bars, rear, 7075-T6 aluminum (orange-anodized) (fits Sledge®)</b>
<b>9630R</b>	<b>Tie bars, rear, 7075-T6 aluminum (red-anodized) (fits Sledge®)</b>
<b>7799</b>	<b>Tires, rubber (2) (fits Traxxas® #7775X wheelie bar wheels)</b>
9626	Tray, battery
<b>9576</b>	<b>Wheelie bar, black (assembled)/ 3x20 CS (8)</b>
<b>9576X</b>	<b>Wheelie bar, blue (assembled)/ 3x20 CS (8)</b>
<b>9576G</b>	<b>Wheelie bar, green (assembled)/ 3x20 CS (8)</b>
<b>9576T</b>	<b>Wheelie bar, orange (assembled)/ 3x20 CS (8)</b>
<b>9576R</b>	<b>Wheelie bar, red (assembled)/ 3x20 CS (8)</b>
<b>7775X</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)</b>
<b>7775A</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (dark titanium-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)</b>
<b>7775G</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)</b>
<b>7775T</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)</b>
<b>7775R</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)</b>
9518	Wing mount
<b>9512</b>	<b>Wing washer (1)</b>

## Page 2 Sledge®: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 95076-4) Parts List

9617	Wing washer, 6061-T6 aluminum (blue-anodized) (1)/ 4x12mm FCS (2)
9617A	Wing washer, 6061-T6 aluminum (dark-titanium anodized) (1)/ 4x12mm FCS (2)
9617G	Wing washer, 6061-T6 aluminum (green-anodized) (1)/ 4x12mm FCS (2)
9617T	Wing washer, 6061-T6 aluminum (orange-anodized) (1)/ 4x12mm FCS (2)
9617R	Wing washer, 6061-T6 aluminum (red-anodized) (1)/ 4x12mm FCS (2)
9517X	Wing/ wing washer (blue)/ 4x12mm FCS (2)
9517G	Wing/ wing washer (green)/ 4x12mm FCS (2)
9517T	Wing/ wing washer (orange)/ 4x12mm FCS (2)
9517R	Wing/ wing washer (red)/ 4x12mm FCS (2)
9517A	Wing/ wing washer (white)/ 4x12mm FCS (2)
9517	Wing/ wing washer/ 4x12mm FCS (2)

### Differential Components

4889X	Ball bearings, black rubber sealed (10x19x5mm) (2)
9581X	Carrier, differential (aluminum, blue-anodized)/ differential bushing/ ring gear gasket/ 3x10mm CCS (4)
9581A	Carrier, differential (aluminum, dark titanium-anodized)/ differential bushing/ ring gear gasket/ 3x10mm CCS (4)
9581G	Carrier, differential (aluminum, green-anodized)/ differential bushing/ ring gear gasket/ 3x10mm CCS (4)
9581T	Carrier, differential (aluminum, orange-anodized)/ differential bushing/ ring gear gasket/ 3x10mm CCS (4)
9581R	Carrier, differential (aluminum, red-anodized)/ differential bushing/ ring gear gasket/ 3x10mm CCS (4)
9581	Carrier, differential/ differential bushing (metal)/ o-rings (2)/ ring gear gasket
9585	Differential assembly, center, complete (fits Sledge®)
9580	Differential assembly, front or rear, complete (fits Sledge®)
8680	Differential gasket/ x-rings (2)/ 12.2x18x0.5 metal washer (1)/ 12.2x18x0.5 PTFE-coated washer (1)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
9583	Differential output cup, front or rear (hardened steel)/ 2.5x12mm pin
9586	Differential output cup, center (hardened steel)/ 2.5x12mm pin
9586X	Differential output cup, center (hardened steel, heavy duty) (2)/ 2.5x12mm pin (2)
9583X	Differential output cup, front or rear (hardened steel, heavy duty) (2)/ 2.5x12mm pin (2)
9587X	Drive cup, center, front or rear (steel constant-velocity) (1) (fits Sledge®)
9587	Drive cup, front or rear (hardened steel) (for differential pinion gear)/ driveshaft boots (2)/ boot retainers (2)
9582	Gear set, differential (output gears (2)/ spider gears (4)/ spider gear shafts (2)/ spacers (4))
9584	Mount, center differential
9584X	Mount, center differential carrier, 6061-T6 aluminum (blue-anodized)
9584A	Mount, center differential carrier, 6061-T6 aluminum (dark titanium-anodized)
9584G	Mount, center differential carrier, 6061-T6 aluminum (green-anodized)
9584T	Mount, center differential carrier, 6061-T6 aluminum (orange-anodized)
9584R	Mount, center differential carrier, 6061-T6 aluminum (red-anodized)
5130	Oil, differential (100K wt) (0.7 oz (20cc))
5135	Oil, differential (10K wt) (1.7 oz (50cc))
5040	Oil, differential (20M wt) (standard)
5136	Oil, differential (30K wt) (1.7 oz (50cc))
5137	Oil, differential (50K wt) (1.7 oz (50cc))
9579	Ring gear, differential/ pinion gear, differential
9579R	Ring gear, differential/ pinion gear, differential (machined) (front or rear)

### Driveline Components

9559	Boots, driveshaft (2)/ retainer (assembled) (2)
9552	Carriers, stub axle (left and right)
9552X	Carriers, stub axle, 6061-T6 aluminum (blue-anodized) (left and right)/ 3x18mm CS (with threadlock) (2)
9552A	Carriers, stub axle, 6061-T6 aluminum (dark titanium-anodized) (left and right)/ 3x18mm CS (with threadlock) (2)
9552G	Carriers, stub axle, 6061-T6 aluminum (green-anodized) (left and right)/ 3x18mm CS (with threadlock) (2)
9552T	Carriers, stub axle, 6061-T6 aluminum (orange-anodized) (left and right)/ 3x18mm CS (with threadlock) (2)
9552R	Carriers, stub axle, 6061-T6 aluminum (red-anodized) (left and right)/ 3x18mm CS (with threadlock) (2)
9555	Driveshaft, center, front (shaft only, 4mm x 88mm) (1)
9555X	Driveshaft, center, front (steel constant-velocity) (shaft only) (1) (for use only with #9655X steel CV driveshafts)

9556	Driveshaft, center, rear (shaft only, 4mm x 146.5mm) (1)
9556X	Driveshaft, center, rear (steel constant-velocity) (shaft only) (1) (for use only with #9655X steel CV driveshafts)
9558	Driveshaft, front, steel constant-velocity (shaft only, 5mm x 133.5mm) (1)
9557	Driveshaft, rear (shaft only, 5mm x 131mm) (1) (for use with #9554 or 9554X stub axles)
9654X	Driveshaft, rear, steel constant-velocity (complete assembly) (2)
9557X	Driveshaft, rear, steel constant-velocity (shaft only) (1) (for use only with #9654X rear steel CV driveshafts)
9550	Driveshaft, steel constant-velocity (assembled), front (1)
9655X	Driveshafts, center, assembled (steel constant-velocity), front (1)/ rear (1) (fits Sledge®)
9632	Kingpin bushings, machined steel (4)
9680	O-rings (6)
9551	Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies) (for #9550 front or #9654X rear steel CV driveshafts)
9656X	Rebuild kit, steel constant-velocity driveshafts, center (front or rear) (includes pins for 2 driveshaft assemblies) (for #9655X steel CV driveshafts)
9553	Stub axle, front
9554	Stub axle, rear (for use only with #9557 rear driveshaft)
9553X	Stub axles, hardened steel (2) (for steel constant-velocity driveshafts) (fits Sledge®)
9554X	Stub axles, hardened steel (2) (for use only with #9557 driveshaft) (fits Sledge®)
8654	Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654G	Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654A	Wheel hubs, splined, 17mm (orange-anodized) (4)/ 4x5mm GS (4)/ 3x14mm pin (4)
8654R	Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)

### Front Suspension

9547	Camber links, front (117mm) (2) (assembled with hollow balls)
9547X	Camber links, front, Sledge® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547A	Camber links, front, Sledge® (TUBES dark titanium-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547G	Camber links, front, Sledge® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547T	Camber links, front, Sledge® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547R	Camber links, front, Sledge® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9532	Caster blocks (c-hub), left & right/ kingpin bushings (4)
9532X	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right/ kingpin bushings (4)/ 3x20mm CS (with threadlock) (4)
9532A	Caster blocks (c-hubs), 6061-T6 aluminum (dark titanium-anodized), left & right/ kingpin bushings (4)/ 3x20mm CS (with threadlock) (4)
9532G	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right/ kingpin bushings (4)/ 3x20mm CS (with threadlock) (4)
9532T	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right/ kingpin bushings (4)/ 3x20mm CS (with threadlock) (4)
9532R	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right/ kingpin bushings (4)/ 3x20mm CS (with threadlock) (4)
9683	Hollow balls, steel (8)
9632	Kingpin bushings, machined steel (4)
9598	Linkage, sway bar (front or rear)
9597	Mounts, sway bar/ collars (front and rear)

**Page 3 Sledge®: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 95076-4) Parts List**

9647	Rod ends, standard (4) (assembled with hollow balls) (fits #9547/9548 series aluminum camber links & #9549 series aluminum toe links)	9542	Suspension pins, outer, front, 3.5x48.2mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
9640	Shock tower, front, 5mm (carbon fiber) (fits Sledge®)	9595	Sway bar kit, Sledge® (front and rear) (includes front and rear sway bars and linkage)
9539	Shock tower, front, 6061-T6 aluminum (blue-anodized)	9596	Sway bar set, Sledge® (includes 1 each of all 6 sway bars)
9539A	Shock tower, front, 6061-T6 aluminum (gray-anodized)	9527	Tie bars, front, 6061-T6 aluminum (blue-anodized)
9539G	Shock tower, front, 6061-T6 aluminum (green-anodized)	9527A	Tie bars, front, 6061-T6 aluminum (dark titanium-anodized)
9539T	Shock tower, front, 6061-T6 aluminum (orange-anodized)	9527G	Tie bars, front, 6061-T6 aluminum (green-anodized)
9539R	Shock tower, front, 6061-T6 aluminum (red-anodized)	9527T	Tie bars, front, 6061-T6 aluminum (orange-anodized)
9639	Shock tower, front, 7075-T6 aluminum (blue-anodized) (fits Sledge®)	9527R	Tie bars, front, 6061-T6 aluminum (red-anodized)
9639A	Shock tower, front, 7075-T6 aluminum (dark titanium-anodized) (fits Sledge®)	9629	Tie bars, front, 7075-T6 aluminum (blue-anodized) (fits Sledge®)
9639G	Shock tower, front, 7075-T6 aluminum (green-anodized) (fits Sledge®)	9629A	Tie bars, front, 7075-T6 aluminum (dark titanium-anodized) (fits Sledge®)
9639T	Shock tower, front, 7075-T6 aluminum (orange-anodized) (fits Sledge®)	9629G	Tie bars, front, 7075-T6 aluminum (green-anodized) (fits Sledge®)
9639R	Shock tower, front, 7075-T6 aluminum (red-anodized) (fits Sledge®)	9629T	Tie bars, front, 7075-T6 aluminum (orange-anodized) (fits Sledge®)
9636X	Steering block arms (aluminum, blue-anodized) (2) (fits #9635 series & 9637 series steering blocks)	9629R	Tie bars, front, 7075-T6 aluminum (red-anodized) (fits Sledge®)
9636A	Steering block arms (aluminum, dark titanium-anodized) (2) (fits #9635 series & 9637 series steering blocks)	<b>Hardware</b>	
9636G	Steering block arms (aluminum, green-anodized) (2) (fits #9635 series & 9637 series steering blocks)	1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
9636T	Steering block arms (aluminum, orange-anodized) (2) (fits #9635 series & 9637 series steering blocks)	4859	CS 3x10 flathead (hex drive)
9636R	Steering block arms (aluminum, red-anodized) (2) (fits #9635 series & 9637 series steering blocks)	9592	Hardware kit, Sledge® (contains all hardware used on Sledge®)
9642	Steering block arms, carbon fiber (2) (fits #9635 series & 9637 series steering blocks)	9592X	Hardware kit, stainless steel, Sledge® (contains all hardware used on Sledge®)
9635X	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right/ steering block arms (2)/ 4x16mm BCS (with threadlock) (4)/ 3x18mm CS (2)/ 3x10mm BCS (with threadlock) (4)/ M3x0.5mm NL (2)	9591	Hardware, motor mount, Sledge®
9635A	Steering blocks, 6061-T6 aluminum (dark titanium-anodized), left & right/ steering block arms (2)/ 4x16mm BCS (with threadlock) (4)/ 3x18mm CS (2)/ 3x10mm BCS (with threadlock) (4)/ M3x0.5mm NL (2)	2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
9635G	Steering blocks, 6061-T6 aluminum (green-anodized), left & right/ steering block arms (2)/ 4x16mm BCS (with threadlock) (4)/ 3x18mm CS (2)/ 3x10mm BCS (with threadlock) (4)/ M3x0.5mm NL (2)	9564	Mount, shock (steel) (2)
9635T	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right/ steering block arms (2)/ 4x16mm BCS (with threadlock) (4)/ 3x18mm CS (2)/ 3x10mm BCS (with threadlock) (4)/ M3x0.5mm NL (2)	2745X	Nuts, 3mm nylon locking, black (8)
9635R	Steering blocks, 6061-T6 aluminum (red-anodized), left & right/ steering block arms (2)/ 4x16mm BCS (with threadlock) (4)/ 3x18mm CS (2)/ 3x10mm BCS (with threadlock) (4)/ M3x0.5mm NL (2)	2744X	Nuts, 3mm nylon locking, flanged, black (8)
9537	Steering blocks, left & right/ 4x16mm BCS (4)/ M4x0.7 NL (4)	1748	Nuts, 4mm nylon locking, black (10)
9637X	Steering blocks, left & right/ steering block arms (aluminum, blue-anodized) (2)/ 3x18mm CS (2)/ M3x0.5mm NL (2)	9578	Screw pin, 4x18mm (with threadlock) (6)
9637A	Steering blocks, left & right/ steering block arms (aluminum, dark titanium-anodized) (2)/ 3x18mm CS (2)/ M3x0.5mm NL (2)	4858	Screw, 3x25 countersunk machine (hex drive) (6)
9637G	Steering blocks, left & right/ steering block arms (aluminum, green-anodized) (2)/ 3x18mm CS (2)/ M3x0.5mm NL (2)	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
9637T	Steering blocks, left & right/ steering block arms (aluminum, orange-anodized) (2)/ 3x18mm CS (2)/ M3x0.5mm NL (2)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
9637R	Steering blocks, left & right/ steering block arms (aluminum, red-anodized) (2)/ 3x18mm CS (2)/ M3x0.5mm NL (2)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
9526	Steering link (30mm) (1)/ hollow balls (2)	2586	Screws, 3x15mm cap-head machine (hex drive) (6)
9633	Suspension arm covers, black, front (left and right)/ 2.5x8 CCS (12)	2553	Screws, 3x15mm countersunk machine (6) (hex drive)
9633X	Suspension arm covers, blue, front (left and right)/ 2.5x8 CCS (12)	2583X	Screws, 3x18mm cap-head machine (hex drive) (6)
9633G	Suspension arm covers, green, front (left and right)/ 2.5x8 CCS (12)	2585	Screws, 3x20mm cap-head machine (hex drive) (6)
9633T	Suspension arm covers, orange, front (left and right)/ 2.5x8 CCS (12)	2581	Screws, 3x25mm button-head machine (hex drive) (6)
9633R	Suspension arm covers, red, front (left and right)/ 2.5x8 CCS (12)	2581X	Screws, 3x25mm cap-head machine (hex drive) (6)
9531	Suspension arm, front (left), black	9682	Screws, 3x45mm cap-head machine (hex drive) (6)
9531X	Suspension arm, front (left), blue	2550	Screws, 3x8mm countersunk machine (6) (hex drive)
9531G	Suspension arm, front (left), green	3937	Screws, 4x12mm button-head machine (hex drive) (6)
9531T	Suspension arm, front (left), orange	2542	Screws, 4x12mm countersunk machine (hex drive) (6)
9531R	Suspension arm, front (left), red	2546	Screws, 4x15mm countersunk machine (hex drive) (6)
9530	Suspension arm, front (right), black	3933	Screws, 4x16mm button-head machine (hex drive) (6)
9530X	Suspension arm, front (right), blue	2589	Screws, 4x20mm button-head machine (hex drive) (6)
9530G	Suspension arm, front (right), green	2596	Screws, 4x25mm button-head machine (hex drive) (6)
9530T	Suspension arm, front (right), orange	2595	Screws, 4x35mm button-head machine (hex drive) (6)
9530R	Suspension arm, front (right), red	3939	Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)
9540	Suspension pin set, front & rear (hardened steel), 4x67mm (4), 3.5x48.2mm (2), 3.5x56.7mm (2)/ M3x0.5mm NL, flanged (4)	1548	Set (grub) screws, 3x4mm (8)/ 4x4mm (stainless) (4)
9541	Suspension pins, inner, front or rear, 4x67mm (hardened steel) (2)	9588	Shoulder screws, 3x16mm (2)
		9540	Suspension pin set, front & rear (hardened steel), 4x67mm (4), 3.5x48.2mm (2), 3.5x56.7mm (2)/ M3x0.5mm NL, flanged (4)
		9541	Suspension pins, inner, front or rear, 4x67mm (hardened steel) (2)
		9542	Suspension pins, outer, front, 3.5x48.2mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
		9543	Suspension pins, outer, rear, 3.5x56.7mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
		<b>LED Lights</b>	
		9693	Breakaway cable, LED lights (high-voltage)
		9692	Bumper, front (body) (with LED lights)/ bumper mount (fits #9511 body)
		6590	High-Voltage Power Amplifier
		9690	LED light set, complete (includes body bumper with LED lights, roof skid plate with LED lights, #6590 high-voltage power amplifier) (fits #9511 body)
		9691	Skid plate, roof (body) (with LED lights) (fits #9511 body)
		<b>Motors &amp; Electronics</b>	
		3476	Cooling fan kit (with shroud)/ 2.5x16mm CS (with threadlock) (4) (fits #9589 motor mount)
		3475	Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
		9590	Gear adapter, fixed (A)/ motor mount spacer
		2277	Gear set, metal (for 2275 servo)
		9591	Hardware, motor mount, Sledge®
		9589	Motor mount, aluminum (upper and lower)/ motor mount spacer/ hardware

## Page 4 Sledge®: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 95076-4) Parts List

3483	Motor, 2000Kv 77mm, brushless (with 6.5mm gold-plated connectors & high-efficiency heatsink)
3483R	Rebuild kit, 2000Kv motor, brushless (includes plastic endbell, 5x16x5mm ball bearings (2), 5.05x7.5x.05 washer (1), 5.05x7.5x0.1 washer (1), 5.05x7.5x.19 washer (1), 6x5x8.5 spacer (1))
2278	Servo case, aluminum (black-anodized) (middle) (for 2275 servo)
2276	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2275 servo)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2280	Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
2275	Servo, digital high-torque, metal gear (ball bearing), waterproof
3477	Shroud, motor fan/ 2.5x16mm CS (with threadlock) (4) (fits #9589 motor)
3484	Velineon® VXL-6s Brushless Power System, waterproof (includes VXL-6s ESC and 2000Kv, 77mm motor)
3485T	Velineon® VXL-6s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3478	Wire harness (for use with #3475 cooling fan)

### Radio System, Batteries & Chargers

2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2914	AA 4PK
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2991	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
2990	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))
2998	Battery/charger completer pack (includes #2981 iD charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo battery (1))
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6565	Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)
6566	Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the Velineon® #3465 VXL-4s, #3485 Velineon® VXL-6s, or #3496 Velineon® VXL-8s electronic speed control)
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2277	Gear set, metal (for 2275 servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6563	Mount, telemetry expander (attaches to chassis brace (T-Bar))
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2278	Servo case, aluminum (black-anodized) (middle) (for 2275 servo)
2276	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2275 servo)
2275	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)

6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module

### Ready-To-Race Model

95076-4	Sledge®: 1/8 Scale 4WD Brushless Electric Monster Truck with TQi 2.4GHz Traxxas Link™ Enabled Radio System and Traxxas Stability Management (TSM)®
---------	--

### Rear Suspension

9529	Bulkhead, front or rear
9548	Camber links, rear (144mm) (2) (assembled with hollow balls)
9548X	Camber links, rear, Sledge® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548A	Camber links, rear, Sledge® (TUBES dark titanium-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548G	Camber links, rear, Sledge® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548T	Camber links, rear, Sledge® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548R	Camber links, rear, Sledge® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9683	Hollow balls, steel (8)
9598	Linkage, sway bar (front or rear)
9597	Mounts, sway bar/ collars (front and rear)
9519X	Mud guards, rear, blue (left and right)/ 3x15 CCS (2)/ 3x25 CCS (2)
9519	Mud guards, rear, gray (left and right)/ 3x15 CCS (2)/ 3x25 CCS (2)
9519G	Mud guards, rear, green (left and right)/ 3x15 CCS (2)/ 3x25 CCS (2)
9519T	Mud guards, rear, orange (left and right)/ 3x15 CCS (2)/ 3x25 CCS (2)
9519R	Mud guards, rear, red (left and right)/ 3x15 CCS (2)/ 3x25 CCS (2)
9647	Rod ends, standard (4) (assembled with hollow balls) (fits #9547/9548 series aluminum camber links & #9549 series aluminum toe links)
9641	Shock tower, rear, 5mm (carbon fiber) (fits Sledge®)
9538	Shock tower, rear, 6061-T6 aluminum (blue-anodized)
9538A	Shock tower, rear, 6061-T6 aluminum (gray-anodized)
9538G	Shock tower, rear, 6061-T6 aluminum (green-anodized)
9538T	Shock tower, rear, 6061-T6 aluminum (orange-anodized)
9538R	Shock tower, rear, 6061-T6 aluminum (red-anodized)
9638	Shock tower, rear, 7075-T6 aluminum (blue-anodized) (fits Sledge®)
9638A	Shock tower, rear, 7075-T6 aluminum (dark titanium-anodized) (fits Sledge®)
9638G	Shock tower, rear, 7075-T6 aluminum (green-anodized) (fits Sledge®)
9638T	Shock tower, rear, 7075-T6 aluminum (orange-anodized) (fits Sledge®)
9638R	Shock tower, rear, 7075-T6 aluminum (red-anodized) (fits Sledge®)
9634	Suspension arm covers, black, rear (left and right)/ 2.5x8 CCS (12)
9634X	Suspension arm covers, blue, rear (left and right)/ 2.5x8 CCS (12)
9634G	Suspension arm covers, green, rear (left and right)/ 2.5x8 CCS (12)
9634T	Suspension arm covers, orange, rear (left and right)/ 2.5x8 CCS (12)
9634R	Suspension arm covers, red, rear (left and right)/ 2.5x8 CCS (12)
9534	Suspension arm, rear (left), black
9534X	Suspension arm, rear (left), blue
9534G	Suspension arm, rear (left), green
9534T	Suspension arm, rear (left), orange
9534R	Suspension arm, rear (left), red
9533	Suspension arm, rear (right), black
9533X	Suspension arm, rear (right), blue
9533G	Suspension arm, rear (right), green
9533T	Suspension arm, rear (right), orange
9533R	Suspension arm, rear (right), red
9540	Suspension pin set, front & rear (hardened steel), 4x67mm (4), 3.5x48.2mm (2), 3.5x56.7mm (2)/ M3x0.5mm NL, flanged (4)
9541	Suspension pins, inner, front or rear, 4x67mm (hardened steel) (2)

**Page 5 Sledge®: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 95076-4) Parts List**

9543	Suspension pins, outer, rear, 3.5x56.7mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
9595	Sway bar kit, Sledge® (front and rear) (includes front and rear sway bars and linkage)
9596	Sway bar set, Sledge® (includes 1 each of all 6 sway bars)
9528	Tie bars, rear, 6061-T6 aluminum (blue-anodized)
9528A	Tie bars, rear, 6061-T6 aluminum (dark titanium-anodized)
9528G	Tie bars, rear, 6061-T6 aluminum (green-anodized)
9528T	Tie bars, rear, 6061-T6 aluminum (orange-anodized)
9528R	Tie bars, rear, 6061-T6 aluminum (red-anodized)
9630	Tie bars, rear, 7075-T6 aluminum (blue-anodized) (fits Sledge®)
9630A	Tie bars, rear, 7075-T6 aluminum (dark titanium-anodized) (fits Sledge®)
9630G	Tie bars, rear, 7075-T6 aluminum (green-anodized) (fits Sledge®)
9630T	Tie bars, rear, 7075-T6 aluminum (orange-anodized) (fits Sledge®)
9630R	Tie bars, rear, 7075-T6 aluminum (red-anodized) (fits Sledge®)

**Shock Oil**

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

**Shocks (GT-Maxx®)**

8965X	Body, GT-Maxx® shock (aluminum, blue-anodized) (1)
9665X	Body, GT-Maxx® shock (aluminum, blue-anodized) (long) (1)
8965G	Body, GT-Maxx® shock (aluminum, green-anodized) (1)
9665G	Body, GT-Maxx® shock (aluminum, green-anodized) (long) (1)
8965T	Body, GT-Maxx® shock (aluminum, orange-anodized) (1)
9665T	Body, GT-Maxx® shock (aluminum, orange-anodized) (long) (1)
8965R	Body, GT-Maxx® shock (aluminum, red-anodized) (1)
9665R	Body, GT-Maxx® shock (aluminum, red-anodized) (long) (1)
8962	Rebuild kit, GT-Maxx® shocks (lower cartridge, pistons, piston nuts, bladders, screws) (renews 2 shocks)
9664A	Shock caps, aluminum (black-anodized), GT-Maxx® shocks (4)/ spacers (4) (for Sledge®)
9664X	Shock caps, aluminum (blue-anodized), GT-Maxx® shocks (4)/ spacers (4) (for Sledge®)
9664G	Shock caps, aluminum (green-anodized), GT-Maxx® shocks (4)/ spacers (4) (for Sledge®)
9664T	Shock caps, aluminum (orange-anodized), GT-Maxx® shocks (4)/ spacers (4) (for Sledge®)
9664R	Shock caps, aluminum (red-anodized), GT-Maxx® shocks (4)/ spacers (4) (for Sledge®)
9664	Shock caps, GT-Maxx® shocks (2)/ spring perch/ adjusters (2) (for 2 shocks)
9663	Shock pins, hardened steel (front (2), rear (2))/ 3x8mm BCS (4)
8963	Shock shaft, 72mm (GT-Maxx®) (steel, chrome finish) (2)/ rod ends (2)/ hollow balls (2)
8963T	Shock shaft, 72mm (GT-Maxx®) (TiN-coated) (2) (assembled with rod ends and steel hollow balls)
9662	Shock shaft, 80mm (GT-Maxx®) (steel, chrome finish) (2) (assembled with rod ends and steel hollow balls)
9662T	Shock shaft, 80mm (GT-Maxx®) (TiN-coated) (2) (assembled with rod ends and steel hollow balls)
9660	Shocks, GT-Maxx®, aluminum (blue-anodized) (fully assembled w/o springs) (2)
9661	Shocks, GT-Maxx®, long, aluminum (blue-anodized) (fully assembled w/o springs) (2)
8968X	Spring retainer (adjuster), blue-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968-GRAY	Spring retainer (adjuster), gray-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968G	Spring retainer (adjuster), green-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968A	Spring retainer (adjuster), orange-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968R	Spring retainer (adjuster), red-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8966	Springs, shock (natural finish) (GT-Maxx®) (1.210 rate) (2)
8967	Springs, shock (natural finish) (GT-Maxx®) (1.450 rate) (2)
9659	Springs, shock (natural finish) (GT-Maxx®) (1.487 rate) (85mm) (2)
9658	Springs, shock (natural finish) (GT-Maxx®) (1.569 rate) (85mm) (2)

9657	Springs, shock (natural finish) (GT-Maxx®) (1.671 rate) (85mm) (2)
8969	Springs, shock (natural finish) (GT-Maxx®) (1.725 rate) (2)

**Springs**

8966	Springs, shock (natural finish) (GT-Maxx®) (1.210 rate) (2)
8967	Springs, shock (natural finish) (GT-Maxx®) (1.450 rate) (2)
9659	Springs, shock (natural finish) (GT-Maxx®) (1.487 rate) (85mm) (2)
9658	Springs, shock (natural finish) (GT-Maxx®) (1.569 rate) (85mm) (2)
9657	Springs, shock (natural finish) (GT-Maxx®) (1.671 rate) (85mm) (2)
8969	Springs, shock (natural finish) (GT-Maxx®) (1.725 rate) (2)

**Spur Gears & Pinion Gears**

9590	Gear adapter, fixed (A)/ motor mount spacer
6482X	Gear, 12-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw
6483X	Gear, 13-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw
6489X	Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6491R	Gear, 18-T pinion (machined) (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
9651	Spur gear, 46-tooth, steel (1.0 metric pitch)
9652X	Spur gear, 52-tooth, machined steel (1.0 metric pitch)
9652	Spur gear, 52-tooth, steel (1.0 metric pitch)

**Steering Components**

9525	Bellcrank posts, steering (aluminum, blue-anodized)
9546A	Draglink, steering, 6061-T6 aluminum (dark titanium-anodized)/ 3x14mm SS (2)
9546G	Draglink, steering, 6061-T6 aluminum (green-anodized)/ 3x14mm SS (2)
9546T	Draglink, steering, 6061-T6 aluminum (orange-anodized)/ 3x14mm SS (2)
9546R	Draglink, steering, 6061-T6 aluminum (red-anodized)/ 3x14mm SS (2)
9546	Draglink, steering/ 3x14mm SS (2)
2277	Gear set, metal (for 2275 servo)
9683	Hollow balls, steel (8)
2278	Servo case, aluminum (black-anodized) (middle) (for 2275 servo)
2276	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2275 servo)
9544	Servo horn, steering, metal
9545A	Servo saver post/ adjuster nut/ locknut (dark titanium-anodized, 6061-T6 aluminum) (1 each)
9545G	Servo saver post/ adjuster nut/ locknut (green-anodized, 6061-T6 aluminum) (1 each)
9545T	Servo saver post/ adjuster nut/ locknut (orange-anodized, 6061-T6 aluminum) (1 each)
9545R	Servo saver post/ adjuster nut/ locknut (red-anodized, 6061-T6 aluminum) (1 each)
9545	Servo saver/ servo saver spring/ servo horn, steering (assembled)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2275	Servo, digital high-torque, metal gear (ball bearing), waterproof
9636X	Steering block arms (aluminum, blue-anodized) (2) (fits #9635 series & 9637 series steering blocks)
9636A	Steering block arms (aluminum, dark titanium-anodized) (2) (fits #9635 series & 9637 series steering blocks)
9636G	Steering block arms (aluminum, green-anodized) (2) (fits #9635 series & 9637 series steering blocks)
9636T	Steering block arms (aluminum, orange-anodized) (2) (fits #9635 series & 9637 series steering blocks)
9636R	Steering block arms (aluminum, red-anodized) (2) (fits #9635 series & 9637 series steering blocks)
9642	Steering block arms, carbon fiber (2) (fits #9635 series & 9637 series steering blocks)
9635X	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right/ steering block arms (2)/ 4x16mm BCS (with threadlock) (4)/ 3x18mm CS (2)/ 3x10mm BCS (with threadlock) (4)/ M3x0.5mm NL (2)
9635A	Steering blocks, 6061-T6 aluminum (dark titanium-anodized), left & right/ steering block arms (2)/ 4x16mm BCS (with threadlock) (4)/ 3x18mm CS (2)/ 3x10mm BCS (with threadlock) (4)/ M3x0.5mm NL (2)
9635G	Steering blocks, 6061-T6 aluminum (green-anodized), left & right/ steering block arms (2)/ 4x16mm BCS (with threadlock) (4)/ 3x18mm CS (2)/ 3x10mm BCS (with threadlock) (4)/ M3x0.5mm NL (2)
9635T	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right/ steering block arms (2)/ 4x16mm BCS (with threadlock) (4)/ 3x18mm CS (2)/ 3x10mm BCS (with threadlock) (4)/ M3x0.5mm NL (2)

**Page 6 Sledge®: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 95076-4) Parts List**

9635R	Steering blocks, 6061-T6 aluminum (red-anodized), left & right/ steering block arms (2)/ 4x16mm BCS (with threadlock) (4)/ 3x18mm CS (2)/ 3x10mm BCS (with threadlock) (4)/ M3x0.5mm NL (2)
9537	Steering blocks, left & right/ 4x16mm BCS (4)/ M4x0.7 NL (4)
9637X	Steering blocks, left & right/ steering block arms (aluminum, blue-anodized) (2)/ 3x18mm CS (2)/ M3x0.5mm NL (2)
9637A	Steering blocks, left & right/ steering block arms (aluminum, dark titanium-anodized) (2)/ 3x18mm CS (2)/ M3x0.5mm NL (2)
9637G	Steering blocks, left & right/ steering block arms (aluminum, green-anodized) (2)/ 3x18mm CS (2)/ M3x0.5mm NL (2)
9637T	Steering blocks, left & right/ steering block arms (aluminum, orange-anodized) (2)/ 3x18mm CS (2)/ M3x0.5mm NL (2)
9637R	Steering blocks, left & right/ steering block arms (aluminum, red-anodized) (2)/ 3x18mm CS (2)/ M3x0.5mm NL (2)
9526	Steering link (30mm) (1)/ hollow balls (2)
9549	Toe links, front (120mm) (2) (assembled with hollow balls)
9549X	Toe links, Sledge® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (120mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9549A	Toe links, Sledge® (TUBES dark titanium-anodized, 7075-T6 aluminum, stronger than titanium) (120mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9549G	Toe links, Sledge® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (120mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9549T	Toe links, Sledge® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (120mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9549R	Toe links, Sledge® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (120mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)

**Suspension Linkage**

9547	Camber links, front (117mm) (2) (assembled with hollow balls)
9547X	Camber links, front, Sledge® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547A	Camber links, front, Sledge® (TUBES dark titanium-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547G	Camber links, front, Sledge® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547T	Camber links, front, Sledge® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547R	Camber links, front, Sledge® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548	Camber links, rear (144mm) (2) (assembled with hollow balls)
9548X	Camber links, rear, Sledge® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548A	Camber links, rear, Sledge® (TUBES dark titanium-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548G	Camber links, rear, Sledge® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548T	Camber links, rear, Sledge® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548R	Camber links, rear, Sledge® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9546A	Draglink, steering, 6061-T6 aluminum (dark titanium-anodized)/ 3x14mm SS (2)
9546G	Draglink, steering, 6061-T6 aluminum (green-anodized)/ 3x14mm SS (2)
9546T	Draglink, steering, 6061-T6 aluminum (orange-anodized)/ 3x14mm SS (2)
9546R	Draglink, steering, 6061-T6 aluminum (red-anodized)/ 3x14mm SS (2)

9546	Draglink, steering/ 3x14mm SS (2)
9683	Hollow balls, steel (8)
9647	Rod ends, standard (4) (assembled with hollow balls) (fits #9547/9548 series aluminum camber links & #9549 series aluminum toe links)
9544	Servo horn, steering, metal
9540	Suspension pin set, front & rear (hardened steel), 4x67mm (4), 3.5x48.2mm (2), 3.5x56.7mm (2)/ M3x0.5mm NL, flanged (4)
9541	Suspension pins, inner, front or rear, 4x67mm (hardened steel) (2)
9542	Suspension pins, outer, front, 3.5x48.2mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
9543	Suspension pins, outer, rear, 3.5x56.7mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
9549	Toe links, front (120mm) (2) (assembled with hollow balls)

**Team Traxxas Items**

2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

**Tires & Wheels**

9572T	Tires & wheels, assembled, glued (3.8" black chrome wheels, black chrome wheel covers, Sledgehammer® tires, foam inserts) (2)
9572	Tires & wheels, assembled, glued (3.8" black wheels, gray wheel covers, Sledgehammer® tires, foam inserts) (2)
9672	Tires & wheels, assembled, glued (3.8" black wheels, Sledgehammer® tires, foam inserts) (2)
9572A	Tires & wheels, assembled, glued (3.8" satin black chrome wheels, satin black chrome wheel covers, Sledgehammer® tires, foam inserts) (2)
9572X	Tires & wheels, assembled, glued (3.8" satin chrome wheels, satin chrome wheel covers, Sledgehammer® tires, foam inserts) (2)
8674	Tires & wheels, assembled, glued (black 3.8" wheels, paddle tires, foam inserts) (2) (TSM® rated)
8672	Tires & wheels, assembled, glued (black wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM® rated)
8672G	Tires & wheels, assembled, glued (green wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM® rated)
8672A	Tires & wheels, assembled, glued (orange wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM® rated)
5670	Tires, Canyon AT 3.8" (2)/ foam inserts (2)
4973	Tires, Maxx® 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo®/T-Maxx®/E-Maxx®)
8673	Tires, paddle 3.8" (2)/ foam inserts (2)
5375	Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
9670	Tires, Sledgehammer® (2)/ foam inserts (2)
5171	Tires, T-Maxx® 3.8" (2) (fits Revo®/Maxx® series)
8670	Tires, Talon EXT 3.8" (2), foam inserts (2)
9569	Wheel covers, black (4) (fits #9572 wheels)
9568T	Wheel covers, black chrome (4) (fits #9572 wheels)
9569X	Wheel covers, blue (4) (fits #9572 wheels)
9569A	Wheel covers, gray (4) (fits #9572 wheels)
9569G	Wheel covers, green (4) (fits #9572 wheels)
9569T	Wheel covers, orange (4) (fits #9572 wheels)
9569R	Wheel covers, red (4) (fits #9572 wheels)
9568A	Wheel covers, satin black chrome (4) (fits #9572 wheels)
9568X	Wheel covers, satin chrome (4) (fits #9572 wheels)
9567	Wheel hubs, +5 mm (4), +10 mm (4) (fits #9572 wheels)
8654	Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654G	Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654A	Wheel hubs, splined, 17mm (orange-anodized) (4)/ 4x5mm GS (4)/ 3x14mm pin (4)
8654R	Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
8671	Wheels, 3.8" (black) (2) (17mm splined)
9671	Wheels, 3.8" (black) (2) (17mm splined)
8671G	Wheels, 3.8" (green) (2) (17mm splined)
8671A	Wheels, 3.8" (orange) (2) (17mm splined)

**Traxxas Tools**



**Page 7 Sledge®: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 95076-4) Parts List**

3433X	Body reamer (aluminum handle)	9548R	Camber links, rear, Sledge® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
3433	Body reamer (plastic handle)	9683	Hollow balls, steel (8)
3436	Cap, body reamer	9647	Rod ends, standard (4) (assembled with hollow balls) (fits #9547/9548 series aluminum camber links & #9549 series aluminum toe links)
3432	Scissors, curved tip	9549	Toe links, front (120mm) (2) (assembled with hollow balls)
3431	Scissors, straight tip	9549X	Toe links, Sledge® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (120mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive	9549A	Toe links, Sledge® (TUBES dark titanium-anodized, 7075-T6 aluminum, stronger than titanium) (120mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
8720	Speed bit handle, large (overmolded)	9549G	Toe links, Sledge® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (120mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
8721	Speed bit handle, medium (one piece)	9549T	Toe links, Sledge® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (120mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
8722	Speed bit handle, premium (rubber overmold)	9549R	Toe links, Sledge® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (120mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive		
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive		
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive		
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive		
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive		
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive		
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive		
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive		
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)		
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)		

**Turnbuckles & Threaded Rods**

9547	Camber links, front (117mm) (2) (assembled with hollow balls)
9547X	Camber links, front, Sledge® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547A	Camber links, front, Sledge® (TUBES dark titanium-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547G	Camber links, front, Sledge® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547T	Camber links, front, Sledge® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9547R	Camber links, front, Sledge® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (117mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548	Camber links, rear (144mm) (2) (assembled with hollow balls)
9548X	Camber links, rear, Sledge® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548A	Camber links, rear, Sledge® (TUBES dark titanium-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548G	Camber links, rear, Sledge® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)
9548T	Camber links, rear, Sledge® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (144mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 8mm (1)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**