



# Rustler® 4X4 (Model 67064-61) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 6720 Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
- 6710 Body reinforcement set (fits #6717 body)**
- 6719 Body support/ 3x12mm CS (4)
- 6717 Body, Rustler® 4X4 (clear, requires painting)/ window, grille, lights decal sheet**
- 6717A Body, Rustler® 4X4 VXL, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6717G Body, Rustler® 4X4 VXL, green (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6717T Body, Rustler® 4X4 VXL, orange (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6717P Body, Rustler® 4X4 VXL, pink (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6717R Body, Rustler® 4X4 VXL, red (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6717X Body, Rustler® 4X4 VXL, silver (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6718X Body, Rustler® 4X4, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
- 6734G Body, Rustler® 4X4, green & blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6734T Body, Rustler® 4X4, orange & blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6734P Body, Rustler® 4X4, pink & purple/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6734R Body, Rustler® 4X4, red & blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6718 Body, Rustler® 4x4, red (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
- 2514 Decal sheet, racing sponsors
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 6728X Skid plate, roof (body) (blue)/ 3x12mm CS (4)
- 6728G Skid plate, roof (body) (green)/ 3x12 CS (4)
- 6728T Skid plate, roof (body) (orange)/ 3x12 CS (4)
- 6728R Skid plate, roof (body) (red)/ 3x12mm CS (4)
- 6728A Skid plate, roof (body) (white)/ 3x12 CS (4)
- 6728 Skid plate, roof (body)/ 3x12mm CS (4)
- 6721 Wing, Rustler® 4X4 (black)/ 3x8 FCS (3)
- 6721X Wing, Rustler® 4x4 (blue)/ 3x8 FCS (3)
- 6721G Wing, Rustler® 4x4 (green)/ 3x8 FCS (3)
- 6721T Wing, Rustler® 4x4 (orange)/ 3x8 FCS (3)
- 6721R Wing, Rustler® 4x4 (red)/ 3x8 FCS (3)
- 6721A Wing, Rustler® 4x4 (white)/ 3x8 FCS (3)

## Center Driveline

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6893X Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**

- 6893G Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
- 7477 Cover, gear/ wire retainer
- 6814 Differential kit, center (complete)**
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6765 Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)**
- 6765G Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)**
- 6765A Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)**
- 6765R Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)**
- 6767 Driveshaft, center, plastic, (black)/ screw pin
- 6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
- 5148 Grease, white lithium
- 6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
- 7460A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 7460R Motor mount, 6061-T6 aluminum (blue-anodized)**
- 7490 Plate, motor
- 7490G Plate, motor, green**
- 7490A Plate, motor, orange**
- 7490R Plate, motor, red**
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 1647 Silicone Grease
- 6878 Slipper clutch, complete (for Slash 4x4)
- 5556 Slipper pressure plate & hub (aluminum alloy)**
- 5351 Slipper pressure plate and hub (alloy)

## Chassis & Attachments

- 6736X 6736X Bumper, front / bumper support (fits 4WD Rustler®) (for LED light kit installation)
- 6726X Battery hold-down (3)/ battery clip/ hold-down post/ screw pin/ pivot post screw (fits #6723R chassis with 162mm long battery compartment)
- 6724 Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
- 6791 Bumper, front (assembled, LED lights installed) (fits 4WD Rustler®)
- 6737X Bumper, rear / bumper mount (fits 4WD Rustler®) (for LED light kit installation)
- 6723R Chassis (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down)
- 6730X Chassis brace kit, blue (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)**
- 6730G Chassis brace kit, green (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)**
- 6730A Chassis brace kit, orange (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)**
- 6730R Chassis brace kit, red (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)**
- 6776 Wheelie bar**

## Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 6780 Differential kit, center (complete)**
- 5136X Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 5136X Differential oil kit (1.7 oz (50cc) of 1 each: 10K, 30K, 50K weights)**
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6783 Gear set, differential (spider gears (4)/ spider gear shaft (2))**
- 6781 Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 PTFE-coated washer/ 2.5x8 CCS (4)**
- 6881 Housings, differential, front
- 6880 Housings, differential, rear

**Page 2 Rustler® 4X4: TQ™ 2.4GHz Radio (Model 67064-61) Parts List**

6782	Output gears, center differential, hardened steel (2)	9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
5379X	Ring gear, differential/ pinion gear, differential	9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6778	Ring gear, differential/ pinion gear, differential (12/47 ratio) (front)	9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
6779	Ring gear, differential/ pinion gear, differential (12/47 ratio) (rear)	9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)	9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)	9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
6879	Ring gear, differential/ pinion gear, differential (rear)	9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
3965	Screws, 2.5x8mm cap-head machine (6)	9080	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black
1647	Silicone Grease	9080X	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue

**Driveline Components**

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	9080G	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	9080T	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	9080R	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red
9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)	9043	Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)
9057X	Differential output shafts, steel-splined constant-velocity (2)	9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)
6758	Differential output shafts, steel-splined constant-velocity (2)	9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)	9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)	9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)	9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)
6765	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)	9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
6765G	Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)	9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
6765A	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)	9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
6765R	Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)	9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
6767	Driveshaft, center, plastic, (black)/ screw pin	9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
9051X	Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)	9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6851R	Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)	9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)	9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9052X	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)	9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9055X	Half shaft, external splined (steel-spline constant velocity) (1)	9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6750	Half shaft, external splined (steel-spline constant velocity) (1)	9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)	9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
6751	Half shaft, internal splined (steel-spline constant velocity) (1)	9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)	9054	Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)	9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)	9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)	9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
6754	Stub axle, front, steel-splined constant velocity (1)	9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9054X	Stub axle, front, steel-splined constant velocity (1)	1654R	Wheel hubs, hex (steel) (2)/ axle pins (2)
9053X	Stub axle, rear, steel-splined constant velocity (1)		
6753	Stub axle, rear, steel-splined constant velocity (1)		

**Extreme HD Upgrade Kit**

9016	Body mounts, front & rear, extreme heavy duty (for use with #9080 upgrade kit)
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

**Front Suspension & Steering**

5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
<b>6823G</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (green-anodized)</b>
<b>6823R</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (red-anodized)</b>
7430R	Bulkhead, front (for use only with #6723R chassis)
3641A	Camber link set (plastic / non-adjustable ) ( front & rear) (grey)
<b>3641</b>	<b>Camber link set (plastic/ non-adjustable) (front &amp; rear) (black)</b>
<b>3643X</b>	<b>Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>3643G</b>	<b>Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>3643R</b>	<b>Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>6832X</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left &amp; right</b>
<b>6832G</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left &amp; right</b>
<b>6832A</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left &amp; right</b>
<b>6832R</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left &amp; right</b>
6832	Caster blocks (c-hubs), left & right
<b>6845A</b>	<b>Drag link, machined 6061-T6 aluminum (blue-anodized)</b>
<b>6845G</b>	<b>Drag link, machined 6061-T6 aluminum (green-anodized)</b>
<b>6845T</b>	<b>Drag link, machined 6061-T6 aluminum (orange-anodized)</b>
<b>6845R</b>	<b>Drag link, machined 6061-T6 aluminum (red-anodized)</b>
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
<b>6851R</b>	<b>Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)</b>
7438	Linkage, steering
2742	Rod ends, long (6)/ hollow ball connectors (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
6739	Shock tower, front
<b>6739X</b>	<b>Shock tower, front, 7075-T6 aluminum (blue-anodized) (1)/ body mount bracket (1)</b>
<b>6739G</b>	<b>Shock tower, front, 7075-T6 aluminum (green-anodized) (1)/ body mount bracket (1)</b>
<b>6739R</b>	<b>Shock tower, front, 7075-T6 aluminum (red-anodized) (1)/ body mount bracket (1)</b>
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
<b>6837X</b>	<b>Steering blocks, 6061-T6 aluminum (blue-anodized), left &amp; right</b>
<b>6837G</b>	<b>Steering blocks, 6061-T6 aluminum (green-anodized), left &amp; right</b>
<b>6837A</b>	<b>Steering blocks, 6061-T6 aluminum (orange-anodized), left &amp; right</b>
<b>6837R</b>	<b>Steering blocks, 6061-T6 aluminum (red-anodized), left &amp; right</b>
6837	Steering blocks, left & right
<b>6854A</b>	<b>Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)</b>
<b>6754</b>	<b>Stub axle, front, steel-splined constant velocity (1)</b>
6732	Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3x18mm BCS (4)
<b>3655P</b>	<b>Suspension arms, blue, front/rear (left &amp; right), heavy duty (2)</b>
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
<b>3655G</b>	<b>Suspension arms, green, front/rear (left &amp; right), heavy duty (2)</b>
<b>3655T</b>	<b>Suspension arms, orange, front/rear (left &amp; right), heavy duty (2)</b>
<b>3655L</b>	<b>Suspension arms, red, front/rear (left &amp; right), heavy duty (2)</b>
6834	Suspension pin set, complete (front and rear)
<b>6898</b>	<b>Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)</b>
6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
<b>6742X</b>	<b>Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)</b>
<b>6742G</b>	<b>Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)</b>
<b>6742R</b>	<b>Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)</b>

**Hardware**

1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3935	Body clip (mounting clip), angled, 90-degrees (10)
<b>3935A</b>	<b>Body clip (mounting clip), angled, 90-degrees (black) (10)</b>

3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm)
2745	Nuts, 3mm nylon locking (12)
<b>1747P</b>	<b>Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)</b>
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
<b>1747</b>	<b>Nuts, 4mm nylon locking (10)</b>
<b>1747R</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
<b>1747G</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
<b>1747T</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)</b>
<b>1747A</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)</b>
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

**LED Lights**

<b>6588</b>	<b>Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)</b>
<b>6797</b>	<b>Bumper, front (with LED lights) (replacement for #6736 front bumper)</b>
<b>6541X</b>	<b>Connector, power tap (with cable)/ 2.6x8 BCS (2) (use #6549 power tap for telemetry voltage)</b>
5893	LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
<b>6795</b>	<b>LED light set, complete (includes bumper with LED lights, roof skid plate with LED lights, 3-volt accessory power supply, and power tap connector (with cable) (fits #6717 body)</b>
6793	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 4WD Rustler®)
<b>6796</b>	<b>Skid plate, roof (body) (with LED lights) (fits #6717 body)</b>
2263	Y-harness, BEC to LED light set

**Motors & Electronics**

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
<b>2260</b>	<b>BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)</b>
6790	Gear adapters, fixed, Rustler® 4x4
2053	Gear set (for 2055, 2056 servos)
<b>2072A</b>	<b>Gear set (for 2070, 2075 servos)</b>
<b>2252</b>	<b>Gear set, metal (for 2250, 2255 servos)</b>
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
<b>7460R</b>	<b>Motor mount, 6061-T6 aluminum (blue-anodized)</b>
3785	Motor, Titan® 12T (12-Turn, 550 size)
<b>3351R</b>	<b>Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)</b>
7490	Plate, motor
<b>7490G</b>	<b>Plate, motor, green</b>
<b>7490A</b>	<b>Plate, motor, orange</b>
<b>7490R</b>	<b>Plate, motor, red</b>
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
<b>2254</b>	<b>Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)</b>
<b>2253</b>	<b>Servo case, aluminum (middle) (red-anodized) (for 2255 servo)</b>
<b>2251</b>	<b>Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</b>

## Page 4 Rustler® 4X4: TQ™ 2.4GHz Radio (Model 67064-61) Parts List

2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

### Radio System, Batteries & Chargers

2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2914	Battery, Power Cell AA Alkaline (4)
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2053	Gear set (for 2055, 2056 servos)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6562	Mount, telemetry expander (requires #6730 chassis brace kit)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom) gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)

6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6539	Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) (for use with #6814 center differential)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module

### Ready-To-Race Model

67064-61	Rustler® 4X4: 1/10-scale 4WD Stadium Truck with TQ™ 2.4GHz radio system and LED lights
----------	--

### Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
7429	Bulkhead, rear
3641A	Camber link set (plastic / non-adjustable) ( front & rear) (grey)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
1952X	Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
1952G	Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
1952T	Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
1952	Carriers, stub axle (rear) (2)
1952A	Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
6738	Shock tower, rear
6738X	Shock tower, rear, 7075-T6 aluminum (blue-anodized) (1)/ body mount bracket (1)
6738G	Shock tower, rear, 7075-T6 aluminum (green-anodized) (1)/ body mount bracket (1)
6738R	Shock tower, rear, 7075-T6 aluminum (red-anodized) (1)/ body mount bracket (1)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)

### Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)

- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

**Shocks (GTR)**

- 7466X Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
- 7466 Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7466G Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7466A Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7466R Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
- 7467X Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
- 7467 Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7467G Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7467A Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7467R Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
- 7468X Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 7468 Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 5475 Multi-tool (plastic)
- 5158 Nuts, 2.5mm nylon locking (12)
- 7463 Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
- 5469 Rod ends (GTR shocks)
- 7464T Shaft, GTR long, TiN-coated (2)
- 7461 Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461G Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461X Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 7462 Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462G Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462X Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 8459 Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
- 7440 Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
- 7441 Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
- 7444 Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
- 7445 Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
- 7448 Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
- 7442 Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
- 7443 Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
- 7446 Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
- 7447 Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
- 7449 Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

**Shocks (Pro-level Aluminum)**

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)

**Shocks (Ultra Shocks)**

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 5475 Multi-tool (plastic)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 3759 Springs, front (2)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 3757X Springs, white (rear) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 6893X Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6893G Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
- 6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 6878 Slipper clutch, complete (for Slash 4x4)
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 Slipper pressure plate and hub (alloy)

**Spur Gears & Pinion Gears**

7477	Cover, gear/ wire retainer
6790	Gear adapters, fixed, Rustler® 4x4
6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

**Steering Components**

1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
7438	Linkage, steering
2742X	Rod ends, short (6)/ hollow balls (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
2746	Washers, 3x6mm metal (12)

**Suspension Linkage**

2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
3641A	Camber link set (plastic / non-adjustable ) ( front & rear) (grey)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)

5525	Rod ends (12)/ hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
6834	Suspension pin set, complete (front and rear)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

**Team Traxxas Items**

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

**Tires & Wheels**

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone Grease
2754	Stub axle pins (4)
4175	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)
6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
6771	Tires and wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)
6770	Tires, Maxx® 2.8" (2)/ foam inserts (2)
3671	Tires, Talon 2.8" (2)/ foam inserts (2)
6769	Tires, Talon EXT 2.8" (2)/ foam inserts (2)
1654	Wheel hubs, hex (2)/ stub axle pins (2)
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)
6856X	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 4WD)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)
5576	Wheels, All-Star 2.8" (chrome) (nitro rear / electric front) (2)
5572	Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)
6772	Wheels, RXT 2.8" (black) (2)

### Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

### Turnbuckles & Threaded Rods

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**