

## Rustler® (Model 37054-61) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3628 3735	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3733	light kit installation)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	3728	Lower chassis (black) (166mm long battery compartment) (fits
2545	Bushings (plastic) (5x8x2.5mm) (4)		both flat and hump style battery packs)
1675 1985	Bushings, self-lubricating (5x11x4mm) (14) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	3722X	Lower chassis (black) (166mm long battery compartment) (fits
1903			both flat and hump style battery packs)(use only with #3725R ESC mounting plate)
	Body & Accessories	3728A	Lower chassis (gray) (166mm long battery compartment) (fits both flat
1926	Antenna caps, vinyl (2)/ antenna spool		and hump style battery packs)
1726 1834	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body Clips (12) (standard size)	3722R	Lower chassis (grey) (166mm long battery compartment) (fits
3934	Body clips, heavy duty (12)		both flat and hump style battery packs) (use only with #3725R
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),	3725R	ESC mounting plate)  Mounting plate, electronic speed control (for installation of XL-5/VXL
	25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	072010	into Bandit or Rustler®)
3614	Body mounts (front & rear)	3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
1815	Body washers (8)	9462X	Side plates, wheelie bar, blue (aluminum) (2)
6716 3750X	Body Washers, Foam, 2mm/3mm/4mm Body, Rustler® (also fits Rustler® VXL), blue (painted, decals	9462	Side plates, wheelie bar, charcoal gray (aluminum) (2)
3/308	applied, assembled with wing)	9462G 9462A	Side plates, wheelie bar, green (aluminum) (2)
3750G	Body, Rustler® (also fits Rustler® VXL), green (painted, decals	9462A 9462P	Side plates, wheelie bar, orange (aluminum) (2) Side plates, wheelie bar, pink (aluminum) (2)
	applied, assembled with wing)	9462R	Side plates, wheele bar, red (aluminum) (2)
3750T	Body, Rustler® (also fits Rustler® VXL), orange (painted, decals	5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
2750	applied, assembled with wing)	3723	Upper chassis (black)
3750	Body, Rustler® (also fits Rustler® VXL), red & black (painted, decals applied, assembled with wing)	3729	Upper chassis (black)
3750R	Body, Rustler® (also fits Rustler® VXL), red (painted, decals	3729A	Upper chassis (gray)
	applied, assembled with wing)	3723A	Upper chassis (grey)
3714	Body, Rustler® (clear, requires painting)/window, lights decal	4974 3677X	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
.==.	sheet/ wing and aluminum hardware	3677A	Wheelie bar mount (1) / hardware (blue) Wheelie bar mount (1) / hardware (green)
3750L	Body, Rustler®, ProGraphix® (graphics are printed, requires paint & final color application)/ wing/ decal sheet	3677P	Wheelie bar mount (1) / hardware (green)
2514	Decal sheet, racing sponsors	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit
3716	Decal sheets, Rustler®		series)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	9464	Wheelie bar mount (heavy duty)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	3678	LED light kit installation) Wheelie bar, assembled (black) (fits Slash®, Stampede®,
3677X	Wheelie bar mount (1) / hardware (blue)	3070	Rustler®, Bandit® series)
3677A 3677P	Wheelie bar mount (1) / hardware (green)	3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit
3677	Wheelie bar mount (1) / hardware (pink) Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit		series)
3011	series)	3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®,
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678T	Rustler®, Bandit® series) Wheelie bar, astembled (orange) (fits Slash®, Stampede®,
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)	3678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,
3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)	3678R	Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,	0.400	Bandit® series)
	Rustler®, Bandit® series)	9460	Wheelie bar, black (assembled)/ wheelie bar mount
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,	9460X 4976	Wheelie bar, black chrome (assembled)/ wheelie bar mount Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
00700	Bandit series)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)		axles (2)/ rubber tires (2)
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	0.40434	axles (2)/ rubber tires (2)
	axles (2)/ rubber tires (2)	9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/
	axles (2)/ rubber tires (2)  Chassis & Attachments	9461G	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12	3-01G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
	BCS (with threadlock) (2)	9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/
9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)	9461P	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12	04045	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12	9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463A	BCS (with threadlock) (2)	9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))
9463A			Differential Components
9463A 9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)		
	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12	2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)
9463P	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2) Battery expansion kit (allows for installation of taller multi-cell	<b>2380</b> 2381X	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)  Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
9463P 9463R 3725X	BCS (with threadlock) (2)  Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12  BCS (with threadlock) (2)  Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler®, Bandit, Stampede®)		Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit,
9463P 9463R	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2) Battery expansion kit (allows for installation of taller multi-cell	2381X	Stampede®, Slash®)  Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)

Page 2	Rustler®: TQ™ 2.4 GHz Radio	(Model 37054-61	) Parts List
. ugc =	Rusticiel i & Zi- Cilz Ruuio	(moaci o <i>i</i> oo <del>-i</del> o i	, . a. t. = 13t

5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)	3631R	Suspension arms, red, front, heavy duty (2)
1647	Silicone Grease	3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)
	Driveline Components		(strengthens caster blocks)
	-	2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)		strengthen front bulkhead)
1675	Bushings, self-lubricating (5x11x4mm) (14)	3640	Suspension screw pin set, steel (hex drive) (requires part # 2640
4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/		for a complete suspension pin set) (Rustler®, Stampede®,
	screw pin (2)		Bandit)
4628X	,	0500	· ·
	Differential output yokes, hardened steel (w/ U-joints) (2)	2532	Tie bar, fiberglass (requires suspension pins, part# 2640)
6828X	Differential output yokes, heavy duty (2)/ screw pin (2)	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm
1951R	Driveshafts, rear, steel-spline constant-velocity (complete		(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
	assembly) (2) (fits 2WD Rustler®/Stampede®)		complete camber link set)
1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm
	(plastic shafts only)	0.01	
6750			(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for
6752	Half shaft, external splined (steel-spline constant velocity) (1)		complete camber link set)
	(fits 2WD Rustler®/Stampede®)	3139	Turnbuckles (62mm) (front tie rods) (2)
6751	Half shaft, internal splined (steel-spline constant velocity) (1)	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
	metal u-joints (4)		wrench
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)
1331		31337	
	metal U-joints (4)		(assembled w/ rod ends & hollow balls) (requires 5mm aluminum
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes		wrench #5477)
	pins, dustboots, lube, and hardware)	3741G	Turnbuckles, aluminum (green-anodized), camber links, front,
3752	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6		wrench
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2)
20520			(assembled w/ rod ends & hollow balls) (requires 5mm aluminum
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6		
	aluminum (green-anodized)/ 5x11mm ball bearings (4)	07447	wrench #5477)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3741T	Turnbuckles, aluminum (orange-anodized), camber links, front,
	aluminum (orange-anodized)/ 5x11mm ball bearings (4)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6		wrench
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2)
20E2V			(assembled w/ rod ends & hollow balls) (requires 5mm aluminum
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6		wrench #5477)
	aluminum (red-anodized)/ 5x11mm ball bearings (4)	0744D	·
2754	Stub axle pins (4)	3741P	Turnbuckles, aluminum (pink-anodized), camber links, front,
6753	Stub axle, rear, steel-splined constant velocity (1)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
2753X	Stub axles, rear (2)		wrench
		3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2)
6853X	Stub axles, rear, heavy duty (2)/pins (2)		(assembled w/ rod ends & hollow balls) (requires 5mm aluminum
	Front Suspension & Steering		wrench #5477)
0507		3741X	Turnbuckles, aluminum (red-anodized), camber links, front,
2537	3mm threaded rods: 1 each of 20mm,25mm&44mm	01417	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow
			Janini (2), rear, 43mm (2) (assembled w/ rod ends & nonow
3637	Axles (front) (2)		
3637 <b>5116</b>	Ball bearings, blue rubber sealed (5x11x4mm) (2)		balls)/wrench
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3139X	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
5116 2530	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black)	3139X	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm
<b>5116</b> <b>2530</b> 2530A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey)	3139X	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
<b>5116</b> <b>2530</b> 2530A 2545	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4)		balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
<b>5116 2530</b> 2530A 2545 1675	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14)	3139X 3644	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center)
<b>5116</b> <b>2530</b> 2530A 2545	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4)	3644	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
<b>5116 2530</b> 2530A 2545 1675	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14)		balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2)
<b>5116 2530</b> 2530A 2545 1675 3632	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left	3644	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
<b>5116 2530</b> 2530A 2545 1675 3632 <b>3632A</b>	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	3644	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
<b>5116 2530</b> 2530A 2545 1675 3632	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left	3644 3745	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
5116 2530 2530A 2545 1675 3632 3632A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	<b>3644 3745</b> 2537	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
<b>5116 2530</b> 2530A 2545 1675 3632 <b>3632A</b>	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum	3644 3745	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	<b>3644 3745</b> 2537	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum	3644 3745 2537 1926 1726	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	3644 3745 2537 1926 1726 1834	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	3644 3745 2537 1926 1726 1834 3934	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &	3644 3745 2537 1926 1726 1834 3934 2545	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	3644 3745 2537 1926 1726 1834 3934 2545 1589	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3644 3745 2537 1926 1726 1834 3934 2545	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	3644 3745 2537 1926 1726 1834 3934 2545 1589	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632T 3632P 3632X 1942 5525R	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632T 3632P 3632X 1942 5525R	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632P 3632X 1942 5525R 2742 5347	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632Y 1942 5525R 2742 5347 2742X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632V 1942 5525R 2742 5347 2742X 3744	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632Y 1942 5525R 2742 5347 2742X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747G 1747T	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632V 1942 5525R 2742 5347 2742X 3744	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747 1747R 1747G 1747T	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747 1747R 1747R 1747R 1747G 1747T 1747A 1985	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (2) (inserter) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (4)  **Dubles (1) / vinyl antenna sapool  **Antenna, tube (1) / vinyl antenna cap (1) / wire retainer (1)  **Body Clips, heavy duty (12)  **Body Clips, hea
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747 1747R 1747G 1747T	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 39mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 39mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, 19mm (2) (assembled with rod ends (1)  **Turnbuckles, 29mm (2) (assembled with rod ends (2) (assembled with rod ends (3) (assembled with rod ends (4)  **Turnbuckles, 29mm (2) (assembled with rod ends (3) (assembled with rod ends (4) (blue-anodized) (4)  **Turnbuckles, 29mm (2) (assembled with rod ends (3) (assembled with rod ends (4) (blue-anodized) (4) (blue-anodized) (4)  **Turnbuckles, 29mm (2) (assembled with rod ends (3) (assembled with rod ends (4) (blue-anodized) (4) (blue-anodized) (4) (blue-anodized) (4) (contents (3) (c
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	3644 3745 2537 1926 1726 1834 3934 2545 1552 1747P 3647 1747R 1747R 1747G 1747T 1747A 1985	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747 1747R 1747R 1747R 1747G 1747T 1747A 1985	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 39mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 39mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, 19mm (2) (assembled with rod ends (1)  **Turnbuckles, 29mm (2) (assembled with rod ends (2) (assembled with rod ends (3) (assembled with rod ends (4)  **Turnbuckles, 29mm (2) (assembled with rod ends (3) (assembled with rod ends (4) (blue-anodized) (4)  **Turnbuckles, 29mm (2) (assembled with rod ends (3) (assembled with rod ends (4) (blue-anodized) (4) (blue-anodized) (4)  **Turnbuckles, 29mm (2) (assembled with rod ends (3) (assembled with rod ends (4) (blue-anodized) (4) (blue-anodized) (4) (blue-anodized) (4) (contents (3) (c
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends (16 long & 4 short)/ hollow ball connectors (6) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747G 1747T 1747A 1985 1942 5525R	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747R 1747R 1747R 1985 1942 5525R 2742	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747R 1747R 1747R 1985 1942 5525R 2742 5347	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747R 1747R 1747R 1747R 1747R 1747R 1747A 1985 1942 5525R 2742 5347 2742X	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls (12) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow balls (6) Rod ends, short (6)/ hollow balls (6)
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A 3636G 3636T	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747R 1747R 1747R 1985 1942 5525R 2742 5347	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747R 1747R 1747R 1747R 1747R 1747R 1747A 1985 1942 5525R 2742 5347 2742X	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls (12) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow balls (6) Rod ends, short (6)/ hollow balls (6)
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A 3636G 3636T 3636P	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747G 1747T 1747A 1985 1942 5525R 2742 5347 2742X 3739 3229	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A 3636G 3636T	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3644 3745  2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747G 1747T 1747A 1985 1942  5525R 2742 5347 2742X 3739 3229 3965	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A 3636G 3636T 3636P 3636X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, (16) long & 4 short)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747R 1747R 1747R 1985 1942 5525R 2742 5347 2742X 3739 3229 3965 2587	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A 3636G 3636T 3636P 3636X 3631	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747G 1747T 1747A 1985 1942 5525R 2742 5347 2742X 3739 3229 3965 2587 2578	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A 3636G 3636T 3636P 3636X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, (16) long & 4 short)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747R 1747R 1747R 1747R 1747A 1985 1942 5525R 2742 5347 2742X 3739 3229 3965 2587 2578 2676	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A 3636G 3636T 3636C 3636C 3636C 3631 3631X	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747G 1747T 1747A 1985 1942 5525R 2742 5347 2742X 3739 3229 3965 2587 2578	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A 3636G 3636T 3636P 3636X 3631X 3631X 3631A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747R 1747R 1747R 1747R 1747B 1985 1942 5525R 2742 5347 2742X 3739 3229 3965 2587 2578 2676 3186	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A 3636G 3636T 3636P 3636X 3631X 3631A 3631G	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747R 1747R 1747R 1747R 1985 1942 5525R 2742 5347 2742X 3739 3229 3965 2587 2578 2676 3186 2649	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  **TIWATC**  3mm threaded rods: 1 each of 20mm,25mm&44mm Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body Clips (12) (standard size) Body clips, heavy duty (12) Bushings (plastic) (5x8x2.5mm) (4) Double-sided adhesive tape (25mm x 25mm) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow balls connectors (6) Rod ends, short (6)/ hollow balls (6) Screw pin set (Rustler®/ Bandit/ Stampede®) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (6) Screws, 3x12mm button-head machine (6) Screws, 3x12mm washerhead machine (6) Screws, 3x15mm countersunk self-tapping (6)
5116 2530 2530A 2545 1675 3632 3632A 3632G 3632T 3632P 3632X 1942 5525R 2742 5347 2742X 3744 3639 3736 3636A 3636G 3636T 3636P 3636X 3631X 3631X 3631A	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters Shock tower (front) Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	3644 3745 2537 1926 1726 1834 3934 2545 1589 1552 1747P 3647 1747R 1747R 1747R 1747R 1747R 1747R 1747B 1985 1942 5525R 2742 5347 2742X 3739 3229 3965 2587 2578 2676 3186	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  ##################################

Page 3 R	Rustler®: TQ	™ 2.4 GHz	: Radio (Mo	odel 37054-61)	Parts List
----------	--------------	-----------	-------------	----------------	------------

rage 3	Rustiel W. 1 W 2.4 Gliz Raulo (model 37034-01) Fa	ii ta List	
2582	Screws, 3x30mm button-head machine (hex drive) (6)		
2592	Screws, 3x40mm button-head machine (hex drive) (6)	2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
	(6)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
3290	Screws, 3x8mm washerhead self-tapping (6)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2548	Screws, 4x12mm countersunk machine (100-degree) (6) Screws, 4x15mm countersunk machine (6)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
3167 2743	,		peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
5529	Set (grub) screws, 3mm hardened (12) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	2984	Battery/charger completer pack (includes #2969 2-amp NiMH
3329	captured (4)	2304	peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)		iD® battery (1))
07.12	(2)/ draglink shoulder screws (chrome) (2)	2992	Battery/charger completer pack (includes #2970 iD® charger (1),
3642	Shoulder screws, Ultra Shocks (3x12) (6)		#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2754	Stub axle pins (4)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens		voltage)
	caster blocks)	2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2746	Washers, 3x6mm metal (12)	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
	<b>LED Lights</b>	2973	Identification
3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2)	2913	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
0.0.	(requires #3735 front bumper for 2WD Rustler® or Bandit®)	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
3795	LED light harness, rear (requires #2477 wheelie bar mount)		Identification
3794	LED light set, complete (includes front and rear bumpers with LED	2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery
	light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or		Identification
	Bandit®)	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto
2263	Y-harness, BEC to LED light set		Battery Identification
	Motors & Electronics	6525	Communication link, telemetry expander
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input	2053	Gear set (for 2055, 2056 servos)
2200	voltage)	2072A	Gear set (for 2070, 2075 servos)
3790	Gear adapter, fixed	2252	Gear set, metal (for 2250, 2255 servos)
2053	Gear set (for 2055, 2056 servos)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for
2072A	Gear set (for 2070, 2075 servos)		Traxxas® iD® batteries)
2252	Gear set, metal (for 2250, 2255 servos)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	CEEAV	Traxxas® iD® batteries)
1275	Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with	6554X	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
	factory installed spur gear on models originally equipped with	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
	the Titan 12T)	6519	Receiver, micro, TQ 2.4GHz (3-channel)
3785	Motor, Titan® 12T (12-Turn, 550 size)	6552	Seal kit, expander box (includes o-ring, seals, and silicone
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge	0002	grease)
	wire and gold-plated bullet connectors)	6526	Sensor, auto-detectable, temperature
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL	6527	Sensor, auto-detectable, voltage
0054	into Bandit or Rustler®)	6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	6521	Sensor, temperature and voltage (long)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof		2250, 2255 servos)
2075	Servo, digital high-torque (ball bearing), waterproof	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing),	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2200	waterproof	2075	Servo, digital high-torque (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball	2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing),
	bearing), waterproof		waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2255	Servo, digital high-torque 400 brushless, metal gear (ball
2056	Servo, high-torque, waterproof (blue case)	007FV	bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and	2056 <b>6553X</b>	Servo, high-torque, waterproof (blue case)
	speed control mounting plate (part #3725))	6550X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with
3355R	VXL-3s Waterproof Electronic Speed Control (brushless)	UUUUA	#6551X GPS module)
20400	(fwd/rev/brake)	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	000170	#6550X telemetry expander)
	detection, fwd/rev/brake)	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/
	Radio System, Batteries & Chargers		3x8mm CCS (3)/ 3x10mm CCS (3)
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery	6540	Telemetry trigger magnet, 5X2mm (1)
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery		enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
2914	AA 4PK	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®
2976	AC to DC adapter		Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	CE4C	receiver)
	batteries to separate balance ports)	6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-
2943	Battery charge indicators, green (4), grey (4), blue (4)	6529	channel (transmitter only) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517	0323	channel (transmitter only)
2022	transmitter)  Pattery Power Cell 3000mAb (NiMH 6 C flat 7 2)/	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
2922X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)		channel (transmitter only)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	6511	Traxxas® Link Bluetooth® module
2926X 2942X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)	6537	Wire retainers, gear cover/ 3x4mm BCS (2)
2942X 2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)  Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
2940X 2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hat, 6.4V)  Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)		detection, fwd/rev/brake)
=V-1/\	, 50,100 0 1 01101 0011, 0000111711 (11111111, 1-0 1111111), 0.44)		

3652P S 3655P S 3655R S 36116 B 1675 B 3739 S 3638 S 3752 S 3652A S 3652A S 3652C S 3655C S 3655C S	Rustler®: 1/10 Scale Stadium Truck with TQ™ 2.4 GHz radio system and LED lights  Rustler®: 1/10 Scale Stadium Truck with TQ™ 2.4 GHz radio system and LED lights  Repart Stistiniston  Ball bearings, blue rubber sealed (5x11x4mm) (2)  Bushings, self-lubricating (5x11x4mm) (14)  Screw pin set (Rustler®/ Bandit/ Stampede®)  Shock tower (rear)  Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)  Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)  Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)  Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)  Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)  Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3767T 3767P 3767X 2362 1664T 2656T 1664 2656 3642 1765 3769 3768	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) Shock rebuild kit (for 2 shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12) (6)
1675 B 3739 S 3638 S 3752 S 3652A S 3652G S 3652T S 3652P S 3652X S 2753X S 3655P S 3655R S	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bushings or bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3767X 2362 1664T 2656T 1664 2656 3642 1765 3769	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) Shock rebuild kit (for 2 shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12) (6)
1675 B 3739 S 3638 S 3752 S 3652A S 3652G S 3652T S 3652P S 3652X S 2753X S 3655P S 3655R S	Ball bearings, blue rubber sealed (5x11x4mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bushings or bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3767X 2362 1664T 2656T 1664 2656 3642 1765 3769	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) Shock rebuild kit (for 2 shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12) (6)
1675 B 3739 S 3638 S 3752 S 3652A S 3652G S 3652T S 3652P S 3652X S 2753X S 3655P S 3655R S	Bushings, self-lubricating (5x11x4mm) (14) Screw pin set (Rustler®/ Bandit/ Stampede®) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bushings or bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	1664T 2656T 1664 2656 3642 1765 3769	Shock rebuild kit (for 2 shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12) (6)
3739 S 3638 S 3752 S 3652A S 3652G S 3652T S 3652P S 3652X S 2753X S 3655P S 3655R S	Screw pin set (Rustler®/Bandit/ Stampede®) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bushings or bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	<b>2656T 1664</b> 2656 <b>3642</b> 1765 3769	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12) (6)
3638 S 3752 S 3652A S 3652G S 3652T S 3652P S 3652X S 2753X S 3655P S 3655R S	Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bushings or bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	<b>1664</b> 2656 <b>3642</b> 1765 3769	(2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12) (6)
3752 S 3652A S 3652G S 3652T S 3652P S 3652X S 2753X S 3655P S 3655R S	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	2656 <b>3642</b> 1765 3769	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12) (6)
3652A S a 3652G S a 3652T S a 3652P S a 3652X S a 2753X S 3655P S 3655R S	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	2656 <b>3642</b> 1765 3769	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12) (6)
a 3652G S a 3652T S a 3652P S a 3652X S a 2753X S 3655P S 3655R S S	aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	<b>3642</b> 1765 3769	Shoulder screws, Ultra Shocks (3x12) (6)
3652G S a 3652T S a 3652P S a 3652X S a 2753X S 3655P S 3655R S	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	1765 3769	
3652T S a 3652P S a 3652X S a 2753X S 3655P S 3655R S	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3769	
3652P S a3652X S 2753X S 3655P S 3655R S	aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)		Silicone diaphragms (4)
3652P S a 3652X S 2753X S 3655P S 3655R S	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3768	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
a 3652X S a 2753X S 3655P S 3655R S	aluminum (pink-anodized)/ 5x11mm ball bearings (4)		Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
3652X S a 2753X S 3655P S 3655R S	. ,	3758	(2)) Springs (front) (2)
2753X S 3655P S 3655R S	Stub axie carriers, Rustier®/Stampede®/Bandit (2), 6061-16	2458P	Springs (front) (pink) (2)
2753X S 3655P S 3655R S	aluminum (red-anodized)/ 5x11mm ball bearings (4)	2458A	Springs (front) (white) (2)
3655P S 3655R S	Stub axles, rear (2)	3758T	Springs, blue (front) (2)
3655R S	Suspension arms, blue, front/rear (left & right), heavy duty (2)	3757T	Springs, blue (rear) (2)
	Suspension arms, front/rear (left & right), heavy duty (2)	2458	Springs, front (black) (2)
30330 €	Suspension arms, green, front/rear (left & right), heavy duty (2)	3758A	Springs, green (front) (2)
3655X S	Suspension arms, left & right	3757A	Springs, green (rear) (2)
	Suspension arms, orange, front/rear (left & right), heavy duty (2)	3757P	Springs, pink (rear) (2)
	Suspension arms, orange, front/rear (left & right), heavy duty (2)	3757	Springs, rear (black) (2)
	Suspension arms, red, front/rear (left & right), fleavy duty (2) Suspension screw pin set, steel (hex drive) (requires part # 2640	4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
	for a complete suspension pin set) (Rustler®, Stampede®,	3758R	Springs, red (front) (2)
	Bandit)	3758X	Springs, white (front) (2)
	Shock Oil	3757X	Springs, white (rear) (2)
		3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers
	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)		& springs) (front) (2)
	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load
	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)		spacers & springs) (rear) (2)
	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &
	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)		springs) (2)
	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &
	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)		springs) (rear) (2)
	Shock oil bottle (60cc) (for mixing shock oil)		Slipper Clutch Components
	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	3793	Input shaft (slipper shaft) / spring pin
	80 wt premium shock oils with spinning carousel rack)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
5038 S	Spinning carousel rack	3332X	4.0mm NL (1)/ 5.0mm NL (1))
	Shocks (Pro-level Aluminum)	2554	Screws, 3x6mm caphead machine (hex drive) (6)
2664 B	Big Bore shock cylinder (long) (1)	5556	Slipper pressure plate & hub (aluminum alloy)
5862 B	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)		Spur Gears & Pinion Gears
	(assembled with TiN shafts and springs) (front & rear) (4)	0700	<del>-</del>
	Big-bore shocks (long) (hard-anodized & PTFE-coated T6	3790	Gear adapter, fixed
	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	2416	Gear, 16-T pinion (48-pitch) / set screw
	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6	1918	Gear, 18-T pinion (48-pitch) / set screw
	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	2419	Gear, 19-T pinion (48-pitch) / set screw
	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)	2423 4728	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	4726 4725	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw
	(2)	4725 4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control
	Rod ends, short (6)/ hollow balls (6)	4070	slipper clutch)
	Shock caps, aluminum (2) (Big Bore Shocks)	4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control
	Shock rebuild kit (for 2 shocks)		slipper clutch)
	Shock shafts, hardened steel, titanium nitride coated (long) (2)	4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control
	Shock shafts, hardened steel, titanium nitride coated (xx-long)		slipper clutch)
	(2)	4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper
	Shock shafts, steel, chrome finish (long) (2)		clutch)
	Shock shafts, steel, chrome finish (xx-long) (2)		Steering Components
	Silicone diaphragms (4)	2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
	Spring retainers, upper & lower (2)/ spring pre-load spacers:	5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	2545	Bushings (plastic) (5x8x2.5mm) (4)
	Shocks)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
	Springs, front (white) (progressive rate) (2) (for Slash big bore		(2)
	shocks) Springs, rear (white) (progressive rate) (2) (for Slash big bore	2742	Rod ends, long (6)/ hollow ball connectors (6)
	shocks)	5347	Rod ends, Revo® (large) with hollow balls (12)
3	,	2742X	Rod ends, short (6)/ hollow balls (6)
	Shocks (Ultra Shocks)	3744	Servo saver w/ adapters
3765A B	Body, Ultra Shock (long) (grey) (2)	3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)
	Body, Ultra Shock (XXL) (grey) (2)		(2)/ draglink shoulder screws (chrome) (2)
1942 R	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3743	Steering bellcranks (l&r)/ draglink
	(2)	3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/
	Rod ends, short (6)/ hollow balls (6)		5x8mm ball bearings (4)/ hardware (assembled)
	Shock caps (2)/ shock bottoms (2)	3743G	Steering bellcranks, drag link (green-anodized 6061-T6
	Shock caps (black) (4) (assembled with hollow balls)	07407	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3767A S	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)	3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)

Page 5	Rustler®: TQ™ 2.4 GHz Radio (Model 37054-61) Pa	rts List	
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	3741X	wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front,
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering		39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139	Turnbuckles (62mm) (front tie rods) (2)	3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)		(assembled with rod ends & hollow balls) (requires 5mm
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum		aluminum wrench #5477)
	wrench #5477)	3644	Turnbuckles, camber link, 39mm (69mm center to center)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2)	3643	(assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	0040	(assembled with rod ends and hollow balls) (1 left, 1 right)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2)	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum		(assembled with rod ends and hollow balls)
3139P	wrench #5477) Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2)		Team Traxxas Items
01001	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	2514	Decal sheet, racing sponsors
	wrench #5477)	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	9909	Traxxas® racing banner, red & black (3x7 feet)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2)		Tires & Wheels
0.40	(assembled with rod ends and hollow balls)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
	Suspension Linkage	5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
2527		1675	Bushings, self-lubricating (5x11x4mm) (14)
2537 3641A	3mm threaded rods: 1 each of 20mm,25mm&44mm Camber link set (plastic / non-adjustable ) ( front & rear) (grey)	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3641	Camber link set (plastic / non-adjustable) (front & rear) (gley)	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
	(2)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
2742	Rod ends, long (6)/ hollow ball connectors (6)	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
<b>5347</b> 2742X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)	1985 1647	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Silicone Grease
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)	2754	Stub axle pins (4)
3642	Shoulder screws, Ultra Shocks (3x12) (6)	3770A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)		wheels, Alias® tires, foam inserts) (rear) (2) (TSM® rated)
	(strengthens caster blocks)	3776	Tires & wheels, assembled, glued (2.8") (All-Star black chrome
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)	3770	wheels, paddle tires, foam inserts) (rear) (2) (TSM® rated) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)	3//0	Alias® tires, foam inserts) (electric rear) (2)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640	3771	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels,
	for a complete suspension pin set) (Rustler®, Stampede®,		Ribbed tires, foam inserts) (front) (2)
	Bandit)	6768X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for		wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
	complete camber link set)	6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm		wheels, Anaconda tires, foam inserts) (4WD electric front/rear,
	(1) (assembled with rod ends & hollow balls) (See part 3741X for	0770\/	2WD electric front only) (2) (TSM rated)
3737	complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm	3772X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3/3/	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	3771X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels,
	complete camber link set)		ribbed tires, foam inserts) (electric front) (2)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm	3772R	Tires & wheels, assembled, glued (2.8") (RXT black chrome
	(1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)		wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear	3771R	Tires & wheels, assembled, glued (2.8") (RXT black chrome
	camber links) (requires #2742 rod ends)		wheels, ribbed tires, foam inserts) (electric front) (2)
3139	Turnbuckles (62mm) (front tie rods) (2)	6774X	Tires & wheels, assembled, glued (2.8") (RXT black chrome
2336 3741A	Turnbuckles, 78mm (optional rear camber rods) (2)		wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3/4 IA	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	6773X	Tires & wheels, assembled, glued (2.8") (RXT black chrome
	wrench		wheels, Talon EXT tires, foam inserts) (4WD electric front/rear,
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)		2WD electric front only) (2) (TSM rated)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	6768	Tires & wheels, assembled, glued (2.8") (RXT black wheels,
3741G	wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front,		Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
0.4.0	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	6775	Tires & wheels, assembled, glued (2.8") (RXT black wheels,
	wrench		Anaconda tires, foam inserts) (4WD electric front/rear, 2WD
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2)	6774	electric front only) (2) (TSM rated)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6774	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM®
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front,		rated)
0.4	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	6773	Tires & wheels, assembled, glued (2.8") (RXT black wheels,
	wrench		Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2)	67600	electric front only) (2) (TSM rated)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6768G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM®
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front,		rated)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	6775G	Tires & wheels, assembled, glued (2.8") (RXT green wheels,
	wrench		Anaconda tires, foam inserts) (4WD electric front/rear, 2WD
			electric front only) (2) (TSM rated)

Page 6	Rustler®: TQ™ 2.4 GHz Radio (Model 37054-61) Pa	rts List	
6774G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)	5552X 2554	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
6773G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD	3185X	Screws, 3x6mm caphead machine (hex drive) (6) Screws, 3x8mm washerhead machine (large head for motor mount) (6)
6768A	electric front only) (2) (TSM rated)  Tires & wheels, assembled, glued (2.8") (RXT orange wheels,	1647 5556	Silicone Grease Slipper pressure plate & hub (aluminum alloy)
6775A	Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD	3195 <b>3695</b>	Top drive gear, steel (22-tooth)  Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
6774A	electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM®	3433X	Traxxas Tools  Body reamer (aluminum handle)
6773A	rated) Tires & wheels, assembled, glued (2.8") (RXT orange wheels,	3433 3436	Body reamer (plastic handle) Cap, body reamer
	Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	3432 3431	Scissors, curved tip Scissors, straight tip
6774R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear,	8720	and 8.0mm), 1/4" drive Speed bit handle, large (overmolded)
3771A	2WD electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8")(All-Star black chrome	8721	Speed bit handle, medium (one piece)
3// IA	wheels, Ribbed tires, foam inserts) (electric front) (2)	8722 8710	Speed bit handle, premium (rubber overmold)
3773A	Tires & wheels, assembled, glued (All Star black chrome wheels,	0710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
3773	Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right) Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)	8711	8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)	8719	2.5mm, 3.0mm), 1/4" drive  Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)	0740	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM®	8716 8716X	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
5569	rated) Tires, Alias 2.8" (rear) (2)/ foam inserts (2)		3.0mm) 1/4" drive
<b>5578</b>	Tires, Anaconda® 2.8" (2)/ foam inserts (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
5563 <b>4790R</b>	Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)  Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts	8714	2.5mm, 3.0mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)	0714	Phillips, and #2 Phillips bits), 1/4" drive
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)	3415	2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
5480X 5576	Wheel wrench, splined, 17mm Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
3772A	Wheels, All-Star 2.8" (black chrome) (electric rear)		wrenches/ driver handle)
5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)	2537	Turnbuckles & Threaded Rods 3mm threaded rods: 1 each of 20mm,25mm&44mm
3772 3672	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only) Wheels, chrome (2.2") (rear) (2)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
3673	Wheels, chrome 2.2" (front) (2)	5525R	(2) Rod ends, heavy duty (Jato®/Slayer) (8)
3674	Wheels, dyable nylon 2.2" (rear) (2)	2742	Rod ends, long (6)/ hollow ball connectors (6)
3675 3774	Wheels, dyeable nylon 2.2 (front) (2) Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)	5347	Rod ends, Revo® (large) with hollow balls (12)
5572	Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)	2742X	Rod ends, short (6)/ hollow balls (6)
6772	Wheels, RXT 2.8" (black) (2)	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
	Transmission Components	3738A	complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3/30A	(1) (assembled with rod ends & hollow balls) (See part 3741X for
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)		complete camber link set)
<b>5478</b> 3790	Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm
3691	Gearbox halves (L&R) (black) w/ idler gear shaft		(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
5148	Grease, white lithium		(1) (assembled with rod ends & hollow balls) (See part 3741X for
3696	Idler gear, steel (30-tooth)	1027	complete camber link set)
3793 2381X	Input shaft (slipper shaft) / spring pin  Main diff with steel ring gear/ side cover plate/ screws (Bandit,	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
20017	Stampede®, Rustler®)	3139	Turnbuckles (62mm) (front tie rods) (2)
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	2336	Turnbuckles, 78mm (optional rear camber rods) (2)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)	3139A	wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)
9495	Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)		(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

## Page 7 Rustler®: TQ™ 2.4 GHz Radio (Model 37054-61) Parts List 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) 3644 (assembled with rod ends and hollow balls) (1 left, 1 right) 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:



(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM