SAFETY DATA SHEET

1. Identification

Product identifier KALIX 20-20-20

Recommended use Agricultural / Horticultural Use - Micronutrient Fertilizer - Refer to product label

Recommended restrictions Refer to product label

Manufacturer

Company Name KALIX

1904 United Way, Suite #106

Medford, OR 97504

Telephone During Business Hours 1-541-973-2244

CHEMTREC (24 hours): 1-800-424-9300 **Emergency phone number** USA, Canada, Puerto Rico 1-800-424-9300

Virgin Islands 1-703-527-3887

International Maritime

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

> Serious eye damage/eye irritation Category 2A

Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful if swallowed. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear

eye/face protection.

If swallowed: Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water Response

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse

mouth. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Material name: KALIX 20-20-20 SDS US Revision date: 1-28-2019

Chemical name	Common name and synonyms	CAS number	%
Potassium Nitrate		7757-79-1	40 - < 50*
Urea		57-13-6	20 - < 30*
Mono potassium phosphate (MKP)		7778-77-0	3 - < 5*
EDTA, Disodium Copper(II) Salt		14025-15-1	< 1*
Manganese EDTA, disodium salt		15375-84-5	< 1*
Disodium Octaborate Tetrahydrate		12008-41-2	< 0.1*
Sodium Molybdate, Dihydrate		10102-40-6	< 0.1*
Other components below reportable levels	3		30 - < 40

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a Inhalation

physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

under observation. Symptoms may be delayed.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell. Get medical attention if symptoms occur.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Ingestion

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire-fighting

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Use water spray to cool unopened containers. equipment/instructions

irritation.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of dust from the spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Following product recovery, flush area with water. Sweep up or vacuum up spillage and collect in suitable container for disposal. Minimize dust generation and accumulation, Prevent entry into waterways, sewer. basements or confined areas. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground. **Environmental precautions**

Material name: KALIX 20-20-20 SDS US 2/8 Revision date: 1-28-2019

7. Handling and storage

Precautions for safe handling Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places

> where dust is formed. Do not taste or swallow. Avoid breathing dust. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Observe good industrial hygiene

practices. Practice good housekeeping.

Typo

Conditions for safe storage. including any incompatibilities Store in original tightly closed container. Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Value

8. Exposure controls/personal protection

Occupational exposure limits

Components

Components	Туре	Value	
Manganese EDTA, disodium salt (CAS 15375-84-5)	Ceiling PEL	5 mg/m3	
Sodium Molybdate, Dihydrate (CAS 10102-40-6)	PEL	5 mg/m3	
US. ACGIH Threshold Limit Values	s		
Components	Type	Value	Form
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
,	TWA	2 mg/m3	Inhalable fraction.
Sodium Molybdate, Dihydrate (CAS 10102-40-6)	TWA	0.5 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	Form
EDTA, Disodium Copper(II) Salt (CAS 14025-15-1)	TWA	1 mg/m3	Dust and mist.
Manganese EDTA, disodium salt (CAS 15375-84-5)	STEL	3 mg/m3	Fume.
,	TWA	1 mg/m3	Fume.
US. AIHA Workplace Environment	al Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
	TWA	10 mg/m3	Total particulate.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Face shield is recommended. Wear safety glasses with side shields (or goggles). Usetight fitting Eye/face protection

goggles if dust is generated.

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Wear suitable protective clothing. Other

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits. Respiratory protection not required.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

Material name: KALIX 20-20-20 SDS US

9. Physical and chemical properties

Appearance Powder.
Physical state Solid.
Form Powder.
Color Light blue
Odor None.

Odor threshold

pH

Not available.

Salt-Out / Crystallization Temp

Melting point/freezing point

Initial boiling point and boiling

Not available.

Not available.

Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

(%)

Not available.

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Harmful if swallowed.

Inhalation Prolonged inhalation may be harmful. Inhalation of dusts may cause respiratory irritation.

Skin contact No adverse effects due to skin contact are expected.

Material name: KALIX 20-20-20

Revision date: 1-28-2019

4 / 8

Causes serious eye irritation. Dust in the eyes will cause irritation.

Eye contact

 Material name: KALIX 20-20-20
 SDS US

 Revision date: 1-28-2019
 5 / 8

Acute toxicity

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye irritation.

Information on toxicological effects

Additionally	Training in Swallows at Not Known.		
Product	Species	Test Results	
KALIX 20-20-20			
Acute			
Inhalation			
LD50	Rat	2000.001 mg/l estimated	
Oral			
LD50	Mouse	44738.0195 mg/kg estimated	
	Rabbit	2879.7803 mg/kg estimated	
	Rat	27290.1582 mg/kg estimated	
Components	Species	Test Results	
Disodium Octaborate Tetral	hydrate (CAS 12008-41-2)		
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Oral			
LD50	Guinea pig	5300 mg/kg	
	Rat	> 2000 mg/kg	
		2 g/kg	
Mono potassium phosphate	e (MKP) (CAS 7778-77-0)		
Acute			
Oral			
LD50	Mouse	1700 mg/kg	

Harmful if swallowed. Not known.

Oral LD50

Rabbit 1166 mg/kg

Urea (CAS 57-13-6)

Acute Oral

Acute

Potassium Nitrate (CAS 7757-79-1)

LD50 Rat 8471 mg/kg

> 28500 mg/kg Sheep

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation. Dust in the eyes will cause irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Material name: KALIX 20-20-20 SDS US 6/8 Revision date: 1-28-2019

^{*} Estimates for product may be based on additional component data not shown.

Reproductive toxicity

Specific target organ toxicity single exposure

This product is not expected to cause reproductive or developmental effects.

Not classified.

 Material name: KALIX 20-20-20
 SDS US

 Revision date: 1-28-2019
 7 / 8

Specific target organ toxicity repeated exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
KALIX 20-20-20			
Aquatic			
Crustacea	EC50	Daphnia	21209.8242 mg/l, 48 hours estimated
Fish	LC50	Fish	2169.9602 mg/l, 96 hours estimated
Components		Species	Test Results
EDTA, Disodium Coppe	er(II) Salt (CAS 14	025-15-1)	
Aquatic	. , .	,	
Fish	LC50	Channel catfish (Ictalurus punctatus)	838 mg/l, 96 hours
Potassium Nitrate (CAS	7757-79-1)		
Aquatic	,		
Fish	LC50	Bluegill (Lepomis macrochirus)	1200 mg/l, 96 hours
Acute			
Fish	LC50	Fish	1378 - 3000 mg/l
Sodium Molybdate, Dihy	ydrate (CAS 1010	2-40-6)	
Aquatic			
Crustacea	EC50	Tubificid worm (Tubifex tubifex)	42.48 - 65.64 mg/l, 48 hours
Fish	LC50	Striped bass (Morone saxatilis)	> 79.8 mg/l, 96 hours
Urea (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Revision date: 1-28-2019

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Material name: KALIX 20-20-20 SDS US

Revision date: 1-28-2019

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

EDTA, Disodium Copper(II) Salt (CAS 14025-15-1) Listed. Manganese EDTA, disodium salt (CAS 15375-84-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Potassium Nitrate	7757-79-1	40 - < 50	
Monoammonium Phosphate (MAP)	7722-76-1	20 - < 30	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese EDTA, disodium salt (CAS 15375-84-5)

No

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Potassium Nitrate (CAS 7757-79-1)

US. New Jersey Worker and Community Right-to-Know Act

Disodium Octaborate Tetrahydrate (CAS 12008-41-2) EDTA, Disodium Copper(II) Salt (CAS 14025-15-1)

Manganese EDTA, disodium salt (CAS 15375-84-5)

Potassium Nitrate (CAS 7757-79-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Potassium Nitrate (CAS 7757-79-1)

US. Rhode Island RTK

EDTA, Disodium Copper(II) Salt (CAS 14025-15-1)

Material name: KALIX 20-20-20 10 /

Revision date: 1-28-2019

Manganese EDTA, disodium salt (CAS 15375-84-5)

Potassium Nitrate (CAS 7757-79-1)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

16. Other information, including date of preparation or last revision

1-28-2019 **Revision date**

Disclaimer The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user

assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

Revision Information Product and Company Identification: Product and Company Identification

Hazard(s) identification: Supplemental information

Composition / Information on Ingredients: Component Summary

Transport Information: Agency Name. Packaging Type, and Transport Mode Selection Other information, including date of preparation or last revision: Disclaimer

Material name: KALIX 20-20-20 SDS US 11/ Revision date: 1-28-2019