

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Rubio Monocoat Exterior Wood Cleaner

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use, Professional use

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Muylle Facon - Rubio Monocoat  
Ambachtenstraat 58  
8870 Izegem - Belgium  
T +32 (0) 51 30 80 54 - F +32 (0) 51 30 99 78  
[info@muyllefacon.be](mailto:info@muyllefacon.be) - [www.muyllefacon.be](http://www.muyllefacon.be)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1A H314  
Eye Irrit. 2 H319

Full text of H-phrases: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

CLP Signal word : Danger  
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage  
Precautionary statements (CLP) : P102 - Keep out of reach of children  
P260 - Do not breathe vapours  
P280 - Wear face protection, protective gloves  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

# Rubio Monocoat Exterior Wood Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Sodium Lauryl Ether Sulfate	(CAS No) 68891-38-3 (EC no) 500-234-8 (REACH-no) 01-2119488639-16	< 22	Xi; R36 Xi; R38 R52/53
Sulfamic acid	(CAS No) 5329-14-6 (EC no) 226-218-8 (EC index no) 016-026-00-0 (REACH-no) 01-2119488633-28	< 4	Xi; R36/38 R52/53

  

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Lauryl Ether Sulfate	(CAS No) 68891-38-3 (EC no) 500-234-8 (REACH-no) 01-2119488639-16	< 22	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sulfamic acid	(CAS No) 5329-14-6 (EC no) 226-218-8 (EC index no) 016-026-00-0 (REACH-no) 01-2119488633-28	< 4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Full text of R- and H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	: In all cases of doubt, or when symptoms persist, seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: If you feel unwell, seek medical advice.
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Risk of serious damage to eyes.
Symptoms/injuries after ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : hazy water, carbon dioxide (CO<sub>2</sub>), foam and powder.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Precautionary measures fire	: Evacuate area.
Firefighting instructions	: Prevent fire-fighting water from entering environment.
Protection during firefighting	: Self-contained breathing apparatus. Complete protective clothing.
Other information	: Exercise caution when fighting any chemical fire.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Do not get in eyes, on skin, or on clothing. Notify police and fire brigade as soon as possible.

#### 6.1.2. For emergency responders

Protective equipment : Safety glasses. Protective gloves. Do not attempt to take action without suitable protective equipment.

### 6.2. Environmental precautions

Collect spillage.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

# Rubio Monocoat Exterior Wood Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

No additional information available

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Sodium Lauryl Ether Sulfate (68891-38-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	2750 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	175 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	15 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	52 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	1650 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,24 mg/l
PNEC aqua (marine water)	0,024 mg/l
PNEC aqua (intermittent, freshwater)	0,071 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	5,45 mg/kg dwt
PNEC sediment (marine water)	0,545 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,946 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10000 mg/l

### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Personal protective equipment : Safety glasses. Gloves.  
Hand protection : Gloves  
Eye protection : Safety glasses



Environmental exposure controls : Avoid release to the environment.  
Other information : Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Liquid.  
Colour : transparent.  
Odour : characteristic.  
Odour threshold : No data available  
pH : 1,3  
Relative evaporation rate (butylacetate=1) : No data available

# Rubio Monocoat Exterior Wood Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Melting point	: ≈ 0 °C
Freezing point	: ≈ 0 °C
Boiling point	: ≈ 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,99 kg/l
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction. Stable in use and storage conditions as recommended in item 7.

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

bases. Acids. oxidizing agents.

### 10.6. Hazardous decomposition products

Fire may liberate carbon oxides (CO) and smoke.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Sulfamic acid (5329-14-6)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg

Sodium Lauryl Ether Sulfate (68891-38-3)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 1,3
Serious eye damage/irritation	: Causes serious eye irritation. pH: 1,3
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified

# Rubio Monocoat Exterior Wood Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Ecological problems are not known or expected under normal use.

##### Sulfamic acid (5329-14-6)

LC50 fishes 1	70,3 mg/l Pimephales promelas (96h)
EC50 Daphnia 1	71,6 mg/l Daphnia magna (96h)
EC50 other aquatic organisms 1	48 mg/l Algae (72h)

##### Sodium Lauryl Ether Sulfate (68891-38-3)

LC50 fishes 1	7,1 mg/l Brachydanio Rerio (96h)
EC50 Daphnia 1	7,4 mg/l Daphnia magna (48h)
EC50 other aquatic organisms 1	27 mg/l Scenedesmus subspicatus (72h)
NOEC chronic fish	1 mg/l Pimephales promelas (45d)
NOEC chronic algae	0,27 mg/l Daphnia magna (21d)

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

##### Rubio Monocoat Exterior Wood Cleaner

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.

Additional information : Clean up even minor leaks or spills if possible without unnecessary risk.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 16 10 01\* - aqueous liquid wastes containing dangerous substances

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable

Proper Shipping Name (IMDG) : Not applicable

Proper Shipping Name (IATA) : Not applicable

Proper Shipping Name (ADN) : Not applicable

Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR) : Not applicable

##### IMDG

Transport hazard class(es) (IMDG) : Not applicable

# Rubio Monocoat Exterior Wood Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### IATA

Transport hazard class(es) (IATA) : Not applicable

### ADN

Transport hazard class(es) (ADN) : Not applicable

### RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### 14.6.1. Overland transport

Transport regulations (ADR) : Not applicable

#### 14.6.2. Transport by sea

Transport regulations (IMDG) : Not applicable

#### 14.6.3. Air transport

Transport regulations (IATA) : Not applicable

#### 14.6.4. Inland waterway transport

Carriage prohibited (ADN) : No

Not subject to ADN : No

#### 14.6.5. Rail transport

Transport regulations (RID) : Not applicable

Carriage prohibited (RID) : No

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Rubio Monocoat Exterior Wood Cleaner - Sulfamic acid - Sodium Lauryl Ether Sulfate
3.c. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Sulfamic acid - Sodium Lauryl Ether Sulfate

Rubio Monocoat Exterior Wood Cleaner is not on the REACH Candidate List

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK) : 2 - hazard to waters

# Rubio Monocoat Exterior Wood Cleaner

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects
R36	Irritating to eyes
R36/38	Irritating to eyes and skin
R38	Irritating to skin
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Xi	Irritant

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*