

SAFETY DATA SHEET

Issue date: Mar 2017

MUROBOND SILICATE MATT CLEAR

NON-HAZARDOUS ACCORDING TO THE CRITERIA OF WORKSAFE AUSTRALIA

1. PRODUCT AND SUPPLIER IDENTIFICATION

Trade Name: Murobond Silicate Matt Clear
Product Class: Unpigmented potassium silicate emulsion
Intended Use: Consolidating and colouring bare masonry surfaces.
Supplier: Murobond Coatings Pty Ltd
81 – 83 Dickson Ave,
ARTARMON NSW 2064
Telephone No.: 02 9906 7299
Facsimile No.: 02 9439 7593

2. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Milky white water thin liquid, low odour.
Closed containers may rupture when exposed to extreme heat.
Route(s) of Entry: Eye contact, ingestion, inhalation and skin contact.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredients | Cas No | Content | Maximum Exposure Limits |
|------------------------------|-------------|---------|-------------------------|
| Potassium silicate | Proprietary | < 35% | none assigned |
| Additives (non hazardous) | N/A | <5% | none assigned |
| Acrylic polymer | Proprietary | <10% | none assigned |
| Water | 7732-18-5 | to 100% | none assigned |

4. FIRST AID MEASURES

Eyes: If in eyes, hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. Seek medical attention if irritation occurs.

Ingestion: If swallowed in quantity, dilute by giving 2 glasses of water to drink. Do NOT induce vomiting. Seek urgent medical attention of frothing at the mouth occurs.

Inhalation: First aid is not generally required. If symptoms such as dizziness or headaches occur, remove to fresh air. If symptoms do not subside seek medical attention.

Skin: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Wash clothing before re-use. If irritation occurs, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash Point: Not applicable.

General Hazards: Containers of this material may build up pressure if exposed to heat.

Fire fighting extinguishing media: All.

Fire fighting equipment: Wear self-contained breathing apparatus (SCBA) and full firefighting protective clothing. Thoroughly decontaminate all protective equipment after use.

Fire & explosion hazards: This material is not flammable.

6. ACCIDENTAL RELEASE

Small spills: Absorb the liquid with inert material such as dry sand or earth and place it in a chemical waste container.

Large spills: Persons not wearing protective equipment should be evacuated from the area of spill until cleanup has been completed. Stop leak at source when it is safe to do so. Dike and pump the liquid into waste containers.

7. HANDLING & STORAGE

Store in a cool dry area, away from direct sunlight. Keep containers closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines: No limit value established for this product.

Engineering controls: Use in a well ventilated area.

Personal Protection: This product is alkali so skin and eyes should be covered with gloves, overalls, and glasses with side shields to prevent contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance & Odour: milky thin liquid with mild odour.

Boiling Point: 100°C (Water)

Flash Point: Not applicable

Vapour Density: Not available

Specific Gravity: 1.05

Evaporation Rate: Not available

Flammability Limits: Not applicable

Solubility in water: Completely dispersible

pH: Approx. 11

Volatile Organic Compound: < 1g/litre

10. STABILITY & REACTIVITY

Stability: Stable

Hazardous Polymerisation: Will not occur

Incompatibility: None known

Conditions to avoid: Warm storage

Hazardous Decomposition Products: Can yield carbon monoxide if exposed to fire.

Hazardous reactions: None known.

Page 3 of 3

11. TOXICOLOGICAL INFORMATION

Effects of prolonged exposure:

EYES: Alkalinity will irritate eyes

SKIN: Contact with skin may result in irritation.

INHALATION: With poor ventilation, may cause irritation to mucous membranes.

INGESTION: Large quantities may cause nausea / vomiting and alkali burns to throat.

CHRONIC EFFECTS: None expected.

12. ECOLOGICAL INFORMATION

Free of Hazardous Air Pollutants (HAPS).

Avoid contaminating Waterways.

13. DISPOSAL INFORMATION

Refer to State / Territory Land Waste Management Authority.

Do not pour down drains.

Dispose of in approved landfill.

14. TRANSPORT INFORMATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code), IMDG & IATA.

15. REGULATORY INFORMATION

Non Hazardous according to the criteria of Worksafe Australia.

Hazard Category: None

Poisons Schedule: None

16. OTHER INFORMATION

All components within this product are listed on the AICS.

Reason Issued: Revised SDS

Prepared By: Murobond Coatings Pty Ltd

This information is provided in good faith and is correct to the best of Murobond's knowledge at the date of issue. Murobond makes no representation as to its completeness or accuracy. Customers should determine the suitability or otherwise of this product for their intended purpose before using. Murobond disclaims responsibility for damage of any kind resulting from the use of this information.

THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESSED OR IMPLIED,

INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.