# Loewe bild 1.55

EU energy efficiency class: B Screen diagonal (in cm) / Screen diagonal (in inch): 140 / 55 Power consumption "ON" (in W): 151 Annual energy consumption (kWh)<sup>2</sup>: 221 Power consumption in stand-by mode / off (in W): 0.40/0Resolution (in pixels): Ultra HD (3840 x 2160)

Box contents: Set up option table Table Stand bild 1.55 W123.5 / H75.4 / PD4.9 / TD27.0Aluminium, manually rotatable  $(+/-20^{\circ})$ , Loewe assist system remote control incl. batteries



### **Set-up options**

#### Set up option wall

Wall Mount Slim / VESA Size 400 W123.5 / H74.5 / PD4.9 / TD7.6Chrome Silver, flat mounting Set up option wall, tiltable Wall Mount 67, Black

W123.5 / H74.5 / PD 4.9 / TD 9.3



#### Set up option wall, flexible

Wall Mount Isoflex 32 - 553 W 123.5 / H 74.5 / PD 4.9 / TD 10.6 Aluminium, folds flat, can be pulled out, rotated and pivoted, intelligent cable management



### TV

Versions

Model	Article no.	EAN Code
55	55402W89	4011880163163

#### Loewe | ■ Spectral Rack

Different versions, sizes and colours available to match Loewe TV, sound system and equipment. More details are available at the Loewe partner stores.

Rack 110: W 110.0 x H 36.8 x D 48.2 W 165.2 x H 36.8 x D 48.2 Rack 165+56: W 221.0 x H 36.8 x D 48.2



Dimensions in cm: W = width, H = height, PD = product depth, PD = total depth, BP = diameter/dimensions of base plate. Technical modifications and errors excepted. <sup>1</sup> To EN 62087: 2012. <sup>2</sup> On the basis of four hours of operation per day, 365 days a year. Actual energy consumption depends on the purpose for which the TV is used.

<sup>3</sup> Only in conjunction with VESA Size 400 adapter.



### **Set-up options**

#### Set up option floor (universal), manual rotation

Floor Stand Universal 32 – 55<sup>1</sup> W 123.5 / H 120.7 / PD 4.9 / BP 50.2 Aluminium Silver, manually rotatable (+/-45°), concealed cable routing

#### Set up option floor, manual rotation

Floor Stand Plate  $55\_65$  W 123.5 / H 124.9 / PD 4.9 / BP 56.0 Light Grey, manually rotatable (+/- $20^\circ$ ), concealed cable routing





### Set up option floor / ceiling

Screen Lift Plus  $^2$  W 123.5 / H 300.0 / PD 4.9 / TD 19.5 Brushed Aluminium, manually rotatable (+/-90°), concealed cable routing



Dimensions in cm: W = width, H = height, PD = product depth, PD = total depth, PD = diameter/dimensions of base plate. Technical modifications and errors excepted. Only in conjunction with a corresponding adapter, to be ordered separately. Only in conjunction with VESA Size 400 adapter.



### **Technical information**

Loewe bild 1

## 55 **HD**

Loove Sha I	33 <b>— 1.12</b>
Image+ (Image)	
Resolution (in pixels)	Ultra HD (3840 x 2160)
Display technology	LCD with E-LED-Backlight
Screen diagonal (in cm/inch) / Response time (in ms)	140 / 55 / 6
Brightness (in cd/m²) / Viewing angle (horizontal/vertical)	450 / 178°
Contrast filter glass	4507 178
Ultra HD Super Resolution Scaling / Image+ Active / 24 p motion picture display	
3D technology / Active Glasses 3D	
Video auto-dimming (VBD+) / Interior auto-dimming (OPC) / Home Mode	●/—/●
Digital+ (Television Standards)	
DVB-T2 <sup>1</sup> /DVB-C2/DVB-C/DVB-S2/Multistandard (analogue)/Dual Channel	•/-/•/•/•
MPEG/MPEG2/MPEG4 (H.264)/HEVC (H.265)/integrated HDTV reception <sup>2</sup>	
DVB radio / Unicable (acc. EN 50494)	•/•
Sound+ (Audio)	
Output in W (sine / music)	2 x 10 / 2 x 20
Acoustic speaker concept	2-way bass reflex
ntegrated 5.1 AV-Receiver / Digital audio link	
Dolby Digital/Dolby Digital Plus/DTS	•/-/-
Individual bass and treble control / Loudness	•/•
Automatic Volume Control (AVC)	•
Audio out available: variable / fixed / Subwoofer	•/•/•
	• / • / •
Assist+ (Operation)	
Loewe os / Home Screen (incl. favorites)	
Loewe App (Android/iOS)	
Electronic Program Guide (SI-data)	
MediaText (HbbTV)/Video text (Level 2.5)	
Menu languages³/Context Related Help	
Parental Lock / Automatic turn-off / Timer	
Instant Channel Zapping / Quick Start Mode	
Programme positions including AV and radio	6,000
Digital Link HD (CEC)	
PIP (AV) <sup>4</sup> /Full PIP/Split screen TV: Video text	•/•/•
MediaUpdate (via USB / Internet)	•/•
Media <sup>+</sup> (Multimedia functions)	
DR+/storage capacity in GB/USB recording	-/-/•
DR+ Streaming server / client / Follow-Me	_/ <b>(</b> / <b>( (</b> )
Multi Recording / Mobile Recording <sup>5</sup>	0/0
Photo player / Music player / Video player (via Home network and USB incl. Ultra HD)	•/•/•
Digital Media Renderer (incl. Ultra HD) / Bluetooth Music Player <sup>5</sup>	•/0
Internetapps (MediaNet) / Internet Browser / Internet radio (incl. search function)	•/•/•
Connectivity+ (Connectors)	
HDMI with HDCP	4 (4x UHD / 1x ARC)
LAN network connection / integrated WLAN	•/•
Common Interface / CI Plus 1.3 certified <sup>6</sup>	2/•
Home Control Interface / IR-Link <sup>7</sup> /Motor control	
Digital Audiolink (DAL)8/Digital Audio-Out (cinch)	
Analogue Audio-Out (L/R)/Headphone (jack 3.5 mm)	•/•
Micro-AV <sup>9</sup> (Component/Scart/VGA)	•/•/•
USB	3 (1x 3.0, 2 x 2.0)
Environment	
EU energy efficiency class / Annual energy consumption (kWh) <sup>10</sup>	B / 221
Power consumption in stand-by mode / off (in W)	0.40 / 0
Power consumption "ON" 11 (in W) / Peak luminance ratio in %	151 / 65
Mercury content in mg / contains lead 12	0.0 / traces
Miscellaneous	
Weight in kg	28.2
Power switch / Mains voltages	● /220 – 240 V, 50 / 60 Hz
VDE-safety standard (inspection seal)	•
* 22 Salety Standard (Inspection Stal)	·

Functionality is dependent on module availability from the supplier.

- CI Plus is backwards compatible with CI.

- Only in conjunction with a corresponding adapter and selected devices (RC5, 36 kHz), to be ordered separately.
  Loewe System 5.1 Out, Stereo Out, Subwoofer Out.

- Only in conjunction with a corresponding adapter, to be ordered separately.
  On the basis of four hours of operation per day, 365 days a year.
  Actual energy consumption depends on the purpose for which the TV is used.
  To EN 62087: 2012.
- 12 Traces may occasionally be found in electronic components (in compliance with the recast European RoHS directive).