

Model	Shell Size	Shell length (mm)	Lower Cable	Middle Cable	Top Cable
First Chair 10	24.5	282	350	255	255
First Chair 10	25.5	293	350	255	255
First Chair 10	26.5	301	375	255	265
First Chair 10	27.5	310	385	265	265
First Chair 10	28.5	318	375	265	265
First Chair 10	29.5	326	375	265	265
First Chair 10	30.5	335	385	265	265
First Chair 8	24.5	282	350	255	255
First Chair 8	25.5	293	350	255	255
First Chair 8	26.5	301	375	255	265
First Chair 8	27.5	310	385	265	265
First Chair 8	28.5	318	375	265	265
First Chair 8	29.5	326	375	265	265
First Chair 8	30.5	335	385	265	265
First Chair 6	24.5	282	350	255	255
First Chair 6	25.5	293	350	255	255
First Chair 6	26.5	301	375	255	265
First Chair 6	27.5	310	385	265	265
First Chair 6	28.5	318	375	265	265
First Chair 6	29.5	326	375	265	265
First Chair 6	30.5	335	385	265	265
Dropkick - Pro	22.5	268	365	245	255
Dropkick - Pro	23.5	277	350	255	255
Dropkick - Pro	24.5	282	350	255	255
Dropkick - Pro	25.5	293	350	255	255
Dropkick - Pro	26.5	301	375	255	265
Dropkick - Pro	27.5	310	385	265	265
Dropkick - Pro	28.5	318	375	265	265
Dropkick - Pro	29.5	326	375	265	265
Dropkick - Pro	30.5	335	385	265	265
Dropkick - Pro	31.5	342	385	265	265

Model	Shell Size	Shell length (mm)	Lower Cable	Middle Cable	Top Cable
Dropkick	22.5	268	365	245	255
Dropkick	23.5	277	350	255	255
Dropkick	24.5	282	350	255	255
Dropkick	25.5	293	350	255	255
Dropkick	26.5	301	375	255	265
Dropkick	27.5	310	385	265	265
Dropkick	28.5	318	375	265	265
Dropkick	29.5	326	375	265	265
Dropkick	30.5	335	385	265	265
Dropkick	31.5	342	385	265	265
Classic	22.5	268	365	235	255
Classic	23.5	277	350	245	255
Classic	24.5	282	350	245	255
Classic	25.5	293	350	245	255
Classic	26.5	301	375	245	265
Classic	27.5	310	385	255	265
Classic	28.5	318	375	255	265
Classic	29.5	326	375	255	265
Classic	30.5	335	385	255	265
Classic	31.5	342	385	255	265
Ascendant	23.5	277	100	160	130
Ascendant	24.5	282	110	170	140
Ascendant	25.5	293	110	170	140
Ascendant	26.5	301	110	170	140
Ascendant	27.5	310	110	180	150
Ascendant	28.5	318	120	190	160
Ascendant	29.5	326	120	190	160
Ascendant	30.5	335	120	190	160
Descendant 8	23.5	277	100	170	140
Descendant 8	24.5	282	110	180	150
Descendant 8	25.5	293	110	180	150
Descendant 8	26.5	301	110	180	150

Model	Shell Size	Shell length (mm)	Lower Cable	Middle Cable	Top Cable
Descendant 8	27.5	310	110	190	160
Descendant 8	28.5	318	120	200	170
Descendant 8	29.5	326	120	200	170
Descendant 8	30.5	335	120	200	170
Descendant 6	23.5	277	100	120	140
Descendant 6	24.5	282	110	130	150
Descendant 6	25.5	293	110	130	150
Descendant 6	26.5	301	110	130	150
Descendant 6	27.5	310	110	140	160
Descendant 6	28.5	318	120	150	170
Descendant 6	29.5	326	120	150	170
Descendant 6	30.5	335	120	150	170
Descendant 4	23.5	277	100	120	140
Descendant 4	24.5	282	110	130	150
Descendant 4	25.5	293	110	130	150
Descendant 4	26.5	301	110	130	150
Descendant 4	27.5	310	110	140	160
Descendant 4	28.5	318	120	150	170
Descendant 4	29.5	326	120	150	170
Descendant 4	30.5	335	120	150	170
Soul Sister	23.5	277	350	255	265
Soul Sister	24.5	282	350	255	265
Soul Sister	25.5	293	350	255	265
Soul Sister	26.5	301	375	255	275
Soul Sister	27.5	310	385	265	275
Plush 6	23.5	277	100	120	170
Plush 6	24.5	282	110	130	180
Plush 6	25.5	293	110	130	180
Plush 6	26.5	301	110	130	180
Plush 6	27.5	310	110	140	190
Plush 4	23.5	277	100	120	170
Plush 4	24.5	282	110	130	180

Model	Shell Size	Shell length (mm)	Lower Cable	Middle Cable	Top Cable
Plush 4	25.5	293	110	130	180
Plush 4	26.5	301	110	130	180
Plush 4	27.5	310	110	140	190
Tom Pro	24.5	282	350	255	255
Tom Pro	25.5	293	350	255	255
Tom Pro	26.5	301	375	255	265
Tom Pro	27.5	310	385	265	265
Tom Pro	28.5	318	375	265	265
Tom Pro	29.5	326	375	265	265
Tom Pro	30.5	335	385	265	265
B&E	23.5	277	100	120	140
B&E	24.5	282	110	130	150
B&E	25.5	293	110	130	150
B&E	26.5	301	110	130	150
B&E	27.5	310	110	140	160
B&E	28.5	318	120	140	170
B&E	29.5	326	120	150	170
B&E	30.5	335	120	150	170