

# TRIKE

(\$2,995.00)

The Pedego Trike is built for optimal comfort and stability. It empowers more people to safely enjoy riding.



#### FRAME OPTIONS AND COLORS

##### ONE SIZE



Mineral Blue

#### TIRE / WHEEL OPTIONS



Black Balloon

#### BATTERY OPTIONS



36v 11ah

#### Notes

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

### When you buy a Pedego, you're investing in:



The *peace of mind* of an industry leading two year warranty



Smart design and exceptional *quality that lasts*



*Friendly customer care* that goes the extra mile

Try one free! Find a dealer at [pedego.com](http://pedego.com)



# KEY FEATURES



## MAXIMUM STABILITY

You can ride with supreme confidence knowing that our design team spent years perfecting the stability of the Trike. An extended wheelbase, low center of gravity, and finely tuned computer software all work together to set a new standard for safety and control.

## MADE FOR YOU

The first thing you notice when you ride a Trike is how comfortable you feel. You'll swear it was made just for you – because it was! The most important part of any Pedego is the person riding it, and the Trike is built with only one thing in mind: YOU.



## IMPRESSIVE PERFORMANCE

- A whisper quiet motor delivers the perfect amount of acceleration and hill climbing power. It's fun and exciting without being overwhelming.
- A state-of-the-art battery uses the same advanced lithium-ion cells as an electric car. It weighs less than a housecat and can take you up to 33 miles on about 10 cents worth of electricity.

Try one free! Find a dealer at [pedego.com](http://pedego.com)




# SMALL DETAILS MAKE A BIG DIFFERENCE



## 1. Comfort & Ease

Comfortable, upright riding position with pedals in front of you.



## 4. Internally Geared Hub

3-speed hub provides easy pedaling and smooth shifting – even at a complete stop.



## 2. Comfy Seat

Wide saddle with a padded backrest that provides extra support.



## 5. PedalSense®

Twist-and-go throttle, 5 levels of pedal assist, and LCD display with USB charger.



## 3. Adjustable Handlebars

Quick-release handlebar stem allows you to find a perfect fit.



## 6. Bright Lights

Built-in front and rear lights for your safety and convenience.

## More Notes...

---

---

Try one free! Find a dealer at [pedego.com](http://pedego.com)

**PEDEGO**<sup>®</sup>  
ELECTRIC BIKES

# SPECIFICATIONS

## Electronics

<b>MOTOR</b>	SILVER 36V BRUSHLESS GEARED HUB MOTOR; 250 WATT NOMINAL POWER RATING; 30NM TORQUE; QUICK DISCONNECT CABLE WITH WATERPROOF CONNECTION.
<b>BATTERY</b>	36 VOLT 11 AMP HOUR WITH PREMIUM LITHIUM ION 18650 CELLS; INTEGRATED FOLDING HANDLE FOR EASY REMOVAL; EXTERNAL LED STATE OF CHARGE INDICATOR.
<b>CHARGER</b>	3 AMP SMART CHARGER WITH INTERNAL FAN AND CHARGE INDICATOR LIGHT.
<b>CONTROLLER</b>	36 VOLT 15 AMP SINE WAVE CONTROLLER WITH CUSTOM PEDALSENSE® SOFTWARE AND WATERPROOF CONNECTIONS.
<b>THROTTLE</b>	TWIST AND GO THROTTLE WITH THREADED WATERPROOF CONNECTION.
<b>PEDALSENSE®</b>	FREE RIDE MODE (NO POWER), TWO LEVELS OF PEDAL ASSIST WITH THROTTLE OVERRIDE, AND THROTTLE ONLY MODE.
<b>DISPLAY</b>	3.5" BACKLIT LCD SCREEN; 4 BUTTONS TO CONTROL ELECTRONICS, TOGGLE INFO DISPLAYED, AND CUSTOMIZE SETTINGS; USB CHARGING PORT; WATERPROOF THREADED CONNECTION; CUSTOM PEDALSENSE® SOFTWARE.
<b>TOP SPEED</b>	THROTTLE: 7 MPH WITH MOTOR ASSISTANCE ONLY PEDAL ASSIST: 11 MPH WITH MOTOR ASSISTANCE ONLY.

## Drivetrain

<b>INTERNAL GEARED HUB</b>	SHIMANO NEXUS 3 SPEED REAR HUB; ALUMINUM HUB SHELL; CENTER LOCK ROTOR MOUNT SYSTEM; GEAR 1 RATIO: 0.733, GEAR 2 RATIO: 1.000, GEAR 3 RATIO 1.360, 186% TOTAL GEAR RATIO.
<b>REAR SPROCKET</b>	SHIMANO 22T 3-LOBE STAINLESS STEEL SPROCKET.
<b>SHIFTER / BELL CRANK</b>	MICROSHIFT MN27-3 LEFT HAND GRIP SHIFTER WITH EASY TO READ GEAR INDICATOR / MICROSHIFT BC-01 BELL CRANK CONNECTOR.
<b>BOTTOM BRACKET</b>	84MM x 147MM SQUARE TAPER SPINDLE WITH SEALED CARTRIDGE BEARINGS; STEEL CUPS AND BODY.
<b>CHAIN</b>	KMC Z510RB 1/2"x1/8" WITH RUSTBUSTER TREATMENT; FRONT: 110 LINKS; REAR: 52 LINKS.
<b>CRANK</b>	SILVER 3 PIECE CRANK WITH INTEGRATED TORQUE SENSOR; 5x130MM 39T SPROCKET; 165MM ALUMINUM CRANK ARMS.
<b>PEDALS</b>	SILVER PEDEGO ALUMINUM PLATFORM PEDAL; 9/16" SPINDLE; POLYMER DU BUSHING; INTEGRATED PEDAL REFLECTORS.

Try one free! Find a dealer at [pedego.com](https://pedego.com)



# SPECIFICATIONS

## Brakes

### CALIPERS

AVID BB7S MOUNTAIN MECHANICAL DISC BRAKES; INTUITIVE EASY TO USE ADJUSTABILITY; DUAL KNOB PAD ADJUSTMENT; TRI-ALIGN CALIPER POSITIONING SYSTEM; INTEGRATED CABLE STOP SPRING TENSION ADJUSTMENT; STAINLESS STEEL HARDWARE.

### LEVERS

ERGONOMIC BRAKE LEVER WITH INTEGRATED PARKING BRAKE; INTEGRATED MOTOR CUT OFF SWITCH FOR MAXIMUM SAFETY.

### PADS

AVID ORGANIC WITH STEEL BACKING PLATE; OE QUALITY FOR NO-COMPROMISE DISC BRAKE PERFORMANCE.

### ROTORS

FRONT: SHIMANO SM-RT56 6 BOLT ROTOR; 160MM DIAMETER;  
REAR: SHIMANO SM-RT54 CENTERLOCK ROTOR; 160MM DIAMETER.

## Components

### FRAME

6061-T6 ALUMINUM ALLOY; INTEGRATED COMPOSITE REAR CARGO BUCKET FOR STORAGE; INTERNAL CABLE AND WIRE ROUTING.

### FORK

20" RIGID HIGH TENSILE STEEL; 1 1/8" THREADLESS STEERER TUBE; DISC BRAKE AND FENDER MOUNTS.

### HEADSET

ZERO STACK SEMI-INTEGRATED 1 1/8" THREADED; ZS44/28.6-26TPI | ZS44/30.

### SEATPOST

SILVER 28.6MM x 300MM RIGID SEATPOST.

### SADDLE

EXTRA WIDE CRUISER STYLE SADDLE WITH SOFT FOAM AND ADJUSTABLE BACK REST; 265MM L x 280MM W.

### RIMS

20" EXTRA STRENGTH DOUBLE WALL LIGHTWEIGHT ALUMINUM ALLOY; 13G X 36 HOLE.

### SPOKES

SILVER HEAVY DUTY 13 GAUGE STAINLESS STEEL SPOKES WITH BRASS NIPPLES.

### GRIPS

PEDEGO BLACK SYNTHETIC LEATHER GRIP WITH HAND STITCHING AND FOAM PADDING.

### HANDLEBAR

SILVER HIGH RISE CRUISER STYLE; HI-TEN STEEL; 25.4MM STEM CLAMP DIAMETER; 200MM RISE; 700MM WIDTH.

### STEM

SILVER QUICK RELEASE ADJUSTABLE QUILL STYLE; 110MM LENGTH; 0° - 80° ADJUSTABLE ANGLE; 25.4MM HANDLEBAR CLAMP DIAMETER; HEIGHT ADJUSTABLE 0-60MM; FOR 1 1/8" (28.6MM) THREADED STEERER TUBE.

### TIRES

SCHWALBE BIG BEN 20" x 2.15" WITH RACEGUARD KEVLAR FLAT PROTECTION; SLIME INNER TUBE SEALANT; SCHRADER VALVE.

Try one free! Find a dealer at [pedego.com](https://pedego.com)



# SPECIFICATIONS

## Extras

<b>CARGO BUCKET</b>	CUSTOM COMPOSITE CARGO BUCKET; BUCKET OPENING DIMENSIONS: 20" W x 13" L; OVERALL WIDTH: 30"
<b>LIGHTS</b>	FRONT: LED WITH ADJUSTABLE MOUNT 40 LUX (200 LUMENS); REAR: CARGO BUCKET MOUNTED LED; BOTH POWERED BY MAIN BATTERY AND CONTROLLED BY DISPLAY.
<b>TOOL KIT</b>	CUSTOM PEDEGO TOOL KIT: 6" ADJUSTABLE WRENCH (UP TO 15MM), 12/13G SPOKE WRENCH, T25 TORX WRENCH, 6MM HEX WRENCH, 5MM HEX WRENCH WITH #2 PHILLIPS SCREWDRIVER, 4MM HEX WRENCH.

## Weight

**BIKE (NO BATTERY)** ONE SIZE: 74.6 LB.


**BATTERY** 36V/11Ah: 5 LB.

*\*All bicycle weights do not include a battery. Due to manufacturing tolerances of the individual components the overall bike weight may vary +/- 5%.*

# DIMENSIONS

## Trike

BIKE DIMENSIONS GUIDE



- 1 REAR HEIGHT**  
28.25" (718mm)
- 2 HANDLEBAR WIDTH**  
28" (711mm)
- 3 SEAT TUBE TO HANDSET**  
21.25" (540mm)
- 4 SEAT CLAMP TO CRANK**  
18" (457mm)
- 5 SEAT CLAMP TO GROUND**  
30" (762mm)
- 6 AXLE TO AXLE**  
46.25" (1175mm)
- 7 END TO END**  
77" (1956mm)

Try one free! Find a dealer at [pedego.com](https://pedego.com)

