

INTERCEPTOR (\$3,295.00 to \$3,995.00)

The Pedego Interceptor is America's best selling electric bike. It combines beach cruiser comfort and style with breathtaking performance and user-friendly features.



When you buy a Pedego, you're investing in:



The peace of mind of an industry leading two year warranty



Smart design and exceptional quality that lasts



Friendly customer care that goes the extra mile

Notes

FRAME OPTIONS AND COLORS

STEP-THRU 24"

- Hunter Green
- Raspberry
- Seafoam
- White

STEP-THRU 26"

- Black
- Hunter Green
- Lime Green
- Mineral Blue
- Purple
- Raspberry
- Sandstone
- Seafoam
- Teal & Yellow Rims
- White

CLASSIC 26"

- Black
- Brushed Aluminum
- Lime Green
- Neon Blue

CLASSIC 29"

- Black

TIRE / WHEEL OPTIONS

- Black Balloon
- Brown Balloon
- Creme Balloon
- Mag Wheel Upgrade*

BATTERY OPTIONS

- 48v 10ah
- 48v 15ah

* 26" Models Only

Try one free! Find a dealer at pedego.com



KEY FEATURES




MADE FOR YOU

The first thing you notice when you ride an Interceptor is how comfortable you feel. You'll swear it was made just for you – because it was! The most important part of any Pedego is the person riding it, and the Interceptor is built with only one thing in mind: YOU.

USER-FRIENDLY

The Interceptor is fully loaded with user-friendly features that make riding even more fun. From the simple pleasure of a built-in bell, to innovative Smart Bike Technology including a bluetooth connected smartphone app; we've thought of everything!



BREATHTAKING PERFORMANCE

- A whisper quiet, 500 watt motor delivers best in class acceleration and hill climbing. The sensation of power it gives you is exhilarating.
- A state-of-the-art 48 Volt battery uses the same advanced lithium-ion cells as an electric car. It weighs less than a housecat and can take you up to 60 miles on about 10 cents worth of electricity.



Try one free! Find a dealer at pedego.com

PEDEGO
ELECTRIC BIKES

SMALL DETAILS MAKE A BIG DIFFERENCE



1. Stop On A Dime

Powerful disc brakes can stop on a dime.



4. Relaxed Handlebars

Wide, swept back handlebars allow you to sit back and relax.



2. Comfy seat

Soft saddle with a suspension seatpost for extra cushioning where it counts.



5. Bright Lights

Built-in front and rear lights for your safety and convenience.



3. PedalSense®

Twist-and-go throttle, 5 levels of pedal assist, and LCD display with USB charger.



6. Balloon Tires

Kevlar-belted tires help prevent flats and give you a nice, smooth ride.

More Notes...

Try one free! Find a dealer at pedego.com

PEDEGO
ELECTRIC BIKES

SPECIFICATIONS

INTERCEPTOR 24" 26" 29"

Electronics

MOTOR	BLACK 48V BRUSHLESS GEARED REAR HUB MOTOR; 500 WATT NOMINAL POWER RATING; 45NM TORQUE; QUICK DISCONNECT CABLE WITH WATERPROOF CONNECTION.
BATTERY	48 VOLT 10 OR 15 AMP HOUR WITH PREMIUM LITHIUM ION 18650 CELLS; SMART BIKE TECHNOLOGY WITH ESB APP INTEGRATION; AUTO SLEEP FUNCTION AND BLUETOOTH CONNECTIVITY.
CHARGER	3 AMP SMART CHARGER WITH INTERNAL FAN AND CHARGE INDICATOR LIGHT.
CONTROLLER	48 VOLT 18 AMP SINE WAVE CONTROLLER WITH CUSTOM PEDALSENSE® SOFTWARE AND WATERPROOF CONNECTIONS.
THROTTLE	TWIST AND GO THROTTLE WITH THREADED WATERPROOF CONNECTIONS.
PEDALSENSE®	FREE RIDE MODE (NO POWER), FIVE LEVELS OF PEDAL ASSIST WITH THROTTLE OVERRIDE, AND THROTTLE ONLY MODE.
TOP SPEED	20 MPH WITH MOTOR ASSISTANCE ONLY.
DISPLAY	3.5" BACKLIT LCD SCREEN; 4 BUTTONS TO CONTROL ELECTRONICS, TOGGLE INFO DISPLAYED, AND CUSTOMIZE SETTINGS; USB CHARGING PORT; WATERPROOF THREADED CONNECTION; CUSTOM PEDALSENSE® SOFTWARE.

Drivetrain

DERAILLEUR	SHIMANO ACERA RD-M360 7-SPEED, FULL METAL CONSTRUCTION AND TEFLON COATED BUSHINGS.
CASSETTE	SHIMANO HG200 7 SPEED 12-32T; SMOOTH, LIGHT AND RELIABLE SHIFTING PERFORMANCE.
SHIFTER	SHIMANO FT55 TOURNEY LEFT HANDLE THUMB SHIFTER WITH EASY TO READ GEAR DISPLAY.
BOTTOM BRACKET	68MM X 127.5MM SQUARE TAPER SPINDLE WITH SEALED CARTRIDGE BEARINGS; STEEL CUPS AND BODY.
CHAIN	KMC HG40 1/2"X3/32" 122-128 LINKS WITH INNER PLATE CHAMFERING.
CRANK	BLACK 3 PIECE CRANK WITH 3/32" 44T INTEGRATED CHAINRING; 170MM FORGED ALUMINUM CRANK ARMS.
PEDALS	BLACK PEDEGO ALUMINUM PLATFORM PEDAL; 9/16" SPINDLE; POLYMER DU BUSHING; INTEGRATED PEDAL REFLECTORS.

Try one free! Find a dealer at pedego.com



SPECIFICATIONS

Brakes

CALIPERS	SHIMANO BR-M375 MECHANICAL DISC BRAKES; INTUITIVE EASY TO USE ADJUSTABILITY; 5MM HEX INBOARD PAD ADJUSTMENT; INTEGRATED CABLE STOP WITH BARREL ADJUSTER.
LEVERS	TEKTRO ERGONOMIC LEVER WITH RUBBER FINGER PADDING; INTEGRATED LEFT HAND BELL; INTEGRATED MOTOR CUT OFF SWITCH FOR MAXIMUM SAFETY.
PADS	SHIMANO RESIN WITH STEEL BACKING PLATE; OE QUALITY FOR NO-COMPROMISE DISC BRAKE PERFORMANCE.
ROTORS	SHIMANO SM-RT26; 180MM DIAMETER; ANTI LOOSENING WASHERS FOR QUICK AND SECURE ASSEMBLY; DESIGNED FOR RESIN PADS.

Components

FRAME	6061 T-6 AIRCRAFT QUALITY ALUMINUM; INTEGRATED REINFORCED REAR RACK FOR BATTERY AND STORAGE; INTERNAL CABLE AND WIRE ROUTING.
FORK	RIGID HIGH TENSILE STEEL; 1 1/8" THREADED STEERER TUBE; DISC BRAKE AND FENDER MOUNTS.
HEADSET	BLACK 1 1/8" THREADED; EC34/28.6-26TPI EC34/30
SEATPOST	BLACK 27.2MM OR 28.6MM X 350MM COIL SPRUNG SUSPENSION SEATPOST WITH 40MM OF TRAVEL AND ADJUSTABLE PRELOAD.
SADDLE	EXTRA WIDE CRUISER STYLE SADDLE WITH SOFT FOAM; REAR FACING PEDEGO LOGO; 265MM L X 265MM W.
RIMS	EXTRA STRENGTH DOUBLE WALL; LIGHTWEIGHT ALUMINUM ALLOY; 12G X 36 HOLE.
SPOKES	BLACK HEAVY DUTY 12 GAUGE STAINLESS STEEL SPOKES WITH BRASS NIPPLES.
GRIPS	PEDEGO SYNTHETIC LEATHER GRIP WITH HAND STITCHING AND FOAM PADDING; COLOR MATCHED BALLOON PACKAGE.
HANDLEBAR	BLACK CRUISER STYLE; HI-TEN STEEL; 25.4MM STEM CLAMP DIAMETER; 26" & 29" CLASSIC 690MM WIDTH / 26" STEP THRU 620MM WIDTH / 24" STEP THRU 580MM WIDTH.
STEM	ALUMINUM ANODIZED BLACK QUILL STYLE; 100MM LENGTH; 30° RISE; 25.4MM HANDLEBAR CLAMP DIAMETER; HEIGHT ADJUSTABLE 0-60MM; FOR 1 1/8"(28.6MM) THREADED STEERER TUBE.
TIRES	SCHWALBE FAT FRANK 26" X 2.35"; SCHWALBE BIG APPLE 24" X 2.0"; BIG APPLE 29" X 2.35" WITH RACE GUARD KEVLAR FLAT PROTECTION; SLIME INNER TUBE SEALANT; SCHRADER VALVE.

Try one free! Find a dealer at pedego.com



SPECIFICATIONS

Extras

LIGHTS

FRONT: LED WITH ADJUSTABLE MOUNT 40 LUX (200 LUMENS); REAR: LED BUILT INTO BATTERY; BOTH POWERED BY MAIN BATTERY AND CONTROLLED BY DISPLAY.

KICKSTAND

BLACK ALUMINUM ALLOY CENTER KICKSTAND; ADJUSTABLE LENGTH COMPOSITE FOOT.

TOOL KIT

CUSTOM PEDEGO TOOL KIT: 6" ADJUSTABLE WRENCH (UP TO 15MM), 12/13G SPOKE WRENCH, T25 TORX WRENCH, 6MM HEX WRENCH, 5MM HEX WRENCH WITH #2 PHILLIPS SCREWDRIVER, 4MM HEX WRENCH.

Weight

BIKE (NO BATTERY)

STEP TRHRU 24": 49 LB; STEP TRHU 26": 53.6 LB; CLASSIC 26": 53.2 LB; CLASSIC 29": 58.4 LB.

BATTERY


48V/15Ah: 9.2 LB; 48V/10Ah: 8.8 LB.

**Specifications subject to change. All bicycle weights do not include a battery.
Due to manufacturing tolerances of the individual components the overall
bike weight may vary +/- 5%.*

DIMENSIONS

Interceptor Step-Thru 24"

BIKE DIMENSIONS GUIDE



- 1 REAR HEIGHT**
29" (737mm)
- 2 HANDLEBAR WIDTH**
23" (584mm)
- 3 SEAT TUBE TO HANDSET**
22" (559mm)
- 4 SEAT CLAMP TO CRANK**
14" (356mm)
- 5 SEAT CLAMP TO GROUND**
24" (610mm)
- 6 AXLE TO AXLE**
45" (1143mm)
- 7 END TO END**
69" (1753mm)


Try one free! Find a dealer at pedego.com



DIMENSIONS

Interceptor Step-Thru 26"


BIKE DIMENSIONS GUIDE



- ① REAR HEIGHT
31" (787mm)
- ② HANDLEBAR WIDTH
25" (635mm)
- ③ SEAT TUBE TO HANDSET
24.25" (616mm)
- ④ SEAT CLAMP TO CRANK
16" (406mm)
- ⑤ SEAT CLAMP TO GROUND
27" (686mm)
- ⑥ AXLE TO AXLE
48" (1219mm)
- ⑦ END TO END
75" (1905mm)

Interceptor Classic 26"

BIKE DIMENSIONS GUIDE



- ① REAR HEIGHT
31" (787mm)
- ② HANDLEBAR WIDTH
27" (686mm)
- ③ SEAT TUBE TO HANDSET
24.25" (616mm)
- ④ SEAT CLAMP TO CRANK
17.5" (445mm)
- ⑤ SEAT CLAMP TO GROUND
27" (686mm)
- ⑥ AXLE TO AXLE
48" (1219mm)
- ⑦ END TO END
75" (1905mm)


Try one free! Find a dealer at pedego.com

PEDEGO[®]
ELECTRIC BIKES

DIMENSIONS

Interceptor Classic 29"

BIKE DIMENSIONS GUIDE



- ① REAR HEIGHT
34.5" (876mm)
- ② HANDLEBAR WIDTH
27" (686mm)
- ③ SEAT TUBE TO HANDSET
23.25" (591mm)
- ④ SEAT CLAMP TO CRANK
18.5" (470mm)
- ⑤ SEAT CLAMP TO GROUND
29.25" (743mm)
- ⑥ AXLE TO AXLE
48" (1219mm)
- ⑦ END TO END
77.5" (1969mm)

Try one free! Find a dealer at pedego.com

PEDEGO[®]
ELECTRIC BIKES