

STAR OF WONDER DOOR BANNER

Designed by Robert Kaufman Fabrics Featuring
www.robertkaufman.com

 **Star of Wonder**
REUBEN • M^CHUGH • STUDIO

Panel
Friendly



Finished quilt measures: 16" x 48"









Difficulty Rating: **Intermediate**

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	RRMDM-23727-203	2/3 yard		F	RRMDM-23730-133	1/8 yard
	B	RRMDM-23730-81	1/4 yard		G	RRMDM-23731-413	1/8 yard
	C	RRMDM-23731-213	1/8 yard		H	RRMDM-23731-15	1/2 yard
	D	RRMDM-23730-332	1/8 yard		Binding*	RRMDM-23731-213	1/3 yard
	E	RRMDM-23731-93	1/8 yard	*Also used for Fabric C			
Copyright 2026, Robert Kaufman For individual use only - Not for resale				You will also need: 1-1/2 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

three 10-1/2" squares so that a motif is in the center of each square

From Fabrics B cut:

three 1-1/2" x WOF strips. Subcut:

four 1-1/2" x 10-1/2" side block borders

four 1-1/2" x 12-1/2" top/bottom block borders

one 2" x WOF strip. Subcut:

six 2" squares

From Fabric C cut:

one 2" x WOF strip. Subcut:

six 2" squares

From the remaining of the strip, cut: two 1-1/2" x 10-1/2" side block borders

one 1-1/2" x WOF strip. Subcut: two 1-1/2" x 12-1/2" top/bottom block borders

From each of Fabrics D-G, cut:

one 2" x WOF strip. Subcut:

six 2" squares of each fabric

From Fabric H, cut:

two 2" x WOF strips. Subcut:

thirty six 2" squares

one 1-1/2" x WOF strip. Subcut:

twenty four 1-1/2" squares

three 2-1/2" x WOF strips. Sew the strips together, then subcut:

two 2-1/2" x 44-1/2" side borders


two 2-1/2" x 16-1/2" top/bottom borders

From the Binding Fabric, cut:

four 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 2" Fabric H square with a 2" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 1-1/2" square. Repeat to make six H/B HSTs.



Step 2: Repeat Step 1 to make six of each:



Assemble the Star Blocks


Step 3: Gather:
four 1-1/2" Fabric H squares
six H/B HSTs
six H/C HSTs

Arrange the units into four rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 4: Sew the squares together to form the rows. Press the seams in opposite directions every other row.

Step 5: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

Step 6: Repeat Repeat to make a second H/B - H/C star block



Assemble the Star Blocks


Step 7: Gather:

four 1-1/2" Fabric H squares

six H/D HSTs

six H/E HSTs

Step 8: Repeat Steps 4 through 6 to make two H/D - H/E star blocks




Step 9: Gather:

four 1-1/2" Fabric H squares


six H/F HSTs

six H/G HSTs

Step 10: Repeat Steps 4 through 6 to make two H/F - H/G star blocks



Step 11: Assemble the star blocks as shown. Make two sets of the blocks each.



Assemble the Panel Blocks

Step 12: Gather:

one 10-1/2" Fabric A fussy cut square for the block center
two 1-1/2" x 10-1/2" Fabric B side block borders
two 1-1/2" x 12-1/2" Fabric B top/bottom block borders

Step 13: Sew the two 1-1/2" x 10-1/2" Fabric B rectangles to the left and right edges of the Fabric A square. Press towards the rectangles.

Step 14: Sew the two 1-1/2" x 12-1/2" rectangles to the top and bottom edges of the unit. Press towards the rectangles to complete the block. Block should measure 12-1/2" x 12-1/2".



Step 15: Repeat steps 12 through 14 with a different fussy cut Fabric H square.



Step 16: Gather:

one 10-1/2" Fabric A fussy cut square for the block center
two 1-1/2" x 10-1/2" Fabric C side block borders
two 1-1/2" x 12-1/2" Fabric C top/bottom block borders

Step 17: Repeat steps 13 and 14.



Assemble the Door Banner

Step 18: Arrange the blocks following the Door Banner Assembly Diagram.



Step 18: Sew the blocks together to form the door banner center. Press the seams open.

Step 19: Sew the side borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom borders to the quilt center. Press toward the borders.

Your door banner top is complete. Baste, quilt, bind and enjoy!