



|   |                                       |
|---|---------------------------------------|
| <b>FVMTN BG83</b>                       |                                       |
| <b>FRENCH VANILLA MOCHA HP TINCTURE</b> | Serving Size: 1 ml                    |
| <b>Pixis Labs</b>                       | <b>Oregon Accreditation: OR100028</b> |

NR: Not Reported  
 ND: Not Detected  
 LOQ: Limit Of Quantitation  
 $1\text{ g} = 10^3\text{ kg} = 10^3\text{ mg} = 10^6\text{ }\mu\text{g}$   
 $1\text{ mg/kg} = 1\text{ ppm} = 1000\text{ ppb}$

| POTENCY                     | PER SERVING      | PER GRAM   | REGULATORY ACTION LEVEL |
|-----------------------------|------------------|------------|-------------------------|
| Cannabidiol (CBD)           | 50.50 mg/serving | 53.16 mg/g | N/A                     |
| Total THC (d9-THC + d8-THC) | 1.83 mg/serving  | 1.93 mg/g  | 3 mg/g                  |
| Cannabigerol (CBG)          | 1.62 mg/serving  | 1.71 mg/g  | N/A                     |
| Cannabinol (CBN)            | 0.05 mg/serving  | 0.06 mg/g  | N/A                     |
| Cannabichromene (CBC)       | 2.50 mg/serving  | 2.63 mg/g  | N/A                     |

| HEAVY METALS | PER GRAM | REGULATORY ACTION LEVEL     |
|--------------|----------|-----------------------------|
| Arsenic      | <LOQ     | 10 $\mu\text{g/day}^{[1]}$  |
| Cadmium      | <LOQ     | 4.1 $\mu\text{g/day}^{[1]}$ |
| Lead         | <LOQ     | 3.5 $\mu\text{g/day}^{[2]}$ |
| Mercury      | <LOQ     | 2 $\mu\text{g/day}^{[1]}$   |

| PESTICIDES   | REGULATORY ACTION LEVEL |
|--|-------------------------|
| None of the 59 pesticides tested found above limit of detection in the sample. | 10 ppb <sup>[1]</sup>   |

- American Herbal Pharmacopoeia. (2014). *Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control*. Washington DC: AHP.
- US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Job Number:** 19-009273  
**Report Number:** 19-009273-00  
**Report Date:** 08/12/2019  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/05/19 10:40

**Product identity:** BG83 FVMTN Middle  
**Laboratory ID:** 19-009273-0002

**Client/Metric ID:** .  
**Sample Date:** 08/01/19

### Summary

**Potency:**

| Analyte per 1ml           | Result | Limits | Units  | LOQ  |                                      |
|---------------------------|--------|--------|--------|------|--------------------------------------|
| CBC per 1ml <sup>†</sup>  | 2.50   |        | mg/1ml | 0.03 | CBD-Total per 1ml 50.7 mg/1ml        |
| CBD per 1ml               | 50.5   |        | mg/1ml | 0.03 | THC-Total per 1ml 1.83 mg/1ml        |
| CBD-A per 1ml             | 0.173  |        | mg/1ml | 0.03 | (Reported in milligrams per serving) |
| CBDV per 1ml <sup>†</sup> | 0.253  |        | mg/1ml | 0.03 |                                      |
| CBG per 1ml <sup>†</sup>  | 1.62   |        | mg/1ml | 0.03 |                                      |
| CBN per 1ml               | 0.0535 |        | mg/1ml | 0.03 |                                      |
| Δ9-THC per 1ml            | 1.83   |        | mg/1ml | 0.03 |                                      |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Customer: Etz Hayim Holdings

**Product identity:** BG83 FVMTN Middle  
**Client/Metric ID:** .  
**Sample Date:** 08/01/19  
**Laboratory ID:** 19-009273-0002  
**Relinquished by:** Received By Mail  
**Temp:** 25.9 °C  
**Serving Size #1:** 0.95 g

### Sample Results

| Potency per 0.95g               |        | Batch: 1907195 |        |        |          |                   |       |
|---------------------------------|--------|----------------|--------|--------|----------|-------------------|-------|
| Analyte                         | Result | Limits         | Units  | LOQ    | Analyze  | Method            | Notes |
| CBC per 1ml <sup>†</sup>        | 2.50   |                | mg/1ml | 0.0317 | 08/12/19 | J AOAC 2015 V98-6 |       |
| CBC-A per 1ml <sup>†</sup>      | < LOQ  |                | mg/1ml | 0.0317 | 08/09/19 | J AOAC 2015 V98-6 |       |
| CBC-Total per 1ml <sup>†</sup>  | 2.50   |                | mg/1ml | 0.0595 | 08/12/19 | J AOAC 2015 V98-6 |       |
| CBD per 1ml                     | 50.5   |                | mg/1ml | 0.0317 | 08/12/19 | J AOAC 2015 V98-6 |       |
| CBD-A per 1ml                   | 0.173  |                | mg/1ml | 0.0317 | 08/12/19 | J AOAC 2015 V98-6 |       |
| CBD-Total per 1ml               | 50.7   |                | mg/1ml | 0.0595 | 08/12/19 | J AOAC 2015 V98-6 |       |
| CBDV per 1ml <sup>†</sup>       | 0.253  |                | mg/1ml | 0.0317 | 08/12/19 | J AOAC 2015 V98-6 |       |
| CBDV-A per 1ml <sup>†</sup>     | < LOQ  |                | mg/1ml | 0.0317 | 08/09/19 | J AOAC 2015 V98-6 |       |
| CBDV-Total per 1ml <sup>†</sup> | 0.253  |                | mg/1ml | 0.0591 | 08/12/19 | J AOAC 2015 V98-6 |       |
| CBG per 1ml <sup>†</sup>        | 1.62   |                | mg/1ml | 0.0317 | 08/12/19 | J AOAC 2015 V98-6 |       |
| CBG-A per 1ml <sup>†</sup>      | < LOQ  |                | mg/1ml | 0.0317 | 08/09/19 | J AOAC 2015 V98-6 |       |
| CBG-Total per 1ml <sup>†</sup>  | 1.62   |                | mg/1ml | 0.0595 | 08/12/19 | J AOAC 2015 V98-6 |       |
| CBL per 1ml <sup>†</sup>        | < LOQ  |                | mg/1ml | 0.0317 | 08/09/19 | J AOAC 2015 V98-6 |       |
| CBN per 1ml                     | 0.0535 |                | mg/1ml | 0.0317 | 08/12/19 | J AOAC 2015 V98-6 |       |
| Δ8-THC per 1ml <sup>†</sup>     | < LOQ  |                | mg/1ml | 0.0317 | 08/09/19 | J AOAC 2015 V98-6 |       |
| Δ9-THC per 1ml                  | 1.83   |                | mg/1ml | 0.0317 | 08/12/19 | J AOAC 2015 V98-6 |       |
| THC-A per 1ml                   | < LOQ  |                | mg/1ml | 0.0317 | 08/09/19 | J AOAC 2015 V98-6 |       |
| THC-Total per 1ml               | 1.83   |                | mg/1ml | 0.0595 | 08/12/19 | J AOAC 2015 V98-6 |       |
| THCV per 1ml <sup>†</sup>       | < LOQ  |                | mg/1ml | 0.0317 | 08/09/19 | J AOAC 2015 V98-6 |       |
| THCV-A per 1ml <sup>†</sup>     | < LOQ  |                | mg/1ml | 0.0317 | 08/09/19 | J AOAC 2015 V98-6 |       |
| THCV-Total per 1ml <sup>†</sup> | < LOQ  |                | mg/1ml | 0.0591 | 08/09/19 | J AOAC 2015 V98-6 |       |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Job Number:** 19-009273  
**Report Number:** 19-009273-00  
**Report Date:** 08/19/2019  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/05/19 10:40

**Product identity:** BG83 FVMTN  
**Laboratory ID:** 19-009273-0008

**Client/Metric ID:** .  
**Sample Date:** 08/01/19

### Summary

-----  
**Metals:**

Less than LOQ for all analytes.

-----  
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.

Testing in accordance with:



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Job Number:** 19-009273  
**Report Number:** 19-009273-00  
**Report Date:** 08/19/2019  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/05/19 10:40

Customer: Etz Hayim Holdings

**Product identity:** BG83 FVMTN  
**Client/Metric ID:** .  
**Sample Date:** 08/01/19  
**Laboratory ID:** 19-009273-0008  
**Relinquished by:** Received By Mail  
**Temp:** 25.9 °C

### Sample Results

| Metals  |        |        |       |        |         |          |                     |       |
|---------|--------|--------|-------|--------|---------|----------|---------------------|-------|
| Analyte | Result | Limits | Units | LOQ    | Batch   | Analyze  | Method              | Notes |
| Arsenic | < LOQ  |        | mg/kg | 0.0485 | 1907367 | 08/15/19 | AOAC 2013.06 (mod.) | X     |
| Cadmium | < LOQ  |        | mg/kg | 0.0485 | 1907367 | 08/15/19 | AOAC 2013.06 (mod.) | X     |
| Lead    | < LOQ  |        | mg/kg | 0.0485 | 1907367 | 08/15/19 | AOAC 2013.06 (mod.) | X     |
| Mercury | < LOQ  |        | mg/kg | 0.0242 | 1907367 | 08/15/19 | AOAC 2013.06 (mod.) | X     |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.

Testing in accordance with:



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Job Number:** 19-009273  
**Report Number:** 19-009273-00  
**Report Date:** 08/19/2019  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 08/05/19 10:40

**Product identity:** BG83 FVMTN  
**Laboratory ID:** 19-009273-0004

**Client/Metric ID:** .  
**Sample Date:** 08/01/19

### Summary

-----  
**Pesticides:**

*All analytes passing and less than LOQ.*



**Customer:** Etz Hayim Holdings

**Product identity:** BG83 FVMTN  
**Client/Metric ID:** .  
**Sample Date:** 08/01/19  
**Laboratory ID:** 19-009273-0004  
**Relinquished by:** Received By Mail  
**Temp:** 25.9 °C

### Sample Results

| Pesticides   |        |        |       |        |       |                     |        |        |       |        |       |
|--|--------|--------|-------|--------|-------|---------------------|--------|--------|-------|--------|-------|
| Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1907277 Analyze 08/13/19 07:38 PM |        |        |       |        |       |                     |        |        |       |        |       |
| Analyte  | Result | Limits | LOQ   | Status | Notes | Analyte             | Result | Limits | LOQ   | Status | Notes |
| Abamectin  | < LOQ  | 0.50   | 0.250 | pass   |       | Acephate            | < LOQ  | 0.40   | 0.250 | pass   |       |
| Acequinocyl  | < LOQ  | 2.0    | 1.00  | pass   |       | Acetamiprid         | < LOQ  | 0.20   | 0.100 | pass   |       |
| Aldicarb   | < LOQ  | 0.40   | 0.200 | pass   |       | Azoxystrobin        | < LOQ  | 0.20   | 0.100 | pass   |       |
| Bifenazate   | < LOQ  | 0.20   | 0.100 | pass   |       | Bifenthrin          | < LOQ  | 0.20   | 0.100 | pass   |       |
| Boscalid   | < LOQ  | 0.40   | 0.100 | pass   |       | Carbaryl            | < LOQ  | 0.20   | 0.100 | pass   |       |
| Carbofuran   | < LOQ  | 0.20   | 0.100 | pass   |       | Chlorantraniliprole | < LOQ  | 0.20   | 0.100 | pass   |       |
| Chlorfenapyr   | < LOQ  | 1.0    | 0.500 | pass   |       | Chlorpyrifos        | < LOQ  | 0.20   | 0.100 | pass   |       |
| Clofentezine   | < LOQ  | 0.20   | 0.100 | pass   |       | Cyfluthrin (incl.   | < LOQ  | 1.0    | 0.500 | pass   |       |
| Cypermethrin   | < LOQ  | 1.0    | 0.500 | pass   |       | Daminozide          | < LOQ  | 1.0    | 0.500 | pass   |       |
| Diazinon   | < LOQ  | 0.20   | 0.100 | pass   |       | Dichlorvos          | < LOQ  | 1.0    | 0.500 | pass   |       |
| Dimethoate   | < LOQ  | 0.20   | 0.100 | pass   |       | Ethoprophos         | < LOQ  | 0.20   | 0.100 | pass   |       |
| Etofenprox   | < LOQ  | 0.40   | 0.200 | pass   |       | Etoxazole           | < LOQ  | 0.20   | 0.100 | pass   |       |
| Fenoxycarb   | < LOQ  | 0.20   | 0.100 | pass   |       | Fenpyroximate       | < LOQ  | 0.40   | 0.200 | pass   |       |
| Fipronil   | < LOQ  | 0.40   | 0.200 | pass   |       | Fonicamid           | < LOQ  | 1.0    | 0.400 | pass   |       |
| Fludioxonil  | < LOQ  | 0.40   | 0.200 | pass   |       | Hexythiazox         | < LOQ  | 1.0    | 0.400 | pass   |       |
| Imazalil   | < LOQ  | 0.20   | 0.100 | pass   |       | Imidacloprid        | < LOQ  | 0.40   | 0.200 | pass   |       |
| Kresoxim-methyl  | < LOQ  | 0.40   | 0.200 | pass   |       | Malathion           | < LOQ  | 0.20   | 0.100 | pass   |       |
| Metalaxyl  | < LOQ  | 0.20   | 0.100 | pass   |       | Methiocarb          | < LOQ  | 0.20   | 0.100 | pass   |       |
| Methomyl   | < LOQ  | 0.40   | 0.200 | pass   |       | MGK-264             | < LOQ  | 0.20   | 0.100 | pass   |       |
| Myclobutanil   | < LOQ  | 0.20   | 0.100 | pass   |       | Naled               | < LOQ  | 0.50   | 0.250 | pass   |       |
| Oxamyl   | < LOQ  | 1.0    | 0.500 | pass   |       | Paclbutrazole       | < LOQ  | 0.40   | 0.200 | pass   |       |
| Parathion-Methyl   | < LOQ  | 0.20   | 0.200 | pass   |       | Permethrin          | < LOQ  | 0.20   | 0.100 | pass   |       |
| Phosmet  | < LOQ  | 0.20   | 0.100 | pass   |       | Piperonyl butoxide  | < LOQ  | 2.0    | 1.00  | pass   |       |
| Prallethrin  | < LOQ  | 0.20   | 0.100 | pass   |       | Propiconazole       | < LOQ  | 0.40   | 0.200 | pass   |       |
| Propoxur   | < LOQ  | 0.20   | 0.100 | pass   |       | Pyrethrin I (total) | < LOQ  | 1.0    | 0.500 | pass   |       |
| Pyridaben  | < LOQ  | 0.20   | 0.100 | pass   |       | Spinosad            | < LOQ  | 0.20   | 0.100 | pass   |       |
| Spiromesifen   | < LOQ  | 0.20   | 0.100 | pass   |       | Spirotetramat       | < LOQ  | 0.20   | 0.100 | pass   |       |
| Spiroxamine  | < LOQ  | 0.40   | 0.200 | pass   |       | Tebuconazole        | < LOQ  | 0.40   | 0.200 | pass   |       |
| Thiacloprid  | < LOQ  | 0.20   | 0.100 | pass   |       | Thiamethoxam        | < LOQ  | 0.20   | 0.100 | pass   |       |
| Trifloxystrobin  | < LOQ  | 0.20   | 0.100 | pass   |       |                     |        |        |       |        |       |

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.