

Univar USA Inc Material Safety Data Sheet

MSDS No:	PUR77307
Version No:	003 2010-12-21
Order No:	

Univar USA Inc., 17425 NE Union Hill Rd., Redmond WA 98052 (425) 889 3400

Emergency Assistance

For emergency assistance involving chemicals call Chemtrec - (800) 424-9300



Lactic Acid

REVISION DATE 05/10/10 REF. SD0010/2010-04

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY / **UNDERTAKING**

PURAC® # Product name

PURAC® HS PURAC® Sanilac PURAC® 80-DW PURAC® Vin PURAC® FCC 88 PURAC® HiPure PURAC® PF

Use of the Substance Food additive, Specialty chemical

Supplier Purac Biochem Purac Bioquimica Arkelsedijk 46 Gran Vial 19 -25

NL-4206 AC Gorinchem 08160 Montmelo-Barcelona

The Netherlands Spain

Telephone ++34 93 568 6300 ++31 183 695695 ++31 183 695604 ++34 93 568 3955 ++34 93 568 6300 **Emergency telephone** ++31 183 695695

(Ext 222)

Purac America, Inc. Supplier PBR sínteses

Av. Rui Barbosa, 521 111 Barclay Blvd. Campos dos Goytacazes- Lincolnshire, IL 60069

RJ

CEP 28013-000

Brazil

Telephone +55 22 2737 7200 +1 847 634 6330 +55 22 2737 7210 Fax +1 847 634 1992 **Emergency Telephone** +55 22 2737 7200 +1 847 634 1992

Supplier Purac Thailand

3 Moo 2 - Ásia Industrial Estate T. Banchang, A. Banchang

Rayong 21130 Thailand

Telephone +66 (38) 698 800 +66 (38) 698 801 Fax **Emergency telephone** +66 (38) 698 800

2. COMPOSITION / INFORMATION ON **INGREDIENTS**

Chemical name of the substance

L(+) Lactic Acid aqueous solution

Synonyms Lactic Acid aqueous solution: S(+)-2-hydroxy propionic

acid.

CAS-No. 79-33-4 EC-No. 201-196-2

Copyright @ Purac. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical, photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions contained herein may be relied upon for any purpose or reason. Purac disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use.

Copyright © Purac. All rights reserved. No part of this



Lactic Acid

REVISION DATE 05/10/10 REF. SD0010/2010-04

3. HAZARDS IDENTIFICATION

Most important hazards Irritating to eyes and skin. Risk of serious damage to eyes.

May cause irritation of respiratory tract.

May cause irritation of the mucous membranes.

Specific hazards

Ingestion

Inhalation (short and long term) irritation, breathing difficulties,

headache, dizziness

(short and long term) irritation of digestive system

Skin contact (short and long term) irritation
Eye contact (short and long term) severe ir

(short and long term) severe irritation, blurred vision (short and long term) burns, vomiting, gastrointestinal

disturbance

4. FIRST AID MEASURES

General adviceInhalation
Skin contact
Show this safety data sheet to the doctor in attendance.
Move to fresh air. If symptoms persist, call a physician.
Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes. Obtain

medical attention.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.

Ingestion
Consult a physician. If conscious, drink plenty of water.

Consult a physician. If conscious, drink plenty of water. Never give anything by mouth to an unconscious person.

Protection of first-aiders Wear impervious gloves and tightly fitting safety goggles.

Avoid contact with skin and eyes.

Notes to physician Oxygen, if needed. Avoid gastric lavage.

5. FIRE-FIGHTING MEASURES Suitable extinguishing media Extinguishing media which must not be used for safety

reasons

Specific hazards

Special protective equipment

for firefighters Specific methods Water, carbon dioxide (CO2), foam, dry chemical.

None.

Thermal decomposition can lead to release of

irritating gases and vapors.

In the event of fire, wear self contained breathing

apparatus.

Standard procedure for chemical fires. Cool

containers / tanks with water spray. Flash point >

234°F, (> 112°C)

Copyright © Purac. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical, photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions contained herein may be relied upon for any purpose or reason. Purac disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or it suse.



REVISION DATE 05/10/10 Lactic Acid REF. SD0010/2010-04

Personal precautions Avoid contact with skin and eyes. Wear impervious gloves and tightly fitting safety

goggles.

Environmental precautions Do not flush into surface water or sanitary sewer

system.

Methods for cleaning up Dam up. Neutralize with limestone powder, lime,

soda ash. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically and collect in

suitable container for disposal.

7. HANDLING AND **STORAGE**

8. EXPOSURE CONTROLS/

PERSONAL

PROTECTION

ACCIDENTAL RELEASE

MEASURES

Technical measures/PrecautionsAvoid temperatures above 392°F (200°C).

Safe handling advice Avoid contact with skin and eyes. Wear

impervious gloves and tightly fitting safety

goggles.

Do not breathe spray mist.

Technical measures/ Store according to all current regulations. Keep Storage conditions container tightly closed. Keep in a dry, cool place. Plastic or stainless steel 316 L containers.

areas.

Packaging material

Engineering measures

to reduce exposure

Exposure limit(s) None.

Personal protection equipment

Respiratory protection

Not required; except in case of aerosol formation. Breathing apparatus needed only when aerosol or

mist is formed.

Insure adequate ventilation, especially in confined

Rubber gloves.

Hand protection

Face-shield, tightly fitting safety goggles. Eye protection Skin and body protection Long sleeved clothing, chemical resistant apron

boots.

Hygiene measures Avoid contact with skin When using, do not eat,

drink or smoke. Remove and wash contaminated

clothing before re-use.

Copyright © Purac. All rights reserved. No part of this Copyright @ Purac. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical, photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions contained herein may be relied upon for any purpose or reason. Purac disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use.

> Page 3 of 7 www.purac.com



Lactic Acid

REVISION DATE 05/10/10 REF. SD0010/2010-04

9. PHYSICAL AND **CHEMICAL PROPERTIES**

Form Color Odor

Molecular Weight

pН

Boiling point/range

Decomposition temperature Autoignition temperature Flash point

Explosion limits Density

Surface tension Solubility

Viscosity

aqueous solution colorless/yellow/ light brown characteristic 90.08

2 @ 77°F (25°C)

230°F (110°C) (40% solution) 257°F (125°C) (90% solution) > 392 °F (> 200°C)

none

> 234°F (> 112°C) not applicable 1190 - 1250 kg/m³

50 - 44 mN/m (50 - 90% solution) Water solubility: completely soluble

Partition coefficient (n-octanol/water) log Pow = -

0.62

5 - 60 mPa.s @ 77°F (25°C) (50 - 90% solution)

10. STABILITY AND REACTIVITY

Stability **Conditions to avoid** Materials to avoid **Hazardous decomposition** products

Stable at normal conditions. Avoid temperatures above 392°F (200°C). Oxidizing agents, metals, acids and bases. Carbon oxides. Thermal decomposition can lead to release of irritating gases and vapors.

Copyright © Purac. All rights reserved. No part of this Copyright @ Purac. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical, photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions contained herein may be relied upon for any purpose or reason. Purac disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use.



Lactic Acid

REVISION DATE 05/10/10 REF. SD0010/2010-04

11. TOXICOLOGICAL INFORMATION

Acute toxicity LD50/oral/rat=3730 mg/kg

LD50/oral/mouse=4875 mg/kg LD50/dermal/rabbit>2000mg/kg

Irritation Eyes-rabbit: severe. Skin guinea pig: slight -

none.

Skin rabbit: severe.

Tests on animals have shown that the effect of lactic acid on skin is species dependent. Human experience and results on guinea pigs have shown

that it is irritant and not corrosive.

Local effects Irritating to eyes and skin. Risk of serious damage

to eyes. Inhalation of mist causes irritation of

respiratory system. None.

Carcinogen Status

Mutagenic Data Tests on bacterial or mammalian cell cultures did

not show mutagenic effects.

Major effects of exposure

Inhalation Inhalation of vapors is irritating to the respiratory

system, may cause throat pain and cough. Inhalation of vapors in high concentration may cause shortness of breath (lung oedema). Chronic exposure may cause dermatitis, gastrointestinal

disturbance, coughing.

Skin contact May cause skin irritation. Prolonged skin contact

may produce dermatitis.

Eye contact Severe eye irritation. Risk of serious damage to

eyes. Liquid causes severe inflammation of conjunctiva and may cause severe damage of the

cornea.

Ingestion Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea. May cause

stomach perforation

Further information As an important metabolite in man, animals and

plants, it is naturally formed and metabolised.

Copyright © Purac. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical, photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions contained herein may be relied upon for any purpose or reason. Purac disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use.



Lactic Acid

REVISION DATE 05/10/10 REF. SD0010/2010-04

12. ECOLOGICAL INFORMATION Mobility

Completely soluble.

Persistence / degradability Readily biodegradable, according to appropriate

OECD test.

Biochemical oxygen demand (BOD)₅ = 0.45 mg

O₂ /mg .

Biochemical oxygen demand (BOD)₂₀= 0.60 mg

O2/ma.

Chemical oxygen demand (COD) = 0.90 mg

O₂ /mg. None.

Bioaccumulation

Ecotoxicity

EC50/48h/Daphnia = 240mg/I

LC50/48h/Fish = 320 mg/lEC50/Algae = 3500 mg/l (neutral)

Further information Natural product.

13. DISPOSAL **CONSIDERATIONS** Waste from residues /

Subject to disposal regulations

US EPA 40 CFR 2 62.

unused products

Contaminated packaging

Clean container with water. Empty containers should be taken for local recycling, recovery or

waste disposal.

14. TRANSPORT **INFORMATION** Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY **INFORMATION** **US Regulations**

USA TSCA Inventory Status

SARA III

California Proposition 65 N

Carcinogen status

OSHA:N, NTP:N, IARC: N GRAS

FDA

EU Classification

Symbols R- Phrases Xi - Irritant

R41 - Risk of serious damage to eyes.

R38 - Irritating to skin.

S-Phrases S24 - Avoid contact with skin.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S37/39 - Wear suitable gloves and eye/face

protection.

Copyright © Purac. All rights reserved. No part of this Copyright @ Purac. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical, photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions contained herein may be relied upon for any purpose or reason. Purac disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use.

> Page 6 of 7 www.purac.com



Lactic Acid

REVISION DATE 05/10/10 REF. SD0010/2010-04

16. OTHER INFORMATION

NFPA Ratings (Scale 0-4) HMIS Rating 1(health)-0(flammability)-0(reactivity)

2(health)-0(flammability)-0(reactivity) B(protective

equipment)

CAS-No. 50-21-5 (general) EC-No. 200-018-0 (general)

EEC Food additive: E 270

Further information on the safety assessment of lactic acid and its salts can be obtained in a CFTA Report of June 6th 1997.

Additional data on the calculated ecotoxicity of lactic acid and its salts and esters can be obtained in a report entitled 'The ecotoxicity and biodegradability of lactic acid, alkyl lactate esters and lactic acid salts' by Bowmer et al. (Reference: Chemosphere 37: 1317-1333 (1998))

This information only concerns the above-mentioned product and is not valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.

indicates updated section.

Copyright © Purac. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical, photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions contained herein may be relied upon for any purpose or reason. Purac disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use.

www.purac.com

Univar USA Inc Material Safety Data Sheet

For Additional Information contact MSDS Coordinator during business hours, Pacific time: (425) 889-3400

Notice

Univar USA Inc. ("Univar") expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information refer to a product specification sheet and/or a certificate of analysis. These can be obtained from your local Univar sales office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process