Technical Data Sheet

LALVIN LALVIN EC1118TM The Original Prise de Mousse

Lalvin EC1118[™] has been selected in a famous sparkling wine region for its excellent properties in producing sparkling base wine as well as "in-bottle" secondary fermentation. It is very resistant to osmotic pressure. Lalvin EC1118[™] is known for its robust and reliable fermentation kinetics. Its sensory contribution is considered neutral as it gives very little sensory contribution to the wine. It is used extensively in the world for the production of both white and red wines.



MICROBIOLOGICAL PROPERTIES

Saccharomyces cerevisiae var cerevisiae (Ex bayanus) Typical analysis (in compliance with OIV codex):

Viable yeast> 1010 CFU/gDry matter> 92 %

(7)

OENOLOGICAL PROPERTIES

- Short lag phase and vigorous fermentation
- O Low relative nitrogen demand (under controlled laboratory conditions)
- Very low H₂S production
- O Alcohol tolerance of up to 18% v/v (depending on fermentation conditions)
- Cow SO₂ production
- Fermentation temperature: 10-30°C (50-86°F)
- Competitive killer factor: yes
- Low foam producer

WINE

YEASTS

🛞 FLAVOR & AROMA



QUICK FACTS

GRAPE VARIETY PAIRING

Brings fresh floral aromas to neutral varieties or high-yield grapes.

WINE STYLES

Sparkling wine base and Prise de Mousse. Useful for a wide range of applications, including wine and fruit cider fermentations.

акома Neutral

аlcohol tolerance Up to 18%

fermentation range 10-30°C (50-86°F)

INOCULATION RATE 0.2-0.4g/L

TECH Data Sheet SELECTED Active Dry Wine yeast

LALVIN EC1118™



Technical Data Sheet

LALVIN

ALVIN EC1118™

The Original Prise de Mousse

USAGE

DOSAGE RATE: 1 x 5g sachet for 4.5 - 23L

- 1. Rehydrate the yeast in 50ml of water, at a temperature between 35-37°C (95-98.6°F).
- 2. Dissolve by gently stirring and wait for 20 minutes.
- 3. Add the must. The difference in temperature between the must to be inoculated and the rehydration medium should not be higher than 10°C (if necessary, acclimatize the temperature of the medium by slowly adding must).
- 4. The total rehydration time should not exceed 45 minutes.
- 5. It is crucial that a clean container is used to rehydrate the yeast.
- 6. Rehydration in must is not recommended.



PACKAGING AND STORAGE

Available in 5g nitrogen-flushed sachets to maintain optimal yeast viability.

It is recommended to store Lalvin EC-1118[™] yeast in dry conditions, between 4 and 15°C, for optimal viability and product performance. It is however not detrimental for the product to remain at room temperature for shorts periods of time, such as during transport.

The yeast will rapidly lose activity after exposure to air.

CONTACT US

For more information, please visit us online at www.lallemandbrewing.com

For any questions, you can also reach us via email at brewing@lallemand.com

