

MasterBlend Oriental Rug Shampoo

1	PRODUCT AND COMPANY IDENTIFICATION
---	------------------------------------

Product Identifier: MasterBlend Oriental Rug Shampoo
Common Name: Premium Fine Fabric Shampoo
SDS Number: 08-050927
Product Code: 1202
Revision Date: 1/23/2024
Version: 2
Internal ID: X780025
Product Use: Premium Fine Fabric Shampoo

Supplier Details: MasterBlend Indiana LLC
4345 W. 96th St
Indianapolis, IN 46268

Phone: (800) 525-9644
Email: info@masterblend.net
Web: www.masterblend.net
Emergency: INFOTRAC (800) 535-5053 (USA and Canada); +1 (352) 323-3500 (International)

2	HAZARDS IDENTIFICATION
---	------------------------

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Liquids, 4

Health, Serious Eye Damage/Eye Irritation, 2 A

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:



GHS Hazard Statements:

H227 - Combustible liquid

H319 - Causes serious eye irritation

GHS Precautionary Statements:

P264 - Wash skin thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/ eye protection/ face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P320 - Specific treatment is urgent (see supplemental first aid instructions on this label).

P332 + P313 - If skin irritation occurs: Get medical advice/ attention.

P362 - Take off contaminated clothing and wash before reuse.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

P501 - Dispose of contents/ container to an approved waste disposal plant.

3	COMPOSITION/INFORMATION OF INGREDIENTS
---	--

This material is considered hazardous by the OSHA Hazardous Communication Standard (29 CFR 1910.1200)

Chemical Ingredients

CAS#	%	Chemical Name
7732-18-5	<90%	Deionized Water
137-16-6	5-15%	Sodium lauroyl sarcosinate
34590-94-8	1-5%	Dipropylene glycol methyl ether
2235-54-3	1-5%	Ammonium lauryl sulfate
26447-10-9	<1%	Benzenesulfonic acid, dimethyl-, ammonium salt
112-53-8	<1%	1-Dodecanol
Trade Secret	<1%	Fragrance

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4	FIRST AID MEASURES
---	---------------------------

Inhalation: If symptoms develop, move victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.

Skin Contact: Wash with soap and water.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, removing contacts, if present, and lifting eyelids occasionally to facilitate irrigation. Seek medical attention if irritation persists

Ingestion: Rinse mouth with water. Do not induce vomiting. Seek medical attention if you feel unwell.

5	FIRE FIGHTING MEASURES
---	-------------------------------

Use water spray, fog, carbon dioxide (CO₂), foam or dry chemical

Unsuitable extinguishing media: Water jet as it may spread fire

Hazardous Combustion Products:
nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂)

6	ACCIDENTAL RELEASE MEASURES
---	------------------------------------

Use personal protective equipment. Ventilate area and wash spill site after material pickup is complete.

7	HANDLING AND STORAGE
---	-----------------------------

Handling Precautions: Measures to prevent fire as well as aerosol and dust generation.

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas.

Warning
Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene
Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Storage Requirements: Keep in a cool ventilated area. Keep container tightly closed. Keep out of reach of children

8	EXPOSURE CONTROLS/PERSONAL PROTECTION
---	--

Engineering Controls:

Deionized Water cas#:(7732-18-5) [90] : No data.

Sodium lauroyl sarcosinate cas#:(137-16-6) [515] : No data.

Dipropylene glycol methyl ether cas#:(34590-94-8) [15] : No data.

Ammonium lauryl sulfate cas#:(2235-54-3) [15] : No data.

1-Dodecanol cas#:(112-53-8) [1] : No data.

**Personal Protective
Equipment:**

Personal protective equipment

Eye/face protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact: Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril (KCL 740 / Aldrich Z677272, Size M)

Splash contact: Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection: Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Deionized Water cas#:(7732-18-5) [90] : No data.

Sodium lauroyl sarcosinate cas#:(137-16-6) [515] : No data.

Dipropylene glycol methyl ether cas#:(34590-94-8) [15]

Components with workplace control parameters

TWA 100 ppm USA. ACGIH Threshold Limit Values (TLV)
Eye & Upper Respiratory Tract irritation Central Nervous System impairment Danger of cutaneous absorption

STEL 150 ppm USA. ACGIH Threshold Limit Values (TLV)
Eye & Upper Respiratory Tract irritation Central Nervous System impairment Danger of cutaneous absorption

TWA 100 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1
600 mg/m3 Limits for Air Contaminants
Skin designation The value in mg/m3 is approximate.

TWA 100 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
600 mg/m3 1910.1000
Skin notation

STEL 150 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
900 mg/m3 1910.1000
Skin notation

TWA 100 ppm USA. NIOSH Recommended Exposure Limits
600 mg/m3
Potential for dermal absorption

ST 150 ppm USA. NIOSH Recommended Exposure Limits
900 mg/m3

Potential for dermal absorption

Ammonium lauryl sulfate cas#:(2235-54-3) [15] : No data.

1-Dodecanol cas#:(112-53-8) [1] : No data.

9	PHYSICAL AND CHEMICAL PROPERTIES
---	----------------------------------

Appearance:	Amber	Odor:	Orange Citrus Aroma
Physical State:	Liquid	Solubility:	No data available
Odor Threshold:	No data available	Freezing/Melting Pt.:	No data available
Spec Grav./Density:	No data available	Flash Point:	75° C @ 1,013 hPa
Viscosity:	No data available	Vapor Density:	No data available
Boiling Point:	189.6° C	Auto-Ignition Temp:	207° C
Partition Coefficient:	No data available	UFL / LFL:	No data available
Vapor Pressure:	0.28 mmHg @ 20° C		
pH:	7.5		
Evap. Rate:	No data available		
Decomp Temp:	No data available		

10	STABILITY AND REACTIVITY
----	--------------------------

Reactivity:	None under normal processing
Chemical Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Avoid heat, sparks, flames and direct sunlight
Materials to Avoid:	None known based on the information provided
Hazardous Decomposition:	None known based on information provided
Hazardous Polymerization:	Will not occur.

11	TOXICOLOGICAL INFORMATION
----	---------------------------

Deionized Water cas#:(7732-18-5) [90]

Information on toxicological effects

Acute toxicity: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: ZC0110000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Sodium lauroyl sarcosinate cas#:(137-16-6) [515]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - male and female - > 5,000 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - rat - 4 h - 0.05 - 0.5 mg/l

Dermal: no data available

Skin corrosion/irritation: Skin - rabbit Result: Irritating to skin.

Serious eye damage/eye irritation: Eyes - rabbit Result: Risk of serious damage to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitisation: Maximisation Test - guinea pig Result: Does not cause skin sensitisation.

Germ cell mutagenicity: no data available

Chromosome aberration test in vitro Human lymphocytes Result: negative

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

Repeated dose toxicity - rat - male and female - Oral - No observed adverse effect level - 30 mg/kg RTECS: Not available

Cough, wheezing, respiratory difficulties, Diarrhoea, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Dipropylene glycol methyl ether cas#:(34590-94-8) [15]

Information on toxicological effects

Acute toxicity:

Oral LD50 LD50 Oral - rat - 5,152 mg/kg

Inhalation LC50 no data available

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: Serious eye damage/eye irritation:

Eyes - rabbit - Mild eye irritation - 24 h

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: JM1575000

Ammonium lauryl sulfate cas#:(2235-54-3) [15]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: Eyes: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: Not available

1-Dodecanol cas#:(112-53-8) [1]

Information on toxicological effects

Acute toxicity:

Oral LD50 LD50 Oral - rat - > 12,800 mg/kg

Inhalation LC50 no data available

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: Skin - rabbit - Skin irritation

Skin - Human - Severe skin irritation - 3 h

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

Carcinogenicity - mouse - Skin:

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin and Appendages: Other: Tumors. Tumorigenic: Tumors at site or application.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System):

no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin burns. Eyes Causes eye burns.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: JR5775000

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
sodium lauroyl sarcosinate	137-16-6	inhalation: dust/mist	5
Ammonium lauryl sulfate	2235-54-3	oral	500

12 ECOLOGICAL INFORMATION

Deionized Water cas#:(7732-18-5) [90]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: not applicable

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Sodium lauroyl sarcosinate cas#:(137-16-6) [515]

Information on ecological effects

Toxicity:

Toxicity to fish semi-static test EC50 - Danio rerio (zebra fish) - 107 mg/l - 96 h.

(OECD Test Guideline 203)

Toxicity to daphnia and Immobilization LC50 - Daphnia magna (Water flea) - 29.7 mg/l - 48 h.

other aquatic (OECD Test Guideline 202) invertebrates

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - 79 mg/l - 72 h.

(OECD Test Guideline 201)

Toxicity to bacteria Respiration inhibition NOEC - Sludge Treatment - 100 mg/l - 3 h.

(OECD Test Guideline 209)

Persistence and degradability: Biodegradability aerobic - Exposure time 28 d Result: 82 % - Readily biodegradable.

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Dipropylene glycol methyl ether cas#:(34590-94-8) [15]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - > 10,000 mg/l - 96 h.

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 1,919 mg/l - 48 h.

and other aquatic invertebrates

Persistence and degradability: Biodegradability

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

Ammonium lauryl sulfate cas#:(2235-54-3) [15]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

1-Dodecanol cas#:(112-53-8) [1]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0.18 mg/l - 96.0 h.

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 320 mg/l - 48 h.

and other aquatic invertebrates

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - 0.62 - 0.97 mg/l - 96 h.

Persistence and degradability: Biodegradability

Bioaccumulative potential: Indication of bioaccumulation.

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium lauroyl sarcosinate	137-16-6	LC50	107 mg/l	fish	96 hours
sodium lauroyl sarcosinate	137-16-6	EC50	29.7 mg/l	aquatic invertebrates	48 hours
sodium lauroyl sarcosinate	137-16-6	ErC50	79 mg/l	algae	72 hours
Dipropylene Glycol Monomethyl Ether	34590-94-8	LC50	>1,000 mg/l	fish	96 hours
Dipropylene Glycol Monomethyl Ether	34590-94-8	ErC50	>969 mg/l	algae	72 hours
Dipropylene Glycol Monomethyl Ether	34590-94-8	EC50	>969 mg/l	algae	72 hours
lauryl alcohol	112-53-8	LC50	1.01 mg/l	fish	96 hours
lauryl alcohol	112-53-8	EC50	0.765 mg/l	aquatic invertebrates	48 hours
lauryl alcohol	112-53-8	ErC50	0.66 mg/l	algae	72 hours

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium lauroyl sarcosinate	137-16-6	EC50	>1,000 mg/l	microorganisms	3 h
Dipropylene Glycol Monomethyl Ether	34590-94-8	LC50	>1,000 mg/l	aquatic invertebrates	24 h

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
sodium lauroyl sarcosinate	137-16-6	carbon dioxide generation	82 %	28 d
Dipropylene Glycol Monomethyl Ether	34590-94-8	oxygen depletion	75 %	10 d
Dipropylene Glycol Monomethyl Ether	34590-94-8	DOC removal	96 %	28 d
Dipropylene Glycol Monomethyl Ether	34590-94-8	carbon dioxide generation	76 %	28 d

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
sodium lauroyl sarcosinate	137-16-6		0.37	
Dipropylene Glycol Monomethyl Ether	34590-94-8		0.0043	
lauryl alcohol	112-53-8		5.4	

13 DISPOSAL CONSIDERATIONS**Waste treatment methods**

Product: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging: Dispose of as unused product.

14 TRANSPORT INFORMATION

Not Regulated

15 REGULATORY INFORMATION

[%] RQ (CAS#) Substance - Reg Codes

[<90%] Deionized Water (7732-18-5) TSCA, TSCAACTV

[5-15%] Sodium lauroyl sarcosinate (137-16-6) TSCA, TSCAACTV

[1-5%] Dipropylene glycol methyl ether (34590-94-8) MASS, OSHAWAC, PA, TSCA, TSCAACTV, TXAIR

[1-5%] Ammonium lauryl sulfate (2235-54-3) TSCA, TSCAACTV

[<1%] Benzenesulfonic acid, dimethyl-, ammonium salt (26447-10-9) TSCA, TSCAACTV

[<1%] 1-Dodecanol (112-53-8) TSCA, TSCAACTV

All ingredients for this product are listed or are exempt or excluded from being listed on the TSCA inventory.

SARA Title III chemicals: This product does not contain any chemicals which are subject to the reporting requirements.

California Prop 65 chemicals: None Known

CERCLA reportable quantity: This product, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

RCRA hazardous waste no: N/A

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

MASS = MA Massachusetts Hazardous Substances List

OSHAWAC = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TSCAACTV = TSCA Active Chemicals

TXAIR = TX Air Contaminants with Health Effects Screening Level

16

OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text.

Author:

Publication Date:

Revision No.

Revision Date: 1/23/2024

Print Date: 01/31/2024