


BUILDING MATERIALS

TRADE CATALOGUE 2015




Index

Cladding	B-04
Sheeting	B-05
Adhesives	B-06
Sealants	B-06
Tape	B-07
Mouldings - Plastic	B-08
Extrusion - Aluminium	B-09

Building Materials

Camec has a huge range of RV building materials that is perfect for new RV's, repairs or refurbishments. Our range of cladding is available in a range of profiles, both deep and shallow, a range of colours and patterns (smooth and stucco) and in differing widths and lengths. From side cladding to roof sheets, extrusions, moulds, seals, foam tapes, adhesives and much more. When thinking about all that is needed in building materials for any RV, Camec is your **one stop shop**.



Aluminium Cladding "CPSF10" Profile

See page 04



Silicone Z Bond 616

See page 07




Screw & Rivet

See page 09



Cladding



Aluminium Cladding "CP10" Profile

A deep profile side cladding comes in a variety of lengths.

FEATURES:

- Width: 315mm
- Maximum length: 10.668m
- Effective coverage of 250mm per panel.

SMOOTH

ALI CP10 - 3.0M LENGTH
ALI CP10 - 5.5M LENGTH
ALI CP10 - 6.1M LENGTH
ALI CP10 - 6.5M LENGTH
ALI CP10 - 7M LENGTH
ALI CP10 - 7.3M LENGTH
ALI CP10 - 7.6M LENGTH
ALI CP10 - 8M LENGTH
ALI CP10 - 9.3M LENGTH
ALI CP10 - 10.668M LENGTH
ALI CP10 - 10.68M LENGTH

White
White
White
White
White
White
White
White
White
White
Cristal Silver

038940
038420
038748
038418
038415
038746
041527
040362
039365
006764
040848

STUCCO

ALI CP10 - 3.0M LENGTH
ALI CP10 - 5.5M LENGTH
ALI CP10 - 6.1M LENGTH
ALI CP10 - 6.5M LENGTH
ALI CP10 - 7.0M LENGTH
ALI CP10 - 7.3M LENGTH
ALI CP10 - 7.6M LENGTH
ALI CP10 - 7.6M LENGTH
ALI CP10 - 7.6M LENGTH
ALI CP10 - 8.5M LENGTH
ALI CP10 - 10.668M LENGTH
ALI CP10 - 10.68M LENGTH

White
White
White
White
White
White
White
Cristal Silver
White
White
Cristal Silver

038941
038421
038749
034879
038416
038747
041528
041446
040620
006768
041444



Aluminium Cladding "CPSF10" Profile

A shallow profile side cladding comes in a variety of lengths.

FEATURES:

- Width: 315mm
- Maximum length: 10.668m
- Effective coverage of 250mm per panel.

SMOOTH

ALI CPSF10 - 3.0M LENGTH
ALI CPSF10 - 5.5M LENGTH
ALI CPSF10 - 6.1M LENGTH
ALI CPSF10 - 6.5M LENGTH
ALI CPSF10 - 7.0M LENGTH
ALI CPSF10 - 7.3M LENGTH
ALI CPSF10 - 7.6M LENGTH
ALI CPSF10 - 8.0M LENGTH
ALI CPSF10 - 8.5M LENGTH
ALI CPSF10 - 9.3M LENGTH
ALI CPSF10 - 10.668M LENGTH
ALI CPSF10 - 10.68M LENGTH

White
White
White
White
White
White
White
White
White
White
White
Cristal Silver

034757
038412
038744
038409
038406
038742
041525
038937
038931
039368
006777
040849


STUCCO

ALI CPSF10 - 3.0M LENGTH
ALI CPSF10 - 5.5M LENGTH
ALI CPSF10 - 6.1M LENGTH
ALI CPSF10 - 7.0M LENGTH
ALI CPSF10 - 7.3M LENGTH
ALI CPSF10 - 7.6 M LENGTH
ALI CPSF10 - 7.6M LENGTH
ALI CPSF10 - 10.668M LENGTH
ALI CPSF10 - 10.68M LENGTH

White
White
White
White
White
White
Cristal Silver
White
White

034281
038413
038745
038407
038743
041526
041447
006781
041445

Sheeting



Aluminium Sheeting "CP48" Profile

1220mm wide roof and end sheeting available by the metre. Individual sheets can be lock seamed for joining. A minimum length of 1.5 metres up to a maximum of 4 metres can be produced

FEATURES:

- Roof and end sheeting 1220mm wide.
- Individual sheets can be lock seamed for joining.

SMOOTH

ALI CP48 2310MM X 1220MM LENGTH (7'6 X 4')
ALI CP48 2440MM X 1220MM LENGTH (8' X 4')
ALI CP48 2440MM X 1220MM LENGTH (8' X 4')

White
White
Cristal Silver


007090
006856
040850

STUCCO

ALI CP48 2310MM X 1220MM LENGTH (7'6 X 4')
ALI CP48 2310MM X 1220MM LENGTH (7'6 X 4')
ALI CP48 2440MM X 1220MM LENGTH (8' X 4')
ALI CP48 2440MM X 1220MM LENGTH (8' X 4')
ALI CP48 2440MM X 1220MM LENGTH (8' X 4')

White
White
White
White
White

007089
007091
006894
038898
041441



Aluminium Flat Sheeting

Available in two widths which can be produced in metre lengths, with a minimum of 1 metre with a recommended maximum of 5 metres. Standard size sheets are 8ft x 4ft - 1200mm x 2440mm

SMOOTH

ALI FLAT 315MM X 1M LENGTH
ALI FLAT 1220MM X 1M LENGTH
ALI FLAT 2440MM X 1220MM LENGTH (8' X 4')
ALI FLAT 2440MM X 1220MM LENGTH (8' X 4')

White
White
White
Cristal Silver


006760
006806
006920
040851

STUCCO

ALI FLAT 315MM X 1M LENGTH
ALI FLAT 1220MM X 1M LENGTH
ALI FLAT 2440MM X 1220MM LENGTH (8' X 4')
ALI FLAT 2440MM X 1220MM LENGTH (8' X 4')
ALI FLAT 2740MM X 1220MM LENGTH (9' X 4')
ALI FLAT 5000MM X 1220MM LENGTH (16' X 4')

White
White
White
Cristal Silver
White
White

006762
006808
006941
041442
007098
039711



Aluminium Sheeting "CPF3" Profile

Roof and end sheeting, 1220mm wide, available by the metre. Individual sheets can be lock seamed for joining.

FEATURES:

- Width: 320mm
- Maximum length: 10.668m
- Effective coverage of 250mm per panel.

SMOOTH

ALI CPF3 2310MM X 1220MM LENGTH (7'6 X 4')
ALI CPF3 2440MM X 1220MM LENGTH (8' X 4')
ALI CPF3 2440MM X 1220MM LENGTH (8' X 4')

White
White
Cristal Silver

007094
006961
040852

STUCCO

ALI CPF3 2310MM X 1220MM LENGTH (7'6 X 4')
ALI CPF3 2440MM X 1220MM LENGTH (8' X 4')
ALI CPF3 2440MM X 1220MM LENGTH (8' X 4')

White
White
Cristal Silver

007095
006999
041443

Aluminium Cladding "NF10" Profile

A deep profile side cladding comes in a variety of lengths.

FEATURES:

- Width: 320mm
- Maximum length: 10.668m
- Effective coverage of 250mm per panel.

NF10 CLADDING - 7.0M X 1 LENGTH
NF10 CLADDING - 7.6M X 1 LENGTH
NF10 CLADDING - 7.6M X 1 LENGTH
NF10 CLADDING - 10.68M X 1 LENGTH
NF10 CLADDING - 10.68M X 1 LENGTH

SM White
SM White
SM White
SM White
ST White

040113
040114
040118
040914
040915

LP10 CLADDING - 7.6M X 1 LENGTH

SM White

040363

Adhesives



Strip Caulking 6.4 x 13 x 55mm

Putty Tape is a heavy Grey mastic, flexible putty tape. It is non-hardening and pliable. Used under moulding, around windows, doors and vents. Features waterproofs overlapping metal seams.

007164



Schlegel/Caterpillar Door Trim-Flywire Extension Bug Seal

Camec Door Seal, Schlegel/Caterpillar 16mm Flywire Bug Seal

FEATURES:

- Slides into a groove - it does not have adhesive
- Sold per metre
- Dimension 300m x 16mm

024716



Plywood

PLY 2.44M X 1.22M X 2.7MM	White	007537
PLY 2.44M X 1.22M X 3.6MM	Gloss White	007550
PLY 2.40M X 1.20M X 12MM	Wood	007568



Roof Proof

A latex based water proofing paint for application to roof joins, edge trims and around the perimeter of all roof fittings.

Note: Product available at suppliers discretion

ROOF PROOF - 1 LITRE	Cream	007183
ROOF PROOF - 4 LITRE	Cream	007185



Duralac Joining Compound Tube

Duralac is indispensable for the sealing of joints between dissimilar metals of all types, also valuable for the protection of metals in contact with woods, synthetic resin compositions, leather, rubber and fabrics.

FEATURES:

- Inhibits electrolysis corrosion between dissimilar materials.

033257

Sealants



Silicone Z Bond 616

A one component, non-flowing, neutral cure, mid modulus silicone sealant for use in glazing weather seals.

Colour Clear

035458



No Nails Adhesive 300ML

A solvent based gun grade adhesive exhibits excellent bond strength to most materials including styrene foam.

007200



Adhesive Styrene Red (4L)

A specially formulated red adhesive for bonding polystyrene to plywood and aluminium.

041564

Tape



Silicone Sealants

Silicone sealant - non-acetic and acetic cures are ideal for RV use. It is suitable for bonding aluminium, laminated glass, zincalume and metallic coated glass.

FEATURES:

- V2 - Acetic - allows up to 70% joint movement
- V4 - Non acetic - allows up to 40% joint movement
- V60 - Non-acetic - allows up to 70% joint movement
- VEC5CLM - Non acetic - allows up to 40% joint movement
- H4000 spray - suitable for zips/tracks etc.

SPECIFICATIONS:

- V2 - 300g tube
- V4 - 370g tube
- V60 - 300g tube
- VEC5CLM - 370g tube
- H4000 spray - 300g can
- Roof & gutter - 300g tube

SILICONE V2 ACETIC - WHITE	White	007171
SILICONE V2 ACETIC - CLEAR	Clear	007172
SILICONE V4 NON ACETIC - WHITE IDEAL FOR RV USE	White	007173
SILICONE V60 NON ACETIC - CLEAR	Clear	007174
SILICONE V60 NON ACETIC - WHITE	White	007175
SILICONE VEC5CLM NONACETIC GRV VEC5CLM	Grey	007168
SILICONE VEC5CLM NONACETIC WHT VEC5CLM	White	007169
SILICONE Z-BOND ROOF&GUTT-CLR	Clear	007180
SILICONE LUBRICANT SPRAY H4000	Clear	007196



Self Adhesive Foam Sealing Tape

Foam tape is ideal for dust and weather sealing.

9MM-12MM

NAME	WIDTH	THICKNESS	LENGTH	COLOUR	CODE
FOAM TAPE (60204)	9MM	4MM	15M	White	007285
FOAM TAPE (60204)	12MM	3MM	25M	Black	035459
FOAM TAPE (4904)	12MM	3MM	25M	Black	007290
FOAM TAPE (60204)	12MM	3MM	25M	Polar Grey	007297
FOAM TAPE (3404)	12MM	3MM	30.5M	Grey	007280
FOAM TAPE (60204)	12MM	4MM	15M	White	007286
FOAM TAPE (60106)	12MM	6MM	15M	Polar Grey	007298
FOAM TAPE (60106)	12MM	6MM	15M	Black	007284
FOAM TAPE (7493)	12MM	6MM	15M	Charcoal	007274
FOAM TAPE (7493)	12MM	12MM	15M	Black	036756
FOAM TAPE (7493)	12MM	12MM	7M	Polar Grey	007300
FOAM TAPE (7493)	12MM	18MM	7M	Grey	035444

15MM

NAME	WIDTH	THICKNESS	LENGTH	COLOUR	CODE
FOAM TAPE (3408)	15MM	6MM	15.2M	Grey	007282
FOAM TAPE (4908)	15MM	6MM	12.5M	Black	007295
FOAM TAPE (4908)	15MM	6.4MM	15.2M	Black	007289

18MM

NAME	WIDTH	THICKNESS	LENGTH	COLOUR	CODE
FOAM TAPE (7493)	18MM	6MM	15M	Polar Grey	007299
FOAM TAPE (7493)	18MM	6MM	15M	Charcoal	007276
FOAM TAPE (7493)	18MM	9MM	7M	Grey	035462
FOAM TAPE (7493)	18MM	9MM	7M	Black	035456
FOAM TAPE (7493)	18MM	9.5MM	7.6M	Black	007287

20MM-24MM

NAME	WIDTH	THICKNESS	LENGTH	COLOUR	CODE
FOAM TAPE (7493)	20MM	19MM	4.5M	Grey	007293
FOAM TAPE (7493)	22MM	6MM	2.7M	Black	039922
FOAM TAPE (7493)	24MM	3MM	25M	Black	035454
FOAM TAPE (7493)	24MM	3MM	25M	Grey	035445
FOAM TAPE (7493)	24MM	6MM	15M	Grey	035455
FOAM TAPE (7493)	24MM	6MM	15M	Charcoal	007278
FOAM TAPE (7493)	24MM	9MM	7M	Grey	035457
FOAM TAPE (7493)	24MM	12MM	8M	Polar Grey	007301
FOAM TAPE (7493)	24MM	12.7MM	7.6M	Black	007292

36MM-50MM

NAME	WIDTH	THICKNESS	LENGTH	CODE
FOAM TAPE (7493)	36MM	9MM	7M	035447
FOAM TAPE (7493)	36MM	12MM	7M	035449
FOAM TAPE (7493)	50MM	9.5MM	7.6M	007288

Mouldings - Plastic



Window Radius Mould
White x 3.6 Metre

WINDOW RADIUS MOULD X 3.6M White 007308
WINDOW RADIUS MOULD X 3.6M Black 007309
WINDOW RADIUS MOULD X 4.85M Tan 040904



Door Step Mould 4850mm
Length

DOOR STEP MOULD X 4850MM Black 007361



Weather Seal-Pop Top
Extrusion

For aluminium pop top extrusion. Sold per metre.

007420

Pop-Top Bubble
Seal

Pop-Top Bubble Seal, GREY, Price is per metre. Fits into many popular pop-top roof aluminium edging, to provide a soft seal and contact point when pop-top roof is lowered. Select the number of metres required

FEATURES:

- The top side shown in image fits into the aluminium extrusion around the roof. Check size. The top edge is 10mm wide. This will not suit all brands.
- TIP: Immerse in a hot water to allow it to reshape after being rolled up.

Colour Grey

007421



Truline Infil Mould

Flexible PVC infil mould that locks into the Truline Aluminium extrusion to conceal fixing screws and rivets

FEATURES:


- Also known as Millard Series 80 PVC Insert. Per metre Brown

INFIL MOULD PER M	Brown	007428
INFIL MOULD PER M	White	007434
INFIL MOULD PER M	Beige	007430
INFIL MOULD PER M	Grey	007432
INFIL MOULD PER M	Black	007436



L Mould White 32mm x 2.44
Metre

L MOULD 32MM X 2.44M White 007413



Angle External

For external corners.

ANGLE 12MM X 12MM X 2.44M	GT Brown	007316
ANGLE 19MM X 19MM X 3.6M	White	007325
ANGLE 25MM X 25MM X 3.6M	White	007330



Ceiling Strip

CEILING STRIP X 4.85M	Target Grey	007353
CEILING STRIP X 4.85M	Tan	007354
CEILING STRIP X 4.85M	White	007355



Cupboard Corner

C/BOARD CORNER X 4.85M	Target Grey	007358
C/BOARD CORNER X 4.85M	Tan	007359
C/BOARD CORNER X 4.85M	White	007360



Cap Mould
3-4mm

CAP MOULD 3MM X 2.44M	Silver Grey	007403
CAP MOULD 3MM X 2.44M	White	007404
CAP MOULD 4MM X 2.4M	GT Brown	007406
CAP MOULD 4MM X 2.4M	Silver Grey	007407
CAP MOULD 4MM X 2.4M	White	007408
CAP MOULD 4MM X 4.85M	Target Grey	007348
CAP MOULD 25MM X 4.85M	Wood Grain	039771



PVC Internal Corner
Moulding

For 4mm board, 2400mm length

INTERNAL CORNER 4MM X 2.4M	White	007369
EXTERNAL CORNER 4MM X 2.4M	White	007370
INTERNAL CORNER 4MM X 2.4M	Snow White	040149



H Mould 3mm

H MOULD 3MM X 2.44M	White	007395
H MOULD 4MM X 2.4M	GT Brown	007397
H MOULD 4MM X 2.4M	Silver Grey	007398
H MOULD 4MM X 2.4M	White	007399
H MOULD 4MM LONG LEG	W/Grain	039772




Aluminium Edge Mould 22mm

SPECIFICATIONS:

- (0.103Kg/Meter)
- Dimensions: 22mm x 5m length
- Mill finish

Colour Mill Finish

007123




Aluminium Pop-Top
Extrusion Bright White 6.5M
Length

SPECIFICATIONS:

- (1.381Kg/M)(510Pp)

Colour Bright White

007137



Aluminium Bottom Pop-Top
Extrusion Bright White 6.5M
Length

SPECIFICATIONS:

- (1.329Kg/M)(378Pp)

Colour Bright White

007139



Alumimium Table Mould
25mm

Flexible knock-in bead for trimming table and cabinet top edges


SPECIFICATIONS:

- Dimensions: 25mm x 4000mm Length

Colour Mill Finish

035443

Extrusion - Aluminium



Polystyrene (SI Grade)

Ideal insulation medium and the basis of the thermo cool bonded wall caravan.

Available in 2400mm x 1200mm x 13mm sheets.

007302



Screw And Rivet

SCREW SS PH S/T 6GX1/2 (XR)	007204
SCREW SS PAN XR 6GX3/4" SS304 /K	007205
SCREW SS PH S/T 6GX1IN (XR) 200	007206
SCREW SS PAN S/T 6GX1 (XR)WHITE	007207
SCREW SS PH S/T 8GX5/8 (XR)	007212
SCREW SS PH S/T 8GX3/4 (XR)	007213
RIVET AB 4-4 (3.2MMX10MM)	007240

Paint Repair

Camec cladding paint colours are unique to Camec and therefore are not available through non-Camec paint agents. To ensure the correct paint colour is matched, please refer to the colour codes as listed below.

Camec White	CARV1001
Camec Cristal Silver	CARV9001
Camec Diamond Silver	CARV9000

Paint codes not available in aerosol can.

For Camec (AKZO NOBEL) paint distributors, please visit www.camec.com/building-materials/paint.html and choose your nearest Camec paint distributor.



Flush Mounted Side Mould White 5M
Truline With No Leg

Colour White

039715

More Moulds available

FENDERWELT X 1M	WHITE	007438
FENDERWELT X 1M	TAN	007440
FENDERWELT X 1M	APOLLO GREY	007446
KNOCK-IN MLD 20MM PER M WHITE	White	007479



For all Trade and Retail Enquiries contact:

SALES ENQUIRIES

National Customer Care Centre

Phone: 1300 4 Camec (1300 4 22632)

Fax: 03 9799 6488

Email: camec@camec.com

Website: www.camec.com

TRADE & RETAIL

**CAMEC
HEAD OFFICE
47-63 Remington Drive
Dandenong South
Victoria 3175
Australia**

**CAMEC
QUEENSLAND
Building 3, Archerfield
Industrial Park
Cnr Kerry & Beadesert Road
Archerfield
Queensland 4108
Australia**

**CAMEC
WESTERN AUSTRALIA
190 Welshpool Road
Welshpool
Western Australia 6106
Australia**

**CAMEC
NSW
No. 1 Koonya Circuit
Caringbah NSW 2229
Australia**

**CAMEC
NEW ZEALAND
44 Montgomerie Road
Mangere
Auckland 2022
Ph: +64 09 257 2410
Fx: +64 09 255 1910
Email: sales@camec.co.nz
Web: www.camec.co.nz**