


# ELECTRICAL 12V - 240V



TRADE CATALOGUE 2015









## Index

Solar	E-04
Batteries & Accessories	E-06
Interior & Exterior Lighting	E-07
Globes & Fuses	E-17
Auto Lights	E-21
Power 240V	E-26
Connectors sockets & switches	E-28
Chargers & Inverters	E-33
Power 12V	E-35
Wiring	E-36
Generators	E-37

## **Electrical - 12v - 240v**

Camec carries a huge range of Electrical products to suit most RV applications. Our range of Solar Panels only consists of "A Grade" panels and we back this up with a 25 Year warranty on the Solar Cells and an industry-leading 5 year warranty on housings and importantly accessories like solar regulators and analliary products. To compliment our solar range, we have also introduced a quality AGM battery – again with an industry leading warranty.

Of course we also carry a large range of lighting, with Exclusive Australian distribution of Lumo products, plus many other ranges and brands to choose from – including Camec's own LED replacement globes and our quality grab handles which are one of the most popular products in the industry. To compliment these products, we also have a wide range of inverters, wire, switches and cable.

We also have a large range of 240V products – from power points & switches, to extension cords, Ampfibian 15A to 10A adaptors and chargers. Our range is continually expanding so make sure you check out our website for the latest products.





**Led Lighting**See page 17



**Grab Handles** See page 10



Solar Panels See page 05

Solar




#### Camec Solar Charge Regulator 10 Amp 12 Volt 150 Watt Panel Power Max

Solar Charge Regulators control the charge and discharge between solar panels and storage battery(s) by providing over charge/discharge and overload protection. Both the Camec 10A & 30A regulators utilise PWM charging technology offering exceptional value for money.

#### **SPECIFICATIONS:**

• 10 Amp



## Camec Solar Panel Mounting Kit 4 Corner - 2 Side Brackets

For solar panels of all sizes with thickness of up to 40mm. Secure to any surface such as caravan, motorhome, boat, flat roof by adhesive or screw. Increases air flow and reduces panels temperature, reducing power loss.

04043



#### Camec Solar Panel Cable Kit 2 Piece

This cable kit consists of a 3 meter + - lead and + - splitter enabling you to link two folding panels together for greater

040437

#### Solar



# Camec Portable Folding Solar Panel Folding 120 Watt 12 Volt 15 Amp Controller

Folding solar kits are easily transferrable between vehicles while their portability offers a simple solution to the limitation of fixed panels if you regularly park your vehicle in the shade. Solar ensures your battery is continually topped up giving you peace of mind especially when Free Camping. This latest-generation product comes complete with a high capacity 15 Amp solar regulator to ensure the battery is charged at the correct voltage & safeguard against battery overcharging, 5M power lead with alligator clips or convenient Anderson Plug connection and heavy duty carry bag. Three capacities are available depending on your power requirements and the 90W panels can even be daisy-chained to allow you to increase the power capacity in the future using the optional cable kit. These are quality Mono-crystalline panels from a trusted supplier to the RV industry.

#### **SPECIFICATIONS:**

- Dimensions 1094mm(l) x 820mm(h) x 35mm(d)
- Dimensions Folded 540mm(l) x 820(h) x 75mm(d)
- Weight 12.0kg
- Max Power Output (pm): 120 Watt
- Short circuit Current (Isc): 7.06A

All Camec Solar Panels feature a 25 year panel warranty & 5 year accessory warranty

042468



#### Camec Portable Folding Solar Panel 175 Watt 12 Volt 15 Amp Controller

Fitted with a high current 15 Amp Solar Regulator (many 175W panels are only sold with a 10A Regulator) and supplied with 5 meter power cable with the choice alligator clips or Anderson Plug battery connection. Also supplied with a convenient protecting carry bag.

#### SPECIFICATIONS:

- Dimensions 1105mm(l) x 1196mm(h) x 70mm(d)
- Dimensions Folded 546mm(l) x 1196(h) x 145mm(d)
- Weight 22.4kg
- Max Power Output (pm): 175 Watt
- Short circuit Current (lsc): 10.4A

042469



#### Camec Portable Solar Panel Folding 90 Watt 12 Volt 15 Amp Controller

All Camec folding 12 Volt Solar Panels have fitted a 15amp Solar Regulator and a five meter + - lead with alligator clips. A protective carry bag is supplied with each panel.

#### SPECIFICATIONS:

- Dimensions: 1082mm(l) x 641mm(h) x 35mm(d)
  Dimensions Folded: 535mm(l) x 641mm(h) x 75mm(d)
- Weight 10.0kg
- Max Power Output (Pm): 90 Watt
- Size of solar cell: 125 x 125mm

042467



### Camec Solar Charge Regulator 30 Amp 12 Volt

Regulates the charge between solar panels & battery(s). Features a large LCD display with selectable voltage and current readout. PWM charging for panels up to 400W total.

#### SPECIFICATIONS:

- 30A max (up to 400W of solar panels)
- More than one unit can be used for more than 400W of solar panels.

040435



#### Camec Solar Panel 150 Watt 12 Volt

Monocrystalline solar panel with 25 year warranty. **FEATURES:** 

- Fixed Solar Panel
- Max Power Output (Pm): 150 watt

#### Premium A-Grade

- SPECIFICATIONS:
   674mm x 1482mm x 40mm
- Size of solar cell: 156 x 156mm
- Weight: 12.5kg

040430



#### Camec Solar Panel 90 Watt 12 Volt

Camec 12v mono-crystalline photovoltaic electrics **FEATURES:** 

- Fixed Solar Panel
- Max Power Output (Pm): 90 watt
- Premium A-Grade

#### SPECIFICATIONS:

- Dimensions: 1196mm(l) x 546mm(h) x 35mm(d)
- Weight 7.83kg
- Fixed Solar Panels
- 90 watt

#### Camec 100AH AGM Sealed Lead Acid Battery

Perfect for use with Camec Solar Panels, Sealed Lead Acid (SLA) Absorbed Glass Mat (AGM) battery is ideal for RV & Marine use. They are completely sealed and can be stored at any angle with great vibration resistance meaning they are ideal for 4 x 4 use as well. The tough and high quality ABS housing will last for decades without aging or deforming keeping your battery in perfect condition. High purity, thick lead-calcium alloy plates ensure a long design lifespan of up to 8 years and the quality copper-silver terminals have a small contact resistance and high corrosion resistance.

#### **FEATURES:**

- 26 Month Warranty
- 100% Sealed
- Maintenance Free

#### SPECIFICATIONS:

- Nominal Capacity 100Ah @ 20hr rate FV (1.75V/cell)
- Operating Temp Range: Charge 0 to 40°C
- Discharge -20 to 50°C
- Storage -20 to 40°C
- Dimensions: 330mm(l) x 215mm(h) x 170mm(d)
- Weight 25.5kg



#### **Battery Box Standard With Lid &** Strap - ARK

High quality, lightweight, black polypropylene, vented battery box impervious to battery acids. Sturdy carry handles, two vents and lid with recesses to allow cable entry. Supplied with webbing tie down strap, screws and securing brackets.

• Dimensions: 266mm(l) x 200mm(h) x 185mm (d)

000336



## Battery Box Large With Lid & Strap -

High quality, lightweight black polypropylene vented battery box impervious to battery acids. Sturdy carry handles, two vents and lid with recesses to allow cable entry. Supplied with webbing tie down strap, screws and securing brackets.

• Internal Dimensions: 325mm(l) x 200mm(h) x 185mm(d)



#### Battery Box Large Snap Top - Noco

Injection molded UV protected polypropylene plastic boxes effectively protects the battery, allows ventilation, and prevents accidental contact of battery terminals. Patented Snap-Top™ lid secures the lid to the base. Includes SPECIFICATIONS:

- Internal Dimensions: 368mm(l) x 254mm(h) x 200mm(d)
- External Dimensions: 451mm(l) x 267mm(h) x 257mm(d)

003746

#### Interior & Exterior Lighting



#### Camec LED Square Crystal 4 Section Complete With Touch Switch

Camec LED square crystal light 4 section and complete with touch button

- Four pause button switch to adjust the light into blue, daylight and maximum
- Highly polished metalized reflector for a consistent and special interior optimum illumination.
- Centre frosted internally for glare reduction

#### SPECIFICATIONS:

- Dimension: 180mm(l) x 13mm(h) x 180mm(w)
- Operating voltage 12 Volt DC
- 120 degree flat angle illumination
- Caps provided to cover the screws, leave a clean finish after installation



#### Camec LED Square Crystal 2 Section Complete With Touch Switch

Camec led square crystal 2 section complete with touch

#### **FEATURES:**

040310

- Four pause button switch to adjust the light into blue, daylight and maximum light distribution
- Highly polished metalized reflector for a consistent and special interior optimum illumination
- Centre frosted internally for glare reduction SPECIFICATIONS:
- Dimensions: 220(l) x 13mm(h) x 90mm(w)
- Operating voltage: 12 Volt DC
- 120 degrees flat angle light illumination
- Caps provided to cover the scres, leave a clean finish after installation

040311



#### **Battery Box Power Kit- No Battery**

Not just a battery box! Includes accessory socket, 10amp circuit breaker, external terminals, battery condition indicator, terminal leads, carry handle, hold down webbing trap, deck mounting brackets and impact resistant handle Suits 75amp hour battery only - battery not included. **FEATURES:** 

- If it mounts on the car it is a CAR socket
- If it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female)

#### SPECIFICATIONS:

• Dimensions: 380mm(l) x 210mm(h) x 200mm(d)

000339



Heavy-duty to suit all Waeco compressor fridge/freezers.

- Heavy duty replacement for standard vehicle accessory sockets which can be inadequate to properly ru
- Includes 6m heavy duty 6mm cable.

003289



Battery Box Strap

Battery Box Strap 1372mm long

000337



#### Camec LED Square Crystal 1 Section **Complete With Touch Switch**

#### **FEATURES:**

- Four pause button switch to adjust the light into blue, daylight and maximum light distribution.
- Highly polished metalized reflector for a consistent and special interior optimum illumination.
- Centre frosted internally for glare reduction
- Caps provided to cover the screws, leave a clean finish after installation

#### SPECIFICATIONS:

- Dimensions: 90mm(l) x 13mm(h) x 90mm(w)
- Operating voltage 12V DC
- 120 degrees flat angle light illumination



#### Light 8 Inch Oyster High **Profile White 12/240V**

#### **FEATURES:**

- Length 200mm, Height, Depth
- High profile



#### Hella 12/240V Annex Light (Hella 2621)

Surface mounted external annexe light FEATURES:

- White base
- SPECIFICATIONS:
- Length 241mm, Height 128mm, Depth 78mm

005142

#### Interior & Exterior Lighting



#### **LED Plexi Spotlight 21 LED Square** 21 LED (QDT21)

#### SPECIFICATIONS:

- 21 LEDs
- 1.2w

035632



#### LED Plexi Spotlight Oval Lamp With 21 LED & Switch

#### FEATURES:

- Attractive style
- Polished Chrome base SPECIFICATIONS:
- Glass Lens
- •150mm x 70mm x 20mm (H x W x D)
- 21 LED Lights

035633



#### LED Plexi Linear Lamp With 12 LED & Switch - Linear 12

#### FEATURES:

- 12 LEDs
- 0.7w

035636 24 LED 1.3W



#### 12 Volt Internal Light 100mm Dome S-S RWB212

Internal roof light, 100mm dome stainless steel with switch. 035843



#### Glass 200mm Low Profile

Replacement lens for 12/240V Oyster lights. Patterns may

#### SPECIFICATIONS:

- 200mm diameter
- Shallow

005161



#### Knob Light Glass Plastic White

Replacement know for 12/240V Oyster light SPECIFICATIONS:

PVC lens knob

005171



## Led Plexi Ceiling Lamp 63 LEDS Oval With Switch (ELSI)

Led Plexi Ceiling Lamp 63 Led'S Oval With Switch 3.6watt (ELSI 63) **FEATURES:** 

- 63 LEDs
- 3.6w

035637



#### LED Flex Reading Lamp With 9 LED & Switch

Flexible 12V LED spot light with switch 9 LEDs. 9 LEDs 0.5W, ideal bedside light.

#### SPECIFICATIONS:

- 9 LEDs
- Overall height from base to tip of lens is 140mm.
- Base 45mm.

035640



#### **LED Flex Spotlight 12 LED** With Switch

Flexible 12V LED spot light with switch 9 LEDs. 9 LEDs 0.5W, ideal bedside light. **FEATURES:** 

- 12 LEDs
- 0.7w

035641

035635



## Light 8 Inch Recessed Hi-Glass 12/240V White

A hi dome recessed light that is available with both 240V and 12v. Only available with a white base. **FEATURES:** 

- High profile
- Protrudes 60mm when installed.

Colour White

033283



#### 12V Strip Light 30-LED 20 Amp Silver/Grey With Switch

12V Strip Light 30-Led .20Amp With Switch

034342



#### LED Plexi Spotlight with 21 LED Round & Clear Lens - DSC21 FEATURES:

- 21 LEDs
- 1.2w

035631



### LED Power Spotlight HT 1 Power LED Flexible (HT Flex 1.1 PWL) FEATURES:

- 1 Power LED
- 1.4w

035645



#### **LED Power Spotlight HT SND 1.1** PWL 1 Power LED

Adjustable with switch FEATURES:

- 1 LED
- 1.4w



#### LED Eco Reading 1.5W Pure White Light Brushed Silver

An attractive, fully adjustable, budget-priced switch operated metal spot light with a powerful warm beam, the EcoSpot surface-mounted SpotLite is designed to provide stylish lighting in motorhomes and caravans.

039850

ELECTRICAL - 12V - 240V


#### Interior & Exterior Lighting

#### Camec LED Grab **Handle Chrome With Blue Night Light Function**

Features Stylish ergonomic handle design for easy grip that is salt water & UV protected. Includes 42 LED cool white illumination light, soft blue LED night light, glow in the dark switch and optional output to activate a step light. Available in 3 finishes; direct replacement for Bargman style Handle Lights.

#### **FEATURES:**

- Press switch to turn the Blue night light
- Press switch again to activate main white LED (this will also activate the optional Step Light if connected)
- Press switch again to turn both lights off.
- Optional Press & hold the switch when the blue night light is on to turn it off without turning on the main White Light.
- Stylish ergonomic handle design for easy
- Salt water and UV protected.
- Convenient 42 LED Cool White Illumination light.
- Soft Blue Night Light.
- Glow in the dark switch cover for easy location of the handle at night.
- Switched 12V output for an optional step light (not supplied).



**NOTE:** The switched output is negative, Not Positive

#### **SPECIFICATIONS:**

- Dimensions: 144mm(l) x 46mm(h) x 222mm (w)
- Wiring Colours: Red (+) 12V, Black (-)
- White Switched (-) 12V for Step Light output
- Wattage rating: 3.5W
- 12V DC Operation

Also avaliable:

Black White

041479

041478

### Interior & Exterior Lighting



Light Halo Reading 10W **Brushed Steel With Switch MR16 Globe** 

Light halo reading 10W B/steel light switch MR16 globe



Light Dichroic Meteor 10W Includes

Llight Dichroic meteror 10W including switch

004396



## Frilight Opal Spot White/Gold Adjustable Switch/Face Fixed 10W

Adjustable for wall or under shelf mounting with switch and 10w globe.

#### SPECIFICATIONS:

• Dimensions: 68mm(l) x 90mm(h) x 75-115mm(d) Colour White/Gold

004403



#### Frilight Mini Spot Adjustable White Switch Clear Lens Face Fix 10W

Adjustable spotlight for wall fitting or under shelf lighting, with clear lens, switch, reflector and 10w globe. SPECIFICATIONS:

• Dimensions: 60mm(l) x 90mm(h) x 85-120mm(d) Colour White

004408



Frilight Halospot Adjustable White Switch Clear Lens Face Fix 10W

Frilight Halospot Adjustable White with switch, clear lens and face fix 10W

004414



#### **Lumo Low Profile Awning Light 12 Volt White**

Easy to install, surface mount and waterproof. White gloss finish with strong knock resistant polycarbonate diffuser. 12V 10watt G4 Tungsten halogen lamp. FEATURES:

Clear lens no switch

#### SPECIFICATIONS:

• Dimensions: 253mm(l) x 87mm(h) x 52mm(d)

004381



Camec Bargman Replacement Lens

Camec Bargman style replacement Grab Handle lens. UV

• Suitable for 3061-115/120 Bargman grab handles. Now

Camec Grab Handle Replacement

• Camec replacement lens suitable for Camec 005149

Grab handle. Now with UV protection. Replaces Camec part number 005146

Lens UV Stable Replacement For

Camec Grab handle replacement lens UV stable

with UV protection. Replace Camec part number 005151

041806

041807

**UV Stable** 

protected

**FEATURES:** 

005146

#### Camec Grab Handle Replacement Lens

Replacement Lens for 041478, 041479 and 041480

042706



### Frilight Halospot Clear Lens 8106

Frilight Halospot clear Lens

004415



#### Frilight Nova Recessed White No Switch 10W

Recessed halogen light, White with no switch & includes 10W globe. FEATURES:

- 10W globe
- SPECIFICATIONS:
- Dimensions: 75mm (I) x 25mm(h) x 75mm(d)
- 76mm dia

Colour White

004422



#### Frilight Dream White/Gold Ring Adjustable Switch, Clear Lens Face Fix 10 Watt

Adjustable halogen light for wall or under shelf mounting. Clear lens with switch, reflector and 5w globe FEATURES:

White/gold ring

#### SPECIFICATIONS:

• Dimensions: 68mm(l) x 80mm(h) x 75-110mm(d)



#### Frilight Sun White Comes With Switch, Clear Lens Face Fix 10W

Surface mounted, White, with switch. Clear lens & 10W

#### **SPECIFICATIONS**

- Dimensions: 110mm(l) x 36mm(h) x 110mm(d)
- 110mm dia.

004433



#### Frilight Square White With Switch Face Fix 10W

Surface mounted, White, with switch, includes 10W globe SPECIFICATIONS:

• Dimensions: 110mm(l) x 40mm(h) x 110mm(d)

004439

#### • Surface mount halogen with switch. Clear lens. 10 watt SPECIFICATIONS:

lens & 10W globe.

FEATURES:

• Dimensions: 160mm(l) x 50mm() 160mm(d)

Frilight Rondo White With Switch

Surface mounted halogen light, White, with switch. Clear

Clear Lens Face Fix \*In 10W

004441





Interior & Exterior Lighting

#### Frilight Sky Twin Waterproof White (MR11) 10W

Suitable as an annex light, waterproof & includes 10W halogen globes. **FEATURES:** 

• Dimensions: 200mm(l) x 110mm(h) x 70mm(d)



#### Frilight Sky MR11 Light Bulb Micro Spot 10W

Replacement globe

FEATURES: 2 globes

SPECIFICATIONS:

• Dimensions: 200mm(l) x 40mm(h) x 105mm(d)

004471



#### Sky Waterproof White Opal Lens No Switch Face Fix 2 x 10W

Recessed halogen light, White with no switch. Opal lens, face fix, & 10W (2) globes. **FEATURES:** 

2 globes

#### SPECIFICATIONS:

• Dimensions: 200mm(l) x 60mm(h) x 106mm(d)

004474



#### Frilight Cirro White With Switch Opaque Lens Face Fix 10W

Surface mounted halogen light, White with switch. Opaque lens & 10W globe. **FEATURES:** 

- 10w globe.
- 250mm dia.

SPECIFICATIONS:

• Dimensions: 300mm(l) x 48mm(h) x300mm(w)



#### Frilight Star Recessed White Opaque Lens No Switch 10W

Recessed halogen light. Opaque lens & 10W bulb FEATURES:

- 10w globe
- White with opaque lens

SPECIFICATIONS:

• Dimensions: 70mm(l) x 26mm(h) x 70mm(d)

004454



#### Frilight Pinto Recessed White Clear Lens No Switch 10W

Recessed halogen light. Clear lens & 10W bulb. SPECIFICATIONS:

• Dimensions: 76mm(l) x 33mm(h) x 76mm(d)

004460



## Frilight Targa Recessed White Clear lens No Switch Waterproof 10W

Waterproof light with clear lens. No switch **FEATURES:** 

• 10w globe

004475



#### Frilight Nova Recessed White With Switch 10W

Recessed halogen light, White with switch & includes 10W globe

Colour White

004478



#### Frilight Pinto Recessed Chrome With Switch 10 Watt

Recessed halogen light, Chrome, with switch & includes 10W globe

004492



#### Frilight Pinto Recessed Chrome No Switch 10W

Frilight pinto recessed chrome no switch 10W SPECIFICATIONS:

• Dimensions: 80mm(l) x 35mm(h) x 80mm(d)

004462



#### Frilight Saturn White Opaque lens With Switch Face Fix 10W

White with opaque lens and switch. 10w globe. FEATURES:

• 170mm dia.

#### SPECIFICATIONS:

• Dimensions: 170mm(l) x 20mm(h) x 170mm(d)

004463



#### Frilight Nova Recessed Chrome With Switch 10W

Recessed halogen light, Chrome with switch & includes 10W globe

004480



## Surface mounted halogen light, White with switch. Opaque

lens & 5W globe. **FEATURES:** 

• 70mm dia

SPECIFICATIONS:

• Dimensions: 70mm(l) x 20mm(h) x 70mm(d)

004486



#### LED Recessed Down Light 2W **Pure White Brushed Silver Finish**

A basic recessed downlight with a brushed nickel finish, using high output SMD LEDs and has a frosted plain glass diffuser. At only 2 watts this fitting provides great output and a warm white beam.



004576



#### Frilight Comet White **Eyeball With Switch Face Fix 10W**

Surface mounted halogen eyeball light with switch. Clear lens & 10W globe.

- **FEATURES:**
- 100mm dia. **SPECIFICATIONS:**
- Length 33mm, Height, Depth

004510




#### Frilight Comet Recessed White Eyeball Clear Lens With Switch 10W

Recessed halogen eyeball light with switch. Clear lens & 10W globe. FEATURES:

- 80mm dia
- Colour White

004499



#### Porch Light With Switch FEATURES:

- Rugged Design SPECIFICATIONS:
- Length 148mm x 87mm Height x 64mm Depth

004514



Light Duel Internal Dome & Switch 2

Dual Interior Dome Light with Off/On Rocker Switch. Bright, wide-angle light output 2 x 21CP (16W) globes

• Bright, wide-angle light output 2 x 21CP (16W) globes,

pre-wired and surface mounted

12V globes included

Interior & Exterior Lighting

#### Light 10in Round 16W Fluro White Opaque Lens

Surface mounted 16W tube, white base, opaque lens and

004586

004597

004549



#### **Light Single 8W Fluro Tube 12V** Surface Mounted Cool White (Milky Lens)

**Light 12 Volt Single Ceiling Opal** 

Opal single ceiling light 12 volt opal

Surface mounted 8W tube, white base, opaque lens and switch

004591



### Surface mounted 15W twin tube, White (milky lens) with

switch. FEATURES:

- Surface Mount
- Dimensions below the ceiling: 600mm(l) x 160mm(h) x 42mm(d)
- 12V
- 2 x 15W tubes

#### SPECIFICATIONS:

• Measures 600 x 160mm with a depth of 42mm below the ceiling.

004592



Frilight Unilight White Opaque Lens

Surface mounted halogen light, White with switch. Opaque

With Switch Face Fix 10W

• Length 160mm, Height 35mm, Depth 50mm

lens & 10W globe.

SPECIFICATIONS:

Wiith opaque lens and switch

**FEATURES:** 

• 10w globe.

Colour White

#### Light 12 Volt Annex Clear Lens No Switch

Water proof recessed light 12 volt with clear lens SPECIFICATIONS:

• Length 150mm, Height 88mm, Depth 55mm

004515

004507



Frilight Twilight White Opaque Lens

With Switch Face Fix 2 x 5W

• Length 247mm, Height 35mm, Depth 65mm

SPECIFICATIONS:

White with opaque lens and switch. 2 x 5w globes

Light 12 Volt Waterproof Recessed Clear Lens Water proof recessed light 12 volt with clear lens

004521



**Light 12 Volt Single Ceiling Clear** Clear single ceiling light 12 volt

004524



#### Lumo 1 Bulk F0311

Suitable for caravans, motorhomes, minibus, boat and commercial vehicle interiors. Slimline profile for maximum headroom, cracked ice effect diffuser for maximum light, reverse polarity protected; radio and TV suppressed. **FEATURES:** 

• 8w

Colour White



#### Lumo 1 Bulk With Back Plate & Switch F0320

Specifically designed for use in caravans, motorhomes, and boats. Cost efficient, stylish design and easily installed.



#### Lumo 3 Bulk Surface Mount F0313

Splashproof version with backplate and switch. Specifically designed for use in caravans, motorhomes, and boats. Cost efficient, stylish design and easily installed. FEATURES:

#### • 2 x 8w

**Colour** White



#### **FEATURES:** More durable than halogen bulbs

- SPECIFICATIONS:

040713



### **LED Globe MR16**

LED MR16 replacement globe for any MR16 holder

- Vibration proof design
- Easy installation, just plug into a standard MR16 holder
- Dimension: 50(l) x 49.8(h) x 50(w)
- Operating voltage: 12V or 24V DC



#### Camec 24 LED 70mm Recessed **Down Light**

Super bright, stylish LED down light suitable for all types of interior applications. **FEATURES:** 

#### • 24 Cool white LED's

- Low heat, high efficiency
- Up to 50,000 hours life never replace a down light globe again!

#### SPECIFICATIONS:

- Mounting hole diameter 53.5mm
- Mounting depth: 11mm
- Dimensions 70mm(l) x 16mm(h) 70mm(w) • Light output: 240LM
- Operating Voltage: 12V

040712

#### Interior & Exterior Lighting



**Lumo Minispot Light Silver/Sand** 

The MiniSpot is a modern halogen spotlight, especially

• Length 42mm, Height 105mm, Depth 82mm

switch, reflector and 10W bulb

SPECIFICATIONS:

designed for caravans, motorhomes and boats. Adjustable

halogen light for wall or under shelf mounting. Clear lens





#### Lumo Ellipse 2 X 8W With Switch 12V Satin F2055

Specifically designed for use in caravans, motorhomes and boats. Cost efficient, stylish design and easily installed. FEATURES:

• 2 x 8w Tubes

#### **SPECIFICATIONS:**

• Length 418mm, Height 100mm, Depth

004613



Specifically designed for use in caravans, motorhomes and boats. Cost efficient, stylish design and easily installed.

#### FEATURES:

• 11w

#### SPECIFICATIONS:

• Length 418mm, Height 100mm, Depth

004617



#### Crown 1 X 9W PL 12V Satin F2027E

Specifically designed for use in caravans, motorhomes and boats. Cost efficient, stylish design and easily installed.

#### SPECIFICATIONS:

- 217mm dia
- · Length, Height 47mm, Depth
- Satin

004623



#### Coronet 1 x 9W PL 12v satin f2046

Specifically designed for use in caravans, motorhomes and boats. Cost efficient, stylish design, easily installed. 9w globe.

#### SPECIFICATIONS:

• Length 220mm, Height 140mm, Depth 47mm

004627



#### Ceiling Light 96 White LED (6 Blue Night Light) White Square Push **Button**

LED square light 96 white LED's ,6 push button, blue LED and night light

039829

#### Replace you existing on/off switch with this

12V/24V IR Remote Controlled switch. Includes a flush-mount 87mm x 87mm wall mounted dimmer control, mounting plate for installations where the switch can't be flush mounted. Can control multiple lights up to 8A current draw.

Camec Remote Controlled 8A LED Dimmer Switch &

Globes & Fuses

#### **Remote Functions:**

Mount Plate

- On/Off
- Delay Off Turns light(s) off after 30 seconds
- Manually Dim Lights Up/Down
- Preset Dim Levels: 25%, 50%, 75% & 100%
- Custom preset Dim Level function

#### **FEATURES:**

- Remote controller included
- Seperate buttons for choosing different levels of brightness

#### SPECIFICATIONS:

• Dimensions: 87mm(l) x 53mm(h) x 87mm(w)

040711



### Ceiling Light 75 LED White Rectangle

Ceiling light 75 led white rectangle 372w x 136h x 30dmm



#### Camec 42 LED Round Replacement Globe 12V Cool White

This LED light is designed to replace a traditional 2D fluorescent lamp. **FEATURES:** 

- Anti vibration design
- Instant start, no flickering
- Innovative LED technology for cool lighting source which will avoid lens distortion caused by high temperature.

#### SPECIFICATIONS:

- Dimensions: 140mm diameter
- 42 super bright 5050 LED chips
- Operating voltage 12V DC



#### LED 6 Piece 12 Volt G4 Back **Cool White**

This back pin LED is ideally suited to Halogen Down Light globe replacement.

#### FEATURES:

- 6 Cool white super bright LED's
- Low heat, high efficiency
- Up to 50,000 hours life never replace a down light globe again! SPECIFICATIONS:
- Dimensions 35mm Diameter
- Light output: 120LM
- Operating Voltage: 12V

040178



#### LED 12Pieces SMD G4 In Cool White **Back Pin**

LED cool white 12 pieces SMD G4 back pin

040715



#### LED Festoon 9 LED 42mm 12 Volt Cool White

LED Globe Replacement Festoon 9 LED 12V Cool White, suitable for fog lights, daytime running lights and dome light lamp pathway light. **FEATURES:** 

#### Easy to install

- Long service life, low power of consumption SPECIFICATIONS:

- Dimensions: 16.55mm(l) x 8.4mm(h) x 42mm(w)
- Supply Voltage 12V

040174



#### LED T10 13 LED 12 Volt Cool White

LED replacement globes T10 13 LED's 12 volt cool white FFATURES. SPECIFICATIONS:

• 150 Lumens • 360 degree lighting

angle

- 1.8 Watt
- 150 Lumens
- 360 degree lighting angle

• Dimensions: 10mm(l) x

43.2mm(h) x 10mm(w)

040171



#### Camec LED G4 Side 6 LED 12 Volt **Cool White**

Camec LED 12 Piece SMD G4 Cool

White Side Pin 0211311C

LED cool white 12 pieces SMD G4 side pin

LED G4 bulb, 6 LEDs, 12v, 1.8 watt. FEATURES:

- Easy installation with a standard G4 connector
- More durable compared to halogen bulbs

#### **SPECIFICATIONS:**

- Dimensions: 35mm(l) x 5mm(h) x 35mm(w)
- 120 degrees flat angle illumination
- Supply Voltage 12V
- Watt 1.8 and 180LM

040173



#### LED G4 Globe Only 6 LED Warm White Suit Recessed Light

This SMD LED high output bulb is ideal for use as a direct replacement for a halogen capsule lamp in 12V dc downlight fittings, where the halogen lamp mounts horizontally into the side of the downlight fitting.

Camec LED Festoon 9 LED 39mm

LED Globe Replacement Festoon 9 LED Cool White 12V

suitable for fog lights, daytime running lights and dome

• Dimensions: 16.55mm(l) x 8.4mm(h) x 39mm(w)

12 Volt Cool White

light lamp pathway light

Low power consumption

FEATURES:

Long service life

SPECIFICATIONS:

Easy to install

039854

#### Globes & Fuses



#### **LED MR11 XL Warm White Globe** Globe Only

This light is one of a co-ordinated range to match any interior and are ideal for most leisure vehicle interiors, including caravans and mobile homes.



#### LED MR16 XL Warm White Globe Globe Only

This light is one of a co-ordinated range to match any interior and are ideal for most leisure vehicle interiors, including caravans and mobile homes.

#### **FEATURES:**

- Wattage: 2W LED
- Voltage: 10-14V DC only • Lamp: 21 Warm White LEDs
- Construction: Plated stell and plastic

039852



#### Globe Dichroic 12 Volt 20 Watt-**BAB With Cover**

Halogen Eyeball light, 12V 20W with built in reflector with cover

004869





## **Globe Single Contact 21W 12V**

#### (Pk/10)**FEATURES**

- 10 per box.
- 12V

• 21W

24V 10W

004847

004865

FEATURES: • 10 per box. 12V 21-5W Offset

(Pk/10)

004854



004795

004804

#### Globe Festoon 12V 3W 8 x 28mm (Pk/10)

#### **FEATURES:**

• 10 per Box

• 12V

5W	11mm x 36mm	004802
5W	11mm x 41mm	004805
10W	10mm x 31mm	004809
10W	10mm x 36mm	004808
18W	15mm x 41mm	004815
18W	15mm x 44mm	004817
21W	25mm x 41mm	004820
21W	25mm x 44mm	004823
2 Pack		

5W

004810 10W 10mm x 31mm 21W 004822 15mm x 41mm

11mm x 36mm

24V 10 Per Box

18W 15mm x 41mm 004828

#### LED Bayonet 27 LED Self Contact 12 Camec LED Bayonet 27 LED Double Volt Cool White 0312111 Contact 12 Volt Cool White SPECIFICATIONS:

12V lighting units that use the BA15S Single contact Operating voltage - 12v

connector

- · Low heat rating, which reduces lens distortion and provides direction
- Dimensions: 20mm(l) x 49mm(h) x 20mm(w)
- 2.7 Watt
  - Pin parallel
  - Connector single with
  - 360 degree lighting angle

040176



· Vibration proof design.

LED bulb that will replace

12V lighting units that use

• Dimensions: 20mm(l) x the BA15D double contact 49mm(h) x 20mm(w) parallel pin, 360 degrees.

FEATURES:

• 2.7 Watt

• Operating voltage - 12V

• Pin- parallel

040177

040175



LED bulb that will replace

parallel pin.

FEATURES:

#### Camec LED G4 Tower 9 LED 12 Volt Cool White

These LED's are a perfect replacement G4 style alohes.

- **FEATURES:**  Inbuilt with 12 super bright SMD chip • Easy installation with a standard G4
- SPECIFICATIONS:
- Dimensions: 9.9mm(l) x 32.3mm(h) x 10.7(w) Light output 180LM
- Supply Voltage 12V DC • 120 degrees flat angle illumination

SPECI+FICATIONS:

040172



### Fuse Blade Type AF -10A

Fuse Blade19mm wide with 2mm of insulation. SPECIFICATIONS:

• Sold Pk/50 Colour Red

004311 5A 004309 15A 004313 30A 004319



Pack of 10



Globe Double Contact 21/5W 12V

#### Globe Wedge 12V 21CP 15 x 35mm (Pk/10)Cool White

## FEATURES:

• 21CP 15mm

004833 004834 Pack of 2



**Light Tube 8W Fluorescent** 

• 8w

004555



#### Light Tube 9 Watt 4 Pin Fluro / Coronet & Crown Lumo Lights

Easy to install, surface mount and waterproof. White gloss finish with strong knock resistant polycarbonate diffuser. 12V 10watt G4 Tungsten halogen lamp.

004558



#### Globe Halogen G4 12V 20W

Globe Halogen G4 12V 20W to suit oyster light conversion FEATURES:

Oyster light conversion

• 12V

004867

### Auto Lights LED



**LED High Level Brake Light 12V** SPECIFICATIONS:

• Dimensions 250mm(w) x 20mm (h) x 32mm (d)



**LED 12 Volt Combination Lamps** Submersible

SPECIFICATIONS: Sold Pk/2

040631



LED Waterproof Combination Auto Light 12V – AL-KO

Rear Stop/Tail/Indicator lamp with reflector – Twin Pack.

040632



## BEP 6 Way Fuse Holder Comes With **Screw Terminal Cover**

BEP 6 way fuse holder c/w screw terminal cover

#### **FEATURES:**

- Clip on cover with label positions for each fuse
- Position for spare fuses
- 6.3mm quick connect
- Clear polycarbonate cover
- Maximum per block -100amps. SPECIFICATIONS:
- Maximum per circuit -30amps
- Maximum per block -100amps.

034511



LED Combination Auto Light12V/24V

Stop/Tail/Indicator 100mm square with bracket.

035795

004714



#### **LED Combination Auto Light** 12V/24V

Rear Stop/Tail/Indicator lamp submersible with no visible

#### SPECIFICATIONS:

• Dimensions 200mm(w) x 28mm (h) x 50mm (d)

035796



**LED Amber Indicator Lamp Square** 12V With Bracket

#### SPECIFICATIONS:

• Dimensions: 80mm x 80mm

Amber Red

004792 004745



LED Rear Marker Lamp 12V/24V

Red Rear marker rectangular. SPECIFICATIONS:

• Dimensions 58mm(w) x 19mm (h) x 35mm (d)

004794



## LED Amber Indicator Lamp Rectangle - 12V/24V

FEATURES:

• Amber side indicator. Rectangular. SPECIFICATIONS:

• Dimensions: 58mm(l) x 35mm(h) x 19mm(d)

004793



LED Side Clearance Lamp 12V/24V Red/Amber marker with 2 red & 2 amber LED's.

SPECIFICATIONS: • Dimensions 58mm(w) x 19mm (h) x 35mm (d)

004671



#### Fuse Box & Cover 4 Way Blade 3A

Blade Fuse Box with transparent cover, gasket and terminals FEATURES:

4 blade

004331





#### Fuse Box 8 Way 25A 12V Blade Single In

004338

Blade Fuse Box with transparent cover, gasket and terminals **FEATURES:** 

Single In

8 blade



LED Front Marker Lamp 12V/24V Clear Front marker rectangular. SPECIFICATIONS:

• Dimensions 58mm(w) x 19mm (h) x 35mm (d)

004692



LED Side Clearance Lamp 12V/24V - Arc

Red/Amber marker with 0.5M cable.

SPECIFICATIONS: • Dimensions 58mm(w) x 19mm (h) x 35mm (d)

040638 White version 040639 040637 Red version



LED Licence Plate Lamp 12V/24V Lamp with black bracket.

SPECIFICATIONS:

• Dimensions 58mm(w) x 19mm (h) x 35mm (d)





#### Combination Stop/Tail/Flasher Lamp

Narva. Shallow body suitable for trucks and vans. Combination rear stop/tail, direction indicator lamp with inbuilt reflex reflector.

#### SPECIFICATIONS:

Replacement Lens

• Dimensions: 275mm(l) x 100mm(h) x 45mm(d)

004717 004718



#### **Combination Auto Light - Narva**

Rear Stop/Tail/Indicator lamp with reflex reflector. SPECIFICATIONS:

• Dimensions 275mm(w) x 58mm (h) x 100mm (d)

004722 035783



#### **Combination Auto Light - Narva**

Rear Stop/Tail/Indicator/Reversing lamp with reflex reflector. SPECIFICATIONS:

• Dimensions 275mm(w) x 58mm (h) x 100mm (d)

004725 Replacement lens 035793



#### Combination Stop/Tail/Flasher Lamp 3 Panels

Narva. Heavy duty rear stop/tail/indicator with inbuilt retro reflector

#### SPECIFICATIONS:

• Dimensions: 601mm(l) x 131mm(h) x 53mm(d)

Lens rubber to suit



#### Combination Auto Light - Perei ADR Approved and complete with globes.

SPECIFICATIONS:

Replacement lens

• Dimensions 415mm(w) x 50mm (h) x 133mm (d)

004759 004760 Amber lens to suit 004761 Red lens to suit



#### Combination Auto Light - Narva

Rear combination direction indicator & stop/tail lamp with inbuilt reflex reflector.

004735 004736 Replacement lens amber Replacement lens red 004737



### **Combination Auto Light - Narva**

Rear Stop/Tail/Indicator/reversing lamp with reflector. SPECIFICATIONS:

• Dimensions 200mm(w) x 28mm (h) x 50mm (d)

033584

004738


004739



#### Narva trailer lamp pack 86470tp **FEATURES:**

• Complete with 2 x trailer lamps, 4 wire taps, 1 trailer plug, 5m of 5 core trailer wire

035990



## ADR Approved series 106.

• Dimensions 168mm(w) x 50mm (h) x 83mm (d)

004766

Replacement lens to suit



## Combination Auto Light - Perei

SPECIFICATIONS:

035781



**SPECIFICATIONS** 

Replacement lens

## **Square Combination Auto Light -**

ADR Approved series 12.

SPECIFICATIONS:

• Dimensions 98mm(w) x 48mm (h) x 98mm (d)

004764 Replacement lens to suit 004765



• Narva. Rear end outline marker and front position (side)

• Dimensions: 101mm(w) x 52mm(h) x 28mm(d)

### **Reversing Round Lamp**

**FEATURES:** 

• Diameter 77mm x 44mm



004686






## Combination Auto Light - Narva

Chrome rim rear stop/tail & direction lamp. SPECIFICATIONS: SPECIFICATIONS:

• Dimensions 176mm(w) x 42mm (h) x 107mm (d)

Replacement lens



#### Combination Auto Light - Perei ADR Approved series 106.

• Dimensions 168mm(w) x 50mm (h) x 83mm (d)

Replacement lens to suit

035781



**Combination Auto Light - Britax** Stop/Tail/Indicator lamp.

• Dimensions 160mm(w) x 80mm (d)

SPECIFICATIONS:

035768 Replacement lens 035783

#### Auto Lights - Marker & Reversing

004729

004730



#### Front Marker Lamp - Narva

Rear Marker Lamp Red

**FEATURES:** 

lamn. Red lens

SPECIFICATIONS:

Front and outline marker and front position(side) lamp. SPECIFICATIONS:

• Dimensions 84mm(w) x 40mm (h) x 48mm (d)

004683

Replacement Lens

#### Front Marker Lamp Clear-Perei

Front marker auto light, clear lens and comes complete

SPECIFICATIONS: Dimensions: 90mm(w) x 25mm(h) x 49mm(w)

004693 004694



#### SPECIFICATIONS: • Dimensions 101mm(w) x 28mm (h) x 52mm (d)

004681

004682 Lens to suit



### Rear Marker Lamp - Perei

Rear marker lamp complete with clips. SPECIFICATIONS

• Dimensions 90mm(w) x 25mm (h) x 49mm (d)

Replacement Lens



#### Marker Lamp Narva SPECIFICATIONS:

• Dimensions: 80mm (I) x 27mm (h) x 25.3mm (d)

Red 004684 004788 Amber 004679 Clear



Rear combination light – stop/tail/licence

004766



#### Combination Auto Light - Narva Rear stop/tail/direction/indicator and licence plate lamp.

• Dimensions 107mm(w) x 42mm (h) x 107mm (d)

004732 004733



• Narva. Clear lens. Mounting pad 79mm SPECIFICATIONS:



#### Reversing lamp rectangle - Narva SPECIFICATIONS:

• Dimensions 200mm(w) x 65mm (h) x 131mm (d)

004695

004696





Replacement lens to suit 035771

plate/indicator







Side Marker Lamp Red/Amber

Red/Amber auto side clearance lamp. SPECIFICATIONS:

Dimensions 130mm(w) x 60mm(h) x 40mm(w)

Replacement Lens

004659

004658



Side Clearance Lamp - Narva

Red/amber. SPECIFICATIONS:

• Dimensions 84mm(w) x 40mm (h) x 48mm (d)

004665





Reflector Screw On 75mm *x* 45mm

Featuring a high impact PMMA lens, these reflectors are fully ADR compliant.

Red 004958 Amber 004960 Clear 004959



Reflector Screw On 127mm x 51mm

Featuring a high impact PMMA lens, these reflectors are fully ADR compliant.

Red 004961 004963 Amber Clear 004962



Side Clearance Lamp Red/Clear- Perei

Red/Clear Lens SPECIFICATIONS:

• Dimensions 90mm(w) x 35mm (h) x 50mm (d)

004677



Side Clearance Lamp - Narva

ADR Approved with metal safety guard. SPECIFICATIONS:

• Dimensions 140mm(w) x 36mm (h) x 71mm (d)

004662



Reflector Stick On 105mm x 55mm

Retro Reflector ADR Approved

Red 035337 035340 Amber 035354 Clear



#### Reflector Stick On 85mm x 22mm ADR Approved.

FEATURES:

• Britax. Stop/tail/ indicator/number plate lamp. SPECIFICATIONS:

• Dimensions: 105mm(w) x 97mm(h) x 52mm(d)

Red 038318 038317 Amber Clear 038316



**Trailer Light Board 1.5M** 

Comes with Flat 7 pin plug SPECIFICATIONS:

• Length: 1500m

004776 035838 1850mm Replacement Lens 035786



Side Clearance Lamp Red/Amber -Perei

Red/Amber Lens

SPECIFICATIONS:

• Dimensions 90mm(w) x 35mm (h) x 50mm (w) 004678



Side Clearance Lamp - Narva Rubber Red/Amber

SPECIFICATIONS:

• Dimensions 88mm(w) x 56mm (h) x 68mm (d)

004655



Licence Plate Lamp - Narva

Lamp with black bracket. SPECIFICATIONS:

• Dimensions 58mm(w) x 19mm (h) x 35mm (d)

004697



Licence Plate Lamp - Narva SPECIFICATIONS:

• Dimensions 105mm(w) x 54mm (h) x 49mm (d)



Number Plate Light White - Perei Rear marker lamp complete with clips. SPECIFICATIONS:

• Dimensions 90mm(w) x 36mm (h) x 50mm (d)

004704





**FEATURES:** 

• Britax. Rear number plate light

• Dimensions: 68mm (I) x 38mm(h) x 60mm(d) SPECIFICATIONS:

Dimensions: 68mm(w) x 38mm(h) x 60mm(d)



#### Power Inlet 15A White

Power Inlets, 15A, Weatherproof lid, WHITE. Used to bring 240V power into the RV. **FEATURES:** 

- The cover 80mm wide x 100mm.
- Recess into the wall 35mm at the centre.
- Inlet connection complete with waterproof flap and sealing gasket

**Colour** White



#### Old Style Spacer Block White

Suits power inlets and outlets.

SPECIFICATIONS:

Old Style

005190

#### Power 240V



#### Power Inlet 15A New Style White

Power Inlets, 15A, Weatherproof lid, WHITE. Used to bring 240V power into the RV. **FEATURES:** 

- Depending on wall thickness you may also need a backing plate
- They come with a foam rear seal and screw caps.

#### SPECIFICATIONS:

- The cover 80mm wide x 100mm.
- Recess into the wall 35mm at the centre.

005193



## Power Outlet 10A White For External

Designed to be fitted to the exterior wall of the RV for power to annexe. Double pole. White. FFATURES:

- The cover 80mm wide x 100mm.
- Recess into the wall 35mm at the centre.
- Inlet connection complete with waterproof flap and sealing gasket

#### SPECIFICATIONS:

• Clipsal 10amp 10DWP

005196



# Power Outlet 10A New Style White

Designed to be fitted to the exterior wall of the RV for power to annexe. Double pole. White. **FEATURES:** 

• The cover 80mm wide x 100mm.

For External Use

- Recess into the wall 35mm at the centre.
- Inlet connection complete with waterproof flap and sealing gasket

Colour White

005198



#### Extension Lead 15 Amp 10 Metre For RV Use Only

Heavy duty - suitable for caravanners and manufacturers. For RV use only. SPECIFICATIONS

• Length 10m, Height, Depth

005090

005103



#### Extension Lead 15 Amp 15 metre for RV use only

15A heavy duty for Caravan & RV use with wide blade earth pin.

005092



#### Extension Lead 15 Amp 20 metre for RV use only

15A heavy duty for Caravan & RV use with wide blade

005093



#### 240 Volt 10 Amp-15 Amp Adaptor RCD Ampfibian RV-02 Max

Safe and legal connection of a 15A load such as • 1.8m connection lead Flip out hook for hanging a caravan or other RV to a standard 10A supply Clear lids for easy inspection when a 15A circuit is unavailable.

#### **FEATURES:**

Features

•Rugged water resistant design for outdoor use and travel

Overload & Earth leakage (RCD) protection

• Safely connect your 15amp device, e.g. caravan, to domestic outlets

Cleat to secure outlet lead from accidental disconnections

- Owned and made in Australia Designed for Australian conditions
- Overload protection to 10amps included SPECIFICATIONS:

Dimensions: 415mm(l) x 170mm(h) x 110(d) Overload protection to 10amps included Suits 9mm diameter extensions cords.

Larger diameter will require some filing of plastic. Includes Residual Current Device (RCD)

039929



#### Extension Socket 15A Orange 438/15

Cord extension plugs and sockets for ordinary duty 3 core flexible cords.

#### SPECIFICATIONS

15amp socket

Colour Orange



#### **Extension Lead Joining Cover** Weatherproof 437Ps

Weatherproof threaded coupling, impact resistant. Dia.

005112



### Ampfibian MINI 15A to 10A Power Adaptor with RCD & Overload

Safely and legally connect any 15A device such as an RV or heavy duty power tool (eg welder) to a domestic 10A socket. The Ampfibian MINI will cut the power of more than 10A is drawn and it also has an inbuilt Residual Current Device (RCD) which protects against accidental electrocution. The Ampfibian is IP33 rated, but for a fully waterproof solution for RV use, we recommend the Ampfibian MAX p/n 039929.

#### **FEATURES:**

- Designed and made in Australia IP33 Indoor use recommended.
- Full Australian Standards Approved

042424

E-26 CAMEC GO FURTHER



### Clipsal Switch Plate 1 Gang 31 White Shallow

Universal dimmer switch plate with 1 gang. 240v 450w

#### **FEATURES:**

• Clipsal 31



005200





## Switch Single Deep White Double Pole 240V 30DD

Single mechanism, White, deep plate, double pole switch FEATURES:

- Deep plate
- Dimensions: 78mm x 36mm
- 240V
- Double Pole

#### SPECIFICATIONS:

• 240v 10amp

Colour White

005233



Single mechanism, Brown, deep plate, double pole switch FEATURES:

- Brown switch
- Dimensions: 78mm x 36mm
- 240V
- Double Pole
- SPECIFICATIONS: • 12V - Single Pole

Colour White



### Switch Single Deep HPM White Double Pole 240V (1A770PWE) **FEATURES:**

• 240v - Double Pole

Colour White

005237



#### **Power Point Single White Deep** Clipsal 15DD

Single switched sockets with deep large plate. **FEATURES:** 

- Deep plate
- Dimensions: 121mm x 76mm
- 240V • Double Pole
- Colour White



## Clipsal 15DD/2V

Twin vertical switched sockets with deep large plate.

- Dimensions: 133mm x 83mm
- 240V
- Double Pole

Colour White

005202

## Power Point Double Deep White



**FEATURES:** 

- Vertical deep plate



#### **Power Point Double Shallow White** Clipsal 25D

Double switched sockets with shallow plate **FEATURES:** 

- Dimensions: 115mm x 73mm
- 240V

005205

Colour White



Power Point Single White Shallow

Single switched sockets with shallow plate.

• Dimensions: 121mm x 56mm

Clipsal 15D

FEATURES:

• 240V

Shallow plate

• Double Pole

Colour White

- Shallow plate

• Double Pole



#### White Double Pole Switch 10A 30D

Single mechanism, deep plate double pole switch **FEATURES**:

- Shallow plate
- Dimension: 78mm x 36mm
- 10A • 240V

Colour White



035757



#### Control Panel 6 Way -Bulk Traveller

Supplied with ATC fuses accessible from front cover. Square dimensions allow for modular mounting. Supplied with label sheet, LED on each switch, matching trim conceals mounting

#### FEATURES:

- Dimensions: 108mm(l) x 108mm(h) x 36mm(d)
- 6 way Bulk Pack

005043

005235



round socket and you want to connect a trailer or caravan

- 6 pin to 7 pin Trailer Flat
- If it mounts on the car it is a CAR socket
- (regardless of male or female).

035827



#### **Power Point Deep Mounting Block** White Clipsal 449A

Suits all Clipsal standard pattern power points Colour White

005212





#### Power Point Single HPM White Deep 1/788p

FEATURES: • HPM. Deep plate

Colour White



- **FEATURES:**
- SPECIFICATIONS:

• 10 amp double pole. Colour White





#### Switch Mechanism White Double Pole 30MD

Replacement single mechanism white.

• Double Pole

005225

005209



### Ark 7 Pin Car Socket Flat FSB7

7 Pin quick assembly flat Socket. These connectors are made by a number of manufactures, but all will fit into each brand provided the style is the same.

**FEATURES:** There are 5 main styles:

- 7 pin flat.
- 12 pin flat (which also accepts the 7 pin flat)
- 6 pin small round (becoming outdated).
- 7 pin small round



## 6S2FP

which has a flat 7 pin plug, use this adapter. **FEATURES:** 

- if it is on the front of a trailer or Caravan it is a Trailer Plug

#### - 7 pin large round (mainly vic and SA use).

- If it mounts on the car it is a CAR socket, if it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

- If it mounts on the car it is a CAR socket
- If it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

#### SPECIFICATIONS:

• FSB7 - 7 pin

#### Connectors, Sockets & Switches



## Ark 7 Pin Trailer Plug Flat FPB7

7 quick assembly flat trailer plug (includes magnet). These connectors are made by a number of manufactures, but all will fit into each brand provided the style is the same.

#### **FEATURES:**

There are 5 main styles:

- 7 pin flat.
- 12 pin flat (which also accepts the 7 pin flat)
- 6 pin small round (becoming outdated,

but still common in WA).

- 7 pin small round (common in WA).
- 7 pin large round (mainly vic and SA use)
- If it mounts on the car it is a CAR socket, if it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

#### SPECIFICATIONS:

• FP87

03582

#### Connectors, Sockets & Switches



#### Round 6 Pin Small Metal Van Plug (Narva 82132/B25)

Small round metal **FEATURES:** 

- If it mounts on the car it is a CAR socket
- If it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

SPECIFICATIONS:

• B5 - 6 pin

004893



## Flat 7 Pin Car Connector (Narva 82042/B5(Bulk))

FEATURES:

- If it mounts on the car it is a CAR socket If it is on the front of a trailer or Caravan it is a Trailer Plug
- If it is on the front of a trailer or Caravan it is a Trailer P (regardless of male or female).

SPECIFICATIONS:B5 - 7 pin

004917



## Flat Van Plug 7 Pin Connector (Narva 82141/B4(Bulk))

For vehicles with reversing sensors, this 7 pin connector feature in built reed switch that deactivates the sensors while a trailer is connected, preventing constant beeping. All flat connectors are applicable of Australian states and New Zealand.

#### FEATURES:

- ADR approved AS4177.5
- Tough ABS housings with nickel plated brass terminals
- If it mounts on the car it is a CAR socket
- If it is on the front of a trailer or Caravan it is a Trailer Plug
- (regardless of male or female).

#### SPECIFICATIONS:

• B4 - 7 pin

004916



## Ark 7 Pin Flat To 6 Pin Round Van

Ark 7 Pin Flat Car To 6 Pin Round Van. Where the Car has a flat outlet, and you want to connect to a trailer or caravan that has a 6 pin round plug.

- **FEATURES:** 7 pin to 6 pin Trailer Small Round
- If it mounts on the car it is a CAR socket
- if it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

035829



## 2 Pin 20A Inline Plug & Screw (B62A)

- 2 pin Unmounted
- If it mounts on the car it is a CAR socket
- if it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

004266



## 12V Cigarette Socket Surface Mounting

Mounting

Mounted inside a UV stabilised black box for surface mounting 004171



#### 7-Pin Small Round LED Trailer Plug

7 Pin Small Round Trailer Plug with Inbuilt Circuit Tester to individually test power through each circuit of your wiring.

004928



## 7-Pin Small Round LED Trailer Socket

7 Pin Small Round Trailer Socket with Inbuilt Circuit Tester to individually test power through each circuit of your wiring.

00492



# Round 7 Pin Large Car - 7 Pin Small Van Connector( Narva 82265Bl/BJ15) FEATURES:

- 7 pin large round car to 7 pin round van
- If it mounts on the car it is a CAR socket
- If it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

004938



**Bus Bar Cover Negative 6 Way** 

6 way bus bar cover

038308



Wire Tap Connector 3-4mm-White
The ideal solution for quick and sturdy cable connection.

Enables connection of car socket wiring without cutting or soldering.

004158



12V Cigarette Socket Recess Mounting

Suits 12-24V up to 16A

004170



#### Flat 7 Pin Car - 6 Pin Small Van Connector (Narva 82230Bl/BJ7)

FEATURES:

- Britax car to 6 pin Utilux van
- If it mounts on the car it is a CAR socket
- If it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

004948



#### 6 Pin Small Car - 7 Pin Flat Van Connector (Narva 82220Bl/BJ6)

#### FEATURES:

- 6 pin Utilux car to Britax van
- If it mounts on the car it is a CAR socket
- If it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

004949



## Switch Rocker Red 12V 30A With LED Light

SPECIFICATIONS:

Colour Red

• 30amp/LED light



#### Cigarette Lighter Plug (14218-00)

Universal cigarette lighter plug that will also plug into an accessory socket when end ferrule is removed

- If it mounts on the car it is a CAR socket
- if it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

035836



#### 12V Accessory Plug

Non-corrosive. Screws apart for fast, simple wire connection with screw terminals. No soldering required. Allows marine lights etc. to be easily converted to convenient cigarette plug attachment. 12-24v up to 16

004172



#### Accessory Plastic Plug & Screw (Narva 82106BI)

- FEATURES: • If it mounts on the car it is a CAR socket
- if it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

004176

#### Connectors, Sockets & Switches



#### 4 Pin 35A Plug (B76)

#### FEATURES:

- If it mounts on the car it is a CAR socket
- if it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

#### SPECIFICATIONS:

- 35amp
- B76 4 pin plug

004344



#### Circuit Breaker 20 Amp DC Universal 6/12/24 Volt DC Applications

Non corrosive moulded cover to eliminate earthing when operating against a fault line. 20 amp

004344



#### Single Contour Switch 12V Black Vertical On/Off 16A

Vertical on/off. Labels included. **FEATURES:** 

Single Switch

Colour Black

005024



#### Accessory Aluminium Socket & Screw

Aluminium, fitted with screw terminal and thermoplastic lid.

#### Round 6 Pin Small Car Socket B24 Metal

### Small round metal

#### FEATURES:

- if it is on the front of a trailer or Caravan it is a Trailer Plug (regardless of male or female).

#### SPECIFICATIONS:



- If it mounts on the car it is a CAR socket
- B24
- 6 pin



#### Switch Toggle Metal 12V 20A **FEATURES:**

Amber

005034

#### Chargers & Inverters



# Battery Charger 7000 12 CTEK Multi XS

Spark free, short circuit proof, reverse polarity protected. Pulse maintenance for maximum battery life. Ideal charge down to 170v AC. Safe for lead-acid types, flooded, MF, Gel & AGM Batteries. Waterproof to IP65 Suitable for outdoor use.

Also Avaliable:

800/12 017038 14000/24 034402 25000/12 017039



#### Battery Charger Auto 2.5A

Fully automatic. Designed to be left connected to a 12V battery without risk of overcharging. 2.5amp RMS (1.6amp constant charge) trickle charge

035850



#### Fixed Pol Socket Clear 32 Volt 15 **Amp Cord Socket**

T Style Cord extension socket 15A 2 Pin polarized for use in 12V to 32V applications

004188



#### Fixed Pol Plug Clear 32 Volt 15 Amp T Style Plug 15A 2 Pin polarized for use in 12V to 32V.

applications

004187

035991



## Fixed Pol Square Surface Socket

T Style Surface mount socket 15A 2 Pin polarized for use in 12V to 32V applications

004186



#### Battery Charger CTEK M300 12V 25A

Marine charger for charging large 12V batteries. Supplied with a BONUS 0.8A starter (battery) charger. FEATURES:

- Fully automatic 8 step Charging
- Inbuilt fan
- 4M long secondary cable with temp sensor

#### SPECIFICATIONS:

- Battery capacity 40-500Ah
- Insulation: IP44
- Dimensions: 235mm(l) x 65mm(h) x 130mm(d)

038438



#### Battery Charger CTEK M200 12V 15A

Great charger for charging large 12V batteries. The M200 analyses whether the battery can accept and retain the charge, it removes harmful lead sulphate crystals, gives an effective charge and automatically switches to safe maintenance charging when the battery is fully charged.

#### FEATURES:

- Fully automatic 8 step Charging
- Inbuilt fan
- 4M long secondary cable with temp sensor

#### SPECIFICATIONS:

- Battery capacity 28-300Ah
- Insulation: IP44
- Dimensions: 235mm(l) x 65mm(h) x 130mm(d)



# RV Battery Charger 15A Matson LED Volt Display

Features 7 Stage smart charging with digital voltage and fault diagnostic display with selectable battery chemistry. Built-in fan cooling and integrated mounting bracket flexible installation options.



#### RV Battery Charger 25A Matson LED Volt Display

Features 7 Stage smart charging with digital voltage and fault diagnostic display with selectable battery chemistry. Built-in fan cooling and integrated mounting bracket flexible installation options.

041432

003729

#### Power 12V



#### Voltmeter 8-16V - Bulk Traveller

Features expanded scale face. Colour coded for easy reading. Recessed mounting SPECIFICATIONS:

- Dimensions: 108mm(l) x 108mm(h) x 56mm(d)
- Bulk Pack

005049



#### Ampmeter 20A - Bulk Traveller

Internal shunt and recessed mounting. Square shape allows modular stacking. Suited for solar panels or battery charger SPECIFICATIONS:

• Dimensions: 108mm(l) x 108mm(h) x 56mm(d)

005052



#### Relay Volt Sensitive 12V 140A

Isolates a second battery and electronics from harmful engine starting spikes. Allows charging of 2 12V batteries together. Continuous 125 amp, intermittent 140 amp. Ignition protected.

005055



#### Sinergex Inverter 150 Watt 12 Volt **Purewatts**

Connect to your 12/24 volt DC source and the inverter will deliver efficient and powerful regulated modified sine wave power, similar to power at your home or office. Perfect for operating equipment like televisions, VCR?s, power tools, laptop computers, lights, microwave ovens, etc. Features include automatic

protection against overloading, overheating, low battery voltage, and short circuit. With high surge capability power can be delivered above the normal rating for a short time to start the toughest equipment.

### **FEATURES:**

• 150 watt

Also Avaliable:

300W - 003730

500W - 003731

1500W - 003732



#### Circuit Breaker 12V 15A SPECIFICATIONS:

• 15amp

035751



#### Relay Voltage Dual Sensor 140A

Allows the unit to sense the voltage of both batteries between which it is connected. Bulk Pack

005054



#### Inverter 12/240V 300 Watt Puresine **SPECIFICATIONS:**

• Dimensions: 280mm(l) x 200mm(h) x 115mm(d)

1500W/12V 3000W/24V

039167 017035 038181



#### Waeco Inverter 150 Watt Can Size **Battery/Overload Protection**

Perfectly round, this can size inverter is easily accessible and can be placed in the drink holder of vehicle. FEATURES:

- Firm and secure hold in the drinks can holder.
- Mobile energy for 240 volt low-power consumers.
- Thermal overload protection, electronic short circuit protection, automatic low voltage shutdown.
- Peak/continuous power: 250/150W
- Input voltage: 12V DC (10 to 15V)

#### SPECIFICATIONS:

• 66mm dia x 163mm (l) • Length 163mm

003814



## Circuit breaker panel bep 12V 4 switch 20A

FEATURES:

- Length 220mm, Height 140mm, Depth 47mm
- 20 AMP

004350



#### Anderson Plug 12V 50A Heavy Duty Bintech Btp50Ar

Anerson plus 12V 50A heavy duty bintech BTP50AR

ELECTRICAL - 12V - 240V

#### Wiring



#### Bus Bar - 6 Way - 2 Stud 75A

4mm stainless steel screws for captured wiring connections. 6mm input stud. Tin plated brass. Main Bus 50 amp. Insulated mounting base.

FEATURES:

- 6 way
- 2 stud

005060



#### Auto Corrugate Spaghetti Split 10mm Black

Black fire-retardant polypropylene. **SPECIFICATIONS:** 

• Length 10mm, Height, Depth

035810



#### Cable Figure 8 Red Twin 3mm Red With Black Tracer (sold per roll/500M)

### SPECIFICATIONS:

- Length 3mm, Height, Depth
- 500 metres
- Red with black tracer

004091



Wiring

## Terminal Strip Connector 20A In Line FEATURES:

- 12 In-line plastic strip connector
- 20A

004156



## Terminal Cable Joiner 4mm Blue Insulated (Pk/100)

Flared vinyl, fully insulated, butt splice cable joiners. Pack of 100 **FEATURES:** 

- Length 4mm, Height, Depth
- Pack of 100

004156



## Cable Tie 12in 4.8 x 300mm (Pk/100) SPECIFICATIONS:

• Length 300mm, Height 4.8mm, Depth

004287



# Cable 2-Core 4mm Sheathed Red & Black (sold as per metre) FEATURES:

• 2 core

#### SPECIFICATIONS:

• Dimensions; 1m(l) x 4mm(h) x 4mm(w)

Colour Red/Black

004122

Red/Black 6mm 004129 7 Core 7/0.32 004137 7 Core 4mm 004141



# Cable Figure 8 Twin Red 4mm Red With Black Tracer (sold as per metre) SPECIFICATIONS:

**Corrugated Split Tube** 

Corrugated Tubing offers the ideal solution

from abrasion, punctures, vibration as well

as automotive fluids and high operating

professionally organised. Provides a protection

for keeping lengths of cable neatly and

10mm - 10 Metre

temperatures.

Length 10m

**Colour** Black

13mm 004150

**FEATURES:** 

• Length 4mm, Height , Depth



# Cable 2 Core Sheath 6mm Red & Black (sold per roll/100M) FEATURES:

• 2 core

004127

• Length 6mm, Height , Depth **Colour** Red/Black

004131

Red/Black 4mm 004124 7 core 7/0.32 004138



Generators

#### Yamaha EF1000IS 1 kva Petrol Powered Silent Inverter Generator

The EF1000iS is the lightest generator in its class at only 12.7kg and will run continuously for up to 12 hours without refuelling (at 1/4 load with Eco On).


#### FEATURES:

- Auto de-compressor
- Economy idle systemNoise level suppressor
- Brushless alternator
- Electronic circuit breaker system

#### SPECIFICATIONS:

- Power Rating 1000W
- Rated Voltage: 230VFrequency: 50 Hz
- Rated Output: 0.9kVA
- Max. Output: 1kVADC Output: 12V / 8 Amp
- Dimensions: 450mm(l) x 380mm (h) x 240mm(w)
- Weight: 12.7kg
- Fuel Tank Capacity: 2.5L
- Noise Level: 77dBA (1/4 load) / 57dBA (full load)
- Engine Type OHV Air Cooled MZ50
- Displacement: 50cc
- Max Output: 1.6kW (2.2hp) @ 4000prm

038368



## Yamaha EF2400IS 2.4 kva Petrol Powered Silent Inverter Generator

The EF2400iS inverter combines lightweight and the latest technology to produce the highest output in its class. This unit comes with TwinTech capability to offer you additional power when you need it and has enough juice to power up most RV air conditioners!

#### **FEATURES:**

- Auto de-compressor
- Economy idle system
- Noise level suppressor

Brushless alternator

## • Electronic circuit breaker system **SPECIFICATIONS**:

- Dimensions: 527mm(l) x 459mm(h) x 419mm(w)
- Weight: 32 kg
- Generator Type: Inverter
- Rated Voltage: 230V
- Frequency: 50 Hz





#### Generators



#### Yamaha EF2000IS 2 kva Petrol Powered Silent Inverter Generator

Introducing the brand new EF2000iS Inverter Generator: powerful, portable and super sleek with lots of great features for camping and recreational use, making it the perfect companion in a motorhome or caravan.

The EF2000iS has enough power to run a microwave oven, • DC Output: 12 V / 8 Amp a camping fridge, a kettle or a television. It is fitted with a newly designed muffler and air filter to achieve super quiet performance and because of its advanced Noise Block sound reduction system you can have a conversation • Fuel Tank Capacity: 4.4 L (full load) without having to raise your voice.

- The Lightest Generator in its class weighing only 20 kg. Engine Type: 0HV Air Cooled MZ80
- USFS-Approved Spark Arrestor eliminates errant sparks. Displacement: 79 cc
- OHV Engine With Cast Iron Cylinder Liner for longer life, powerful performance and excellent heat dissipation.

#### SPECIFICATIONS:

- Power Rating: 2000 W
- Rated Voltage: 230 V
- Frequency: 50 Hz
- Rated Output: 1.6 kVA
- Max. Output: 2 kVA
- Dimensions: 490(L) x 280(W) x 445(H) mm
- Weight: 20 kg
- Operating Hours (Eco On): 10.5 hr (1/4 load)
- Noise Level: 51.5 dBA (1/4 load) / 61 dBA (full load)

- TwinTechâ,¢ Capability enabling you to connect two EF2000iS' for 3.8 kVA of maximum power.

   Max. Output: 2.3 kW (3.1 hp) / 4500 rpm Starting System: Recoil
  - Starting System: Recoil

040030



#### Yamaha EF2800l 2.8 kva petrol powered silent inverter generator

The EF2800i is a compact package with an exceptional power output to weight ratio. This beauty can power anything from power tools to sophisticated electronics. FEATURES:

- Auto de-compressor
- · Economy idle system
- Noise level suppressor
- Brushless alternator
- Electronic circuit breaker system
- SPECIFICATIONS:
- Dimensions: 487mm (I) x 555mm(h) x 395mm(w)
- Weight: 29 kg
- Generator Type: Inverter
- Rated Voltage: 230V
- Frequency: 50 Hz







#### For all Trade and Retail Enquiries contact:

#### **SALES ENQUIRIES**

National Customer Care Centre Phone: 1300 4 Camec (1300 4 22632)

> Fax: 03 9799 6488 Email: camec@camec.com Website: www.camec.com

#### TRADE & RETAIL

CAMEC
HEAD OFFICE
47-63 Remington Drive
Dandenong South
Victoria 3175
Australia

CAMEC
QUEENSLAND
Building 3, Archerfield
Industrial Park
Cnr Kerry & Beaudesert Road
Archerfield
Queensland 4108
Australia

CAMEC WESTERN AUSTRALIA 190 Welshpool Road Welshpool Western Australia 6106 Australia CAMEC NSW No. 1 Koonya Circuit Caringbah NSW 2229 Australia CAMEC
NEW ZEALAND
44 Montgomerie Road
Mangere
Auckland 2022
Ph: +64 09 257 2410
Fx: +64 09 255 1910

Email: sales @camec.co.nz Web: www.camec.co.nz