


ROOF HATCHES VENTS COWLS



TRADE CATALOGUE 2015



Index

Roof Hatch Camec	RH-04
Roof Hatch Camec Spare Parts	RH-05
Roof Hatch Fiamma	RH-06
Roof Hatch Fiamma Spare Parts	RH-07
Roof Hatch Other	RH-08
Roof Hatch Other Spare Parts	RH-09
Vents & Cowls	RH-11
Vents & Cowls Spare Parts	RH-12

Roof Hatches Vents Cowls

All RV's need light and ventilation and Camec has a huge range of hatches, vents and cowls that cover all your needs. The Four Seasons hatch is the most versatile and easy to use hatch on the market. It opens from all four sides, has fully removable flyscreens for ease of cleaning and is simple to open or close. Camec also offers a comprehensive range of Fiamma and Jensen roof vents. Add to that louvre vents, access doors, flush and rotary vents and you can see why Camec is the first choice when you want to update or replace your hatches or vents.



Camec 4 Seasons Hatch With Tape
See page 04



Fiamma Turbo Vent 28cm x 28cm With Fan
See page 06



Jensen Roof Vent 12V 14in x 14in Metal Base
See page 08



Roof Hatch Camec



Camec 4 Seasons Hatch With Tape

The Camec Four Seasons Hatch, the most versatile and easy to use hatch on the market, is now even easier to install thanks to pre installed EPDM foam tape around the perimeter. Easy to open and close on all 4 sides and features fully removable flyscreens for ease of cleaning or replacement. The hatch can be left partly open while out of the caravan for the day, allowing airflow into your caravan while having no concerns of water getting in through the hatch if it rains.

- FEATURES:**
- Modern looking
 - Complies with gas codes
 - One piece moulded main body
 - Easy to fit
 - Screens removed easily for cleaning
- SPECIFICATIONS:**
- Cut out: 660mm x 660mm
 - Fits old 4 seasons hatch cut out
 - Fitted tape with pre drilled holes
 - Supplied with wind deflector

041398

Roof Hatch Camec Spare Parts



Camec New 4 Seasons Hatch Opening Flap

Replacement hatch opening flap for Camec 4 seasons hatch - refer code 041398. Colour White

040159



Camec New 4 Seasons Hatch Flyscreen

Replacement flyscreen for Camec 4 seasons hatch - refer code 041398.


040158



Camec New 4 Seasons Hatch Winder

Replacement hatch winder for Camec 4 seasons hatch - refer code 041398. Does not include black pin.

040160



Camec 4 Season Hatch Insect Screen (Old Style - Prior 2011)

Replacement insect screen for Camec 4 seasons hatch.

016430



Came 4 Seasons Hatch Midge Insect Screen (Old Style - Prior 2011)

Replacement midge insect screen for Camec 4 seasons hatch.

016431



Camec 4 Seasons Hatch Internal Trim

To suit Camec 4 season hatch - refer code 041398.

NAME	ROOF THICKNESS	COLOUR	CODE
CAMEC 4SH INTERNAL TRIM (New Style From 2011 Onwards)	40MM	White	039977
CAMEC 4SH INTERNAL TRIM (New Style From 2011 Onwards)	50MM	White	039927
CAMEC 4SH INTERNAL TRIM (New Style From 2011 Onwards)	60MM	White	039978
CAMEC 4SH INTERNAL TRIM (New Style From 2011 Onwards)	70MM	White	039979
CAMEC 4SH INTERNAL TRIM (New Style From 2011 Onwards)	80MM	White	040033



Came 4 Seasons Hatch Lift Mech/Fastener/Centre Bar (Old Style - Prior 2011)

Replacement lift mechanism, fastener & centre bar for Camec 4 seasons hatch.

- SPECIFICATIONS:**
- Sold Set/3 parts

016432



Came 4 Seasons Hatch Plastic Frame (Old Style - Prior 2011)

Replacement plastic frame for Camec 4 seasons hatch.

- SPECIFICATIONS:**
- 3mm ABS

NAME	ROOF THICKNESS	COLOUR	CODE
4SH PLASTIC FRAME (Old Style - Prior 2011)	50MM	White	016437
4SH PLASTIC FRAME (Old Style - Prior 2011)	75MM	White	016438



Roof Hatch Fiamma



Fiamma Turbo Vent 28cm x 28cm With Fan

Ideal for airing small spaces such as bathrooms - the new aerodynamic vent is supplied with fan & with an air flow ventilation system and insect screen.

FEATURES:


- Includes anti-theft device and roller blinds. Rainproof and waterproof
- Internal installation system, not necessary to drill holes in vehicle
- High quality UV ray resistant materials
- Polar control thermostat: regulates incoming and outgoing air of the fan according to the inside temperature of vehicle
- Water tight

SPECIFICATIONS:

- Feeding tension: 12V
- Absorbed power: 25W
- Fan diameter: 180mm
- Maximum air flow: 9M³/min
- Maximum electric input: 1.9A

FIAMMA TURBO VENT 28 X 28	White	008641
FIAMMA TURBO VENT 28 X 28	Crystal	040826

Roof Hatch Fiamma Spare Parts



Fiamma Vent 28cm x 28cm

Ideal for airing small spaces such as bathrooms - the new aerodynamic vent is supplied without fan & with an air flow ventilation system and insect screen.

FEATURES:

- Includes anti-theft device and roller blinds. Rainproof and waterproof
- Does not include fan
- High quality UV ray resistant materials
- Permanent ventilation
- Water tight

SPECIFICATIONS:

- 12V
- Maximum air flow: 9M³/min

Colour White

008640

Fiamma Turbo Vent Pro Hatch

New compact dimensions thanks to the new extra low profile. Transparent grating permits the maximum airflow and passage of light. Sturdy outside net is made of fibreglass and prevents accumulation of leaves and other debris.

FEATURES:

- 12V DC variable speed motor with 10 blades exchanges inside air in vehicle within seconds
- Finger touch control
- Transparent grating permits maximum air circulation & filtering of light
- Polar control thermostat: regulates incoming and outgoing air of the fan



according to the inside temperature of vehicle

- Water tight

SPECIFICATIONS:

- 12V
- Absorbed power: 36W
- Maximum air flow: 35M³/min
- Fan diameter: 300mm
- Minimum electric input: 0.3A

Colour White

008645



Fiamma Crystal Hatch 400mm X 400mm (14in x 14in)

Simple and functional ventilation system. Can be left open while traveling and provides ventilation even when closed.

FEATURES:

- Easily installed in 36cm x 36cm or 40cm x 40cm opening
- Includes flyscreen

Colour Crystal

008617



Fiamma Flyscreen 400mm x 400mm (14in x 14in)

Replacement flyscreen for Fiamma vents - refer codes 033596 or 008617.

Colour White

008623



Fiamma Hatch Blind Kit 400mm x 400mm Rollo Vent 40 (14in x 14in)

New elegant roller blind system, perfect for installing on Fiamma Vent 40 x 40 roof lights. Permanent air flow and ventilation thanks to side grills. Low profile frame. 2 rollers, one is a block-out and the other is a flyscreen. Easy installation without drilling: use the same fixing points of Fiamma vent 40 and Turbo Vent frames.

Colour Ivory

008638




Fiamma Hatch Lid 400mm x 400mm (14in x 14in)

Replacement lid for Fiamma standard and turbo 40 x 40 vents.

Note: Please be aware of aerodynamics of vent. It will not fit earlier model

Colour White

008615



Fiamma Crystal Vent 50cm x 50cm Combi With Roller Blind

Opens on all four sides with practical handles. Maintains ventilation constant in the vehicle and available with standard roller blind with two rollers, one dark and one with flyscreen.

FEATURES:

- Locking anti-theft device on handle
- ABE approved
- High quality UV ray resistant materials

- Permanent ventilation
- Water tight

SPECIFICATIONS:

- Dimensions: 500mm x 500mm
- Hatch closed: 80mm & extended 160mm
- Suits roof thickness 25mm to 70mm

FIAMMA VENT 50 x 50 COMBI	Crystal	008636
FIAMMA VENT 50 X 50 COMBI	White	008637



Fiamma Hatch Lid 400mm x 400mm - Old Style (14in x 14in)

Replacement lid to suit Fiamma 14in x 14in vent.

008613



Fiamma Lid 500mm x 500mm Outer & Inner (20in x 20in)

Suits Fiamma 50 x 50 roof vent.

FEATURES:

- Comes in two sections - outer cover and inner cover of the lid.
- No additional fittings included.

Colour White

008644



Fiamma Turbo Extension Kit

Flexible sleeve allows the vent to be fitted to ceilings that exceed 45mm.

FEATURES:

- Able to be used with handle extension.

008621

Roof Hatch Other



Jensen Roof Vent 12V 14in x 14in Metal Base

Ideal to allow air to flow in/out of RV vehicle.

FEATURES:

- Self-centering device eliminates installation guess work and assures perfect alignment in roof opening

- Radius corners are standard
- Screen allows air through while keeping insects out
- Acrylic UV resistant translucent lid
- 12V Fan

Colour White

008589



Jensen Roof Hatch 400mm x 400mm Metal Base (14in x 14in)

Ideal to allow air to flow in/out of RV vehicle.

FEATURES:

- Self-centering device eliminates installation guess work and assures perfect alignment in roof opening
- Radius corners are standard
- Screen allows air through while keeping insects out
- Acrylic UV resistant translucent lid
- One piece seamless frame with a deep drawn painted metal base.

SPECIFICATIONS:

- Injection moulded garnish - accommodates a variety of roof thicknesses

Colour White

008581



Elixir 12V Roof Vent 14in x 14in Metal Base

This roof vent is fitted with a 12V fan to extract unwanted steam and exhaust fumes. Ideal for caravans or motorhomes.

FEATURES:

- Self-centering metal base with radius corners
- Interior garnish with wider 1 1/4in flange
- Galvanised metal base
- 12V Fan
- Positive-seal weather stripping

SPECIFICATIONS:

- Universal - fits all rough openings
- Flange covers all screw holes
- One piece metal frame, deep drawn metal base
- Covers all interior stains left by previous garnishes

008603



Remi Small Sky Light 400mm x 400mm Push Up Version

Easy to fit small skylight with lightweight ABS plastic frame, double glazed acrylic window and decorative adjustable block out blind.

008662



Hatch Lid Sopru VW 550mm x 355mm

Fibreglass with 10mm lip

035452

Roof Hatch Other Spare Parts



Elixir Roof Vent - 228mm x 228mm (9in x 9in)

Compact and lightweight, ideal for providing air flow in small areas such as kitchens or bathrooms. Suitable for caravans and motorhomes.

FEATURES:

- Lightweight vent ideal for providing air flow in small spaces
- Waterproof
- Weatherproof
- Rustproof

Colour White

033578



Fantastic Vent 3 Speed Manual

This model has a built-in thermostat. The fan will operate at one of the three pre-selected speeds when the thermostat calls for cooler air. Once the thermostat is satisfied, the fan shuts off automatically. Designed to ensure consistent temperatures. Ideal for caravans or motorhomes.

FEATURES:

- Durable proven longevity
- Quiet 12V ceiling fan with 3-speeds
- Removable screen for easy cleaning
- Optional insulated dome

SPECIFICATIONS:

- Dimensions: 355mm(w) x 355mm(l) x 30mm(d)
- Fits 14in x 14in roof opening
- Interior clamp fits 1in to 4 1/2in roof thickness.
- Power: 12V DC
- Weight: 5.5kg

008661



Fantastic Roof Vent - Auto 3 Speed Auto/Reverse/Sensor

This model is activated when the three speed switch is turned to any of the three speed selections. The dome cover is opened when the dome up switch is activated and closed when the down feature of the switch is selected.

FEATURES:

- Built in rain sensor: Once the sensor dries, the dome will re-open and the fan will resume running at its former setting.
- A built-in manual knob can be used to close the dome in an emergency or to adjust the dome to a desired partially open height or to override the rain sensor
- For storage, the dome switch must be in the down position and the three speed switch to the off (O) position. The vent has a reverse switch for either intake or exhaust. The fan draws only 3 amps. max. and has a built in 6 amp fuse which is easily accessible on the face

SPECIFICATIONS:

- Dimensions: 355mm(w) x 355mm(l) x 30mm(d)
- Fits 14in x 14in roof opening
- Interior clamp fits 1in to 4 1/2in roof thickness.
- Power: 12V DC
- Weight: 5.5kg

008649



Fantastic Roof Vent - Auto With White Lid

Fantastic vent is an investment in comfort. It provides immediate air exchanges with minimum 12-volt power usage. Fresh, clean, outside air can be yours without generators, air conditioners or engines operating.

FEATURES:

- A built-in manual knob can be used to close the dome in an emergency or to adjust the dome to a desired partially open height or to override the rain sensor
- Storage of Dome: Switch must be in the down position and the three-speed switch in the off ("O") position.
- Quiet 12V ceiling fan with 3-speeds
- Polycarbonate dome/Lifetime guarantee

- Removable screen for easy cleaning

SPECIFICATIONS:

- Internal dimensions: 355mm(w) x 355mm(l) x 30mm(d)
- Rooftop weight: 5.5kg
- Dimensions: 420 x 16 1/2 x 4 1/2 (Fits Most Standard 14"x14" Openings)
- Low amp draw insures full-time use
- Optional insulated dome

041400



Fantastic Vent Manual With White Lid

This model has a built-in thermostat. The fan will operate at one of the three pre-selected speeds when the thermostat calls for cooler air. Once the thermostat is satisfied, the fan shuts off automatically. Designed to ensure consistent temperatures. Ideal for caravans or motorhomes.

FEATURES:

- Durable proven longevity
- Quiet 12V ceiling fan with 3-speeds
- Removable screen for easy cleaning
- Automatic lift dome
- Optional insulated dome

SPECIFICATIONS:

- Dimensions: 355mm(w) x 355mm(l) x 30mm(d)
- Fits 14in x 14in roof opening
- Interior clamp fits 25mm to 114mm roof thickness.
- Power: 12V DC
- Weight: 5.5kg

041401

Roof Hatch Other Spare Parts



Jensen Lid 14in - New Style

Replacement lid for Jensen roof vent 355mm.

FEATURES:

- Grooved/slotted hinge spigots
- Central metal brace is removed during installation.
- Plastic is 335mm square and low profile.

- Easy to replace. Remove central metal slide by screws from above. This releases hatch which can then pivot over hinge. The metal slide is moved up or down until it can slip over the end of the winder mechanism.

SPECIFICATIONS:

- Dimensions: 355mm(w) x 90mm(h) x 355mm(d).

008583



Jensen Lid 14in - Old Style

Replacement lid for Jensen roof vent 355mm.

FEATURES:

- 4 attachment spigots - pin hinged (pin not included)

008582



Jensen Flyscreen 14in Standard New Style

Replacement flyscreen to suit 12V or standard Jensen hatch.

SPECIFICATIONS:

- Dimensions: 355mm(w) x 35mm(h) x 355mm(d).

008585



Elixir Lid 14in - Old Style

Replacement lid to suit 12V or standard Elixir hatch.

FEATURES:

- Difference between the Elixir old style lid and the new style lid is that the centre bar is riveted to lid and metal slide bar
- Suits Elixir PVC roof vent 355mm x 355mm

Colour White

008591



Elixir Lid 14in - New Style

Replacement lid to suit 12V or standard Elixir hatch.

FEATURES:

- Difference between new style lid and the old style lid is that the centre bar is only attached to the lid and not the metal bar running down the side of lid.
- Suits Elixir PVC roof vent 355mm x 355mm

Colour White

008592



Fantastic Vent New Lid

Replacement lid for Fantastic roof vents. Easily identifiable by grooved/slotted hinge spigots. Smoke glass - Dark Tint.

008652



Elixir 12 Volt Motor

008604

Vents & Cowls



Rotary Vent Hodges

Hole to cut: 100mm hole

ROTARY VENT PLASTIC - HODGES
ROTARY VENT - METAL - HODGES

016543
016544



Plastic Vent

Suitable for cupboards and pantries or any enclosed space that requires ventilation.

SPECIFICATIONS:

- Vent is removable with Mesh

NAME	SIZE	COLOUR	CODE
VENT	127MM X 76MM	White	007973
VENT L4	145MM X 230MM	White	007965
VENT RL3	145MM X 230MM	White	007971
VENT RC6	150MM X 230MM	White	007968
VENT C5 Stick On	150MM X 230MM	White	007969
VENT AC44	175MM X 207MM	White	007966



Scupper Vent Small

Used to scoop in air under pressure from forward travel and suitable for RV vehicles.

FEATURES:

- Available in white or unpainted

SPECIFICATIONS:

- Dimensions: 170mm(w) x 113mm(h) x 70mm(d)

SCUPPER VENT	White	016550
SCUPPER VENT	Unpainted	016551



Scupper Vent Large

Used to scoop in air under pressure from forward travel. Suitable for RV vehicles.

FEATURES:

- Available in white, polished grey or unpainted

SCUPPER VENT	White	016552
SCUPPER VENT	Polish Grey	016554
SCUPPER VENT	Unpainted	016555



Scupper Vent Internal Trim

NAME	ROOF THICKNESS	COLOUR	CODE
SMALL TRIM	40MM	White	016561
LARGE TRIM	40MM	White	016563
LARGE TRIM	50MM	White	016562



Scupper Vent Spring - Single

Replacement spring for small scupper vent.

016557



Scupper Vent Spring - Double

Replacement double spring for large scupper vent - refer code 016554.

016558



Solar Exhaust Vent PVC

FEATURES:

- Weatherproof
- Solar powered exhaust vent
- Extracts up to 680 cuft of air per hour in bright sunlight
- Will also work successfully in natural daylight
- No wiring or running costs

008563



Muller Vent - Plastic

FEATURES:

- Teardrop shaped plastic exhaust ventilator
- Venturi technique extracts air even while vehicle is stationary
- Dimensions: 285mm(l) x 185mm(w)

016519



Vent Sea Bird Plastic

FEATURES:

- Gives large airflow
- Either intake or exhaust
- Waterproof

SPECIFICATIONS:

- Dimensions: 190mm(l) x 110mm(h) x 145mm(w)

016520



Flush Plastic Vent

Suitable for lockers, doors, cupboards flush mounted.

SPECIFICATIONS:

- Dimension: 90mm(l) x 90mm(h)

Colour White

016530

Vents & Cowls Spare Parts

Aluminium Vent

Painted aluminium vents are available in smooth white or stucco white. Each louvre provides approximately 600 square millimetres of venting. The number of louvres per vertical row varies with height. When ordering vents please nominate required size by stating height and width.

SPECIFICATIONS:

- 190mm wide vent feature 1 vertical row of venting
- 381mm wide vent feature 2 vertical rows of venting
- 572mm wide vent feature 3 vertical rows of venting
- 762mm vent feature 4 vertical rows of venting
- 953mm wide vent feature 4 vertical rows of venting

SMOOTH

95MM X 190MM	White	016452
133MM X 190MM	White	016456
210MM X 190MM	White	016460



210MM X 381MM	White	016464
286MM X 572MM	White	016468
324MM X 381MM	White	016472
629MM X 381MM	White	016476
629MM X 572MM	White	016483
705MM X 572MM	White	016487
705MM X 762MM	White	016494
705MM X 953MM	White	016500
705MM X 1143MM	White	016506

STUCCO

95MM X 190MM	White	016454
210MM X 190MM	White	016462
210MM X 381MM	White	016466
286MM X 572MM	White	016470
629MM X 572MM	White	016485
SF10 X 440MM	White	016515



12V Extract Fan & 10W Light

Ideal for showers in caravans or motorhomes.

FEATURES:

- Complete with 10W light
- Available in white, gold or chrome

12V FAN & LIGHT	White	016536
12V FAN & LIGHT	Gold	016537
12V FAN & LIGHT	Chrome	016538

Vent Centaur 623

Black Centaur 623 vents are ideal for caravans and RV vehicles.

FEATURES:

- The frame and springs require just 10mm clearance below the outside face that they are mounted to, and the supplied internal finger grip extends just 18mm below the outside front face
- These vents open to 30 degrees and therefore extend 80mm above the outside face that they mount on
- They give a positive dust and water proof seal when closed
- Dimensions: 190(l) x 100mm(d)



SMALL 190MM X 100MM	Black	035299
MEDIUM 215MM X 165MM	Black	016510



Aluminium Louvre Vent

Natural anodised aluminium

SPECIFICATIONS:

- Available in a range of sizes

75MM X 225MM	Natural Anodised	016516
150MM X 225MM	Natural Anodised	016517
150MM X 300MM	Natural Anodised	016518



Plastic Louvre Vent

Suitable for cupboards and pantries or enclosed space that requires ventilation.

75MM X 225MM	White	016532
125MM X 260MM	Black	016527
125MM X 260MM	White	016528
225MM X 225MM	White	016531
70MM X 445MM	Black	016525



Stainless Steel Vent

Measurements are width by height.

VENT SINGLE 127MM x 65MM	016539
VENT SINGLE 127MM x 115MM	016540
VENT SINGLE 127MM x 227MM	016541
VENT DOUBLE 227MM x 115MM	016542



Ali Roof Cowl

The roof cowl (outer section) sits on the roof, providing a waterproof vent.

SMALL (100MM)	016581
MEDIUM (150MM)	016583
LARGE (203MM)	016585



Insert Roof Cowl

Insert Roof Cowl Small 75mm

Insert Roof Cowl Medium - Large 150mm	016584
---------------------------------------	--------



Rose Vent

Used for cross flow ventilation and has Adjustable opening vent.

Rose Vent - Plastic	016548
Rose Vent - Aluminium	016549



Blower Vent 90mm x 90mm

SPECIFICATIONS:

- 75mm Tail plastic
- Dimensions: 90mm x 90mm

Colour White	016533
--------------	--------





For all Trade and Retail Enquiries contact:

SALES ENQUIRIES

National Customer Care Centre

Phone: 1300 4 Camec (1300 4 22632)

Fax: 03 9799 6488

Email: camec@camec.com

Website: www.camec.com

TRADE & RETAIL

**CAMEC
HEAD OFFICE**
47-63 Remington Drive
Dandenong South
Victoria 3175
Australia

**CAMEC
QUEENSLAND**
Building 3, Archerfield
Industrial Park
Cnr Kerry & Beaudesert Road
Archerfield
Queensland 4108
Australia

**CAMEC
WESTERN AUSTRALIA**
190 Welshpool Road
Welshpool
Western Australia 6106
Australia

**CAMEC
NSW**
No. 1 Koonya Circuit
Caringbah NSW 2229
Australia

**CAMEC
NEW ZEALAND**
44 Montgomerie Road
Mangere
Auckland 2022
Ph: +64 09 257 2410
Fx: +64 09 255 1910
Email: sales@camec.co.nz
Web: www.camec.co.nz