

RV CATALOGUE

# MOBILE LIVING MADE EASY.

THE LARGE ACCESSORY RANGE FOR  
CAMPING / CARAVANS / MOTORHOMES / VANS



 **DOMETIC**



# MOBILE LIVING MADE EASY.

WELCOME TO DOMETIC!

Millions of people around the world are using Dometic products. They all have one thing in common - the longing for freedom and independence on the move. Our job is to meet their essential needs on the journey. Like cooking, keeping food fresh, taking care of personal hygiene and maintaining a pleasant temperature. We also create solutions to make driving safer and more convenient and innovative electronic devices for smart use of precious battery power. Welcome to our new catalogue! We invite you to go on a journey of discovery. Explore the Dometic world and let us know what we can do for you.





## CLIMATE

Dometic provides a complete range of air conditioners, awnings, heat pumps, climate control systems and much more to keep your RV comfortable – no matter where you are.



## HYGIENE & SANITATION

Dometic provides a complete range of air conditioners, awnings, heat pumps, climate control systems and much more to keep your RV comfortable – no matter where you are.



## POWER & CONTROL

You're in a remote location, at least an hour's drive from the nearest power source. You need power to run your appliances. No problem. We provide a complete range of solutions to keep you connected and in control.



## FOOD & BEVERAGE

Just because you're far from the nearest restaurant, it doesn't mean you can't enjoy a delicious meal, washed down with a cold beverage. Dometic's range of reliable, high-performance solutions will keep you well fed and refreshed.



## SAFETY & SECURITY

To make your trip easier and more relaxing, we offer a range of safety and security solutions, including safety doors and safes.

---

### CLIMATE

10 - 45

Air Conditioners  
Awnings  
Windows  
Skylights

---

### FOOD & BEVERAGE

46 - 87

Cooking  
Portable refrigeration  
Refrigeration

---

### SAFETY & SECURITY

88 - 93

Driving Support  
Safety Solutions

---

### POWER & CONTROL

99 - 101

Energy & Lighting

---

### HYGIENE & SANITATION

102 - 109

Sanitation  
Cleaning

### DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all catalogues.

[dometic.com](https://dometic.com)



Living up to our mission “Mobile living made easy”, we have created some innovations that give you more freedom and independence on the move. For example, we have designed a new awning that can be set up quickly and easily. Fiat Ducato owners will appreciate the arrival of a double pleated windscreen blind. Our new 10-series left-right refrigerators revolutionise the way food and drinks are kept fresh in motorhomes and caravans. Last but not least, there’s also a portable power pack with state-of-the-art lithium technology that lets you travel off-grid longer.



**NEW!**  
**DOMETIC HARRIER LITE**

The Dometic Harrier Lite is Dometic’s latest innovation in air conditioning and has been specially designed to fit small to medium-sized caravans, pop-tops, and campers. Dometic has struck a balance between utilising a lightweight, compact design, and an impressive heating and cooling performance. It comes featured with cool, white LED lights, and the dual-cylinder inverter compressor that the market has come to know through the highly sought-after IBIS 4.

**NEW!**  
**DOMETIC ACCESS HATCH DOOR 1**

This handy access door provides users direct access into certain areas of their caravan or motorhome. The door is most commonly utilised to gain extra and easy external access to toilette cassettes but can also double as a way to gain extra storage within the vehicle. The Dometic Access Hatch Door 1’s size has been perfectly designed to allow toilet cassettes to easily slide in and out of the vehicle, allowing for maximum efficiency.

**NEW!**  
**DOMETIC DUST REDUCTION SYSTEM**

Through its smart design, the Dometic Dust Reduction System (DRS) minimises the amount of dust, harmful airborne particles and pollens that can enter your caravan and remain suspended in the air for an extended time after stopping. To ensure top performance, the Dometic DRS has been developed using advanced computer modelling and has undergone extensive performance testing in Australia’s dusty country with some seriously impressive results. The unit is fitted to the roof of the caravan and operates while the vehicle is in motion. There are no motors or electrical parts so there’s no need for power. The easiest way to keep your caravan clean? Don’t let dust enter in the first place!



**NEW!**  
**DOMETIC CIB 26**

Perfect for trips to the beach, BBQ's with friends and days-out with the family, the Dometic CIB 26 insulated cooler bag offers 26 l of reliable cool storage for your food and drinks. Easy to transport thanks to a comfortable padded carry strap and handle, it has a durable construction for active use. Simply add ice and enjoy chilled food and drinks for up to 29 hours in the summer heat.



**NEW!**  
**DOMETIC COOLMATIC CD20DC**

Low on space? This elegant 20 l compact drawer fridge ensures you don't need to go without the comforts of an effective cooling device.



**NEW!**  
**DOMETIC SMALL SLIDE OUT KITCHEN**

A must have for every adventure, the Dometic Small Slide Out Kitchen functions as a 3-burner cooktop, sink, and benchtop. It also features a generous amount of built-in dual side storage to keep dining and cooking equipment secure.



**NEW!**  
**DOMETIC COOLPRO TCX 14**

Thermoelectric cooler in a fresh new design. Offering convenient, efficient and portable cooling or heating.



**NEW!**  
**DOMETIC COOLPRO TCX 21**

Thermoelectric cooler in a fresh new design. Offering convenient, efficient and portable cooling or heating.



**NEW!**  
**DOMETIC PLB40**

The Dometic PLB40 Ah Lithium Iron Phosphate battery delivers high levels of mobile power – one full charge allows campers to get the most out of their trip while living mobile.

# INNOVATIVE NEW PRODUCT RELEASES





# THE POWER TO BE PRESENT

THE ULTIMATE PORTABLE FRIDGE/FREEZER



**NEW**




/ AIR CONDITIONERS  
/ AWNINGS  
/ WINDOWS

# CLIM

→ DOMETIC

**MATE**





# BRIGHT PROSPECTS...

## AIR CONDITIONERS, AWNINGS AND WINDOWS FOR A WONDERFUL HOLIDAY EXPERIENCE

Most of us love travelling north, with hot summers and plenty of sunshine. But it can really heat up your motorhome even in moderate climates and make staying inside unbearable. The alternative? Install a Dometic air conditioner to create your own climate, take a deep breath and enjoy!

When you stop at a beautiful place, turn the area in front of your vehicle into a roofed patio with a Dometic awning. It will treat you to many relaxing hours. Dometic windows and roof lights let light and air into the vehicle. Tailor-made blinds and fly screen systems work to keep prying eyes and insects out. That means: excellent prospects for you to have a wonderful time on holiday.



## **AIR CONDITIONERS**

Dometic provides roof, split and under-bench air conditioners plus a wide selection of accessories. Highly efficient, our roof models are ideal for saving space inside your RV. We also offer a range of under-bench air conditioners, allowing you to install the unit without affecting your vehicle's aerodynamic capabilities.

## **AWNINGS**

Wall or roof awnings for caravans, motorhomes or campervans - Dometic has a tailor-made solution for every demand. The range includes manual and electric awnings from 1.50 m up to 6.0 m long, with attractive cloth colours and housing colours to match the design of your leisure vehicle.

## **WINDOWS & DOORS**

Top-hung windows from the market leader - perfect workmanship, easy handling, insulation according to home construction standards. Roof lights in various sizes and model versions. Now also for the bathroom.

## **AIR HEATERS**

If you are planning to travel when the weather's cold, a heat source is a must. Dometic provides a selection of air heaters to keep you warm - even if it's well below zero outside. Engineered for easy maintenance and excellent air delivery, our lightweight products are compact and reliable. Multiple duct options are available.

# AIR CONDITIONERS



# R TIONERS



# THE EFFECTIVE ECO-FRIENDLY AIR CONDITIONER OF CHOICE



The best in their class, these Dometic air conditioners are best sellers in the Australian mobile living market. The systems in this range feature clever design and are built to thrive in the harshest Australian conditions. Tried, tested

and proven, these models have become Australia's favourites through their excellent cooling performance, energy efficiency and outstanding design.



## DOMETIC IBIS 4

Roof air conditioner

- Excellent cooling capacity of 2.6 kW
- Dimensions: 758 x 230 x 1112 mm
- Reduced noise levels compared to previous Dometic air conditioners, even at maximum speed
- Adjustable vents for even air distribution
- Lightweight rooftop unit at only 40 kg
- Four fan speeds, including a turbo speed
- Suitable for both 400 x 400 mm and 360 x 360 mm roof openings



## DOMETIC HARRIER INVERTER\*

Roof air conditioner

- Cooling capacity of 3.1 kW makes the Harrier the best in its class
- Dimensions: 750 x 280 x 1070 mm
- Reduced noise levels compared to previous Dometic air conditioners, even at maximum speed
- Compressor speeds up or slows down to reduce energy consumption
- Oscillating vents for even air distribution
- Wide operating temperature range of -2°C to +52°C
- Fitment to both 360 and 400 mm roof opening sizes possible



## DOMETIC HARRIER LITE

Roof air conditioner

- Dual-cylinder inverter compressor reduces vibration and is highly efficient
- Low fan noise with three standard speeds
- Cool white LED lights in the ADB which can be activated via the remote control
- Adjustable outlet vents with individual vertically adjustable airflow
- Connectivity with CI-BUS compatible control panels
- Lightweight for a low center of gravity
- Low profile rooftop unit



## DOMETIC AIRCOMMAND SPARROW

Roof air conditioner

- Lightweight – suitable for smaller caravans and poptops
- Flip-down electronic LED control panel and remote control
- Low profile rooftop unit with modern look
- Made from impact and UV-resistant polyurethane
- Three blower speeds
- Automatic de-ice setting for low ambient heating operation at down to -5 °C
- Will operate on most premium brand inverter type generators (check with generator supplier for compatibility)

\* Patented

\*\* Thicker roof kit available for up to 100 mm

\*\*\* For thicker roof sections up to around 100mm additional duct sections are required – available separately

† Performance is reduced at temperatures under -7 °C and over 35 °C




**SPECIFICATIONS**  
**MODEL**

	<b>IBIS 4</b>	<b>HARRIER INVERTER*</b>	<b>HARRIER LITE</b>	<b>AIRCOMMAND SPARROW</b>
<b>Ref No.</b>	9600009482	9108400919	9600009483	9108400802
<b>Electrical rating</b>	220 - 240 V	220 - 240 V	220 - 240 V	240 V
<b>Nominal (compressor capacity)</b>	3600 W	3675 W	3600 W	2.2 kW
<b>Cooling capacity (ISO5151)</b>	620 - 2878 W (Rated: 2625 W)	1600 - 3300 W (Rated: 3124 W)	594 - 2516 W (Rated: 2413 W)	1.7 kW
<b>Heating capacity (ISO5151)</b>	981 - 3029 W (Rated: 3017 W)	1200 - 3000 W (Rated: 2827 W)	898 - 3107 W (Rated: 2421 W)	1.7 kW
<b>Current Draw (cooling/heating)</b>	2.2 - 8.0 A / 2.2 - 8.0 A (Rated: 6.9 A / 6.5 A)	3.3 - 8.0 A / 2.6 - 8.0 A (Rated: 6.5 A / 6.3 A)	2.3 - 8.0 A / 2.3 - 7.4 A (Rated: 7.5 A / 6.1 A)	4.3 A / 3.8 A
<b>Operating temperature range</b>	-2 °C to +52 °C	-2 °C to +52 °C	-2 °C to +52 °C	-5 °C minimum
<b>Airflow (high fan)</b>	470 m <sup>3</sup> /h (turbo mode)	649 m <sup>3</sup> /h	490 m <sup>3</sup> /h (turbo mode)	319 m <sup>3</sup> /h
<b>Dimensions (W x H x L) mm</b>	758 x 230 x 1112 (external) 518 x 48 x 579 (internal)	750 x 280 x 1070 (external) 500 x 66 x 520 (internal)	665 x 240 x 997 (external) 518 x 48 x 579 (internal)	560 x 215 x 968 (external) 535 x 65 x 555 (Internal)
<b>Roof opening (W x D) mm</b>	360 x 360 / 400 x 400	360 x 360 / 400 x 400	360 x 360 / 400 x 400	360 x 360
<b>Roof thickness (mm)</b>	20 - 68 ***	30 - 60 **	20 - 68 ***	25 - 85
<b>Weight (kg)</b>	40	45	37	31
<b>Number of blower speeds</b>	4	3	4	3
<b>Remote control</b>	Yes	Yes	Yes	Yes

\* Patented

\*\* Thicker roof kit available for up to 100 mm

\*\*\* For thicker roof sections up to around 100mm additional duct sections are required – available separately

† Performance is reduced at temperatures under -7 °C and over 35 °C



**AWN**



A woman with blonde hair is smiling and leaning out of a motorhome window, handing a green apple to a man with a beard who is standing outside. The motorhome is white with a large grey graphic on its side. The background shows a lush green landscape.

**INGS**



# STAY SHELTERED



## AWNINGS WALL-MOUNTED

Patented innovations in our wall-mounted awning range ensure you can enjoy shaded comfort with maximum convenience. We provide both manual and remote-controlled models.



## AWNINGS ROOF-MOUNTED

Dometic has been manufacturing high-quality awnings for many years. Our roof-mounted awnings are designed with a seamless material for maximum durability, while also being lightweight, compact and easily fitted.



## ACCESSORIES

If you want to retain your privacy, we recommend you check out our comprehensive selection of roller blinds. You will be sure to find a solution that suits both your taste and your budget. We also provide safety nets and darkening systems plus a complete range of replacement parts to keep your awnings in good working order.

# 9100 POWER AWNING




## DOMETIC POWER AWNING

Wall mounted awning

The Dometic Power Awning is premium quality and features attractive polyester reinforced vinyl in granite colour. Suitable for the majority of motorhomes and caravans, this awning has powerful hardware and heavy duty parts for long lasting use.

Please note that hardware and power switch must be ordered separately to enable fitting of the awning.

- 12 V motor driven awning easy to open and close via a wall mounted switch
- Ergonomic lock knobs, positioned low for easy use
- Heavy-duty, scratch resistant and UV protected polyester reinforced vinyl fabric with weather-shield colour
- Easy to use universal hardware for smooth, fast and effortless one person operation
- Vinyl cushioned lift handles
- Exclusive patented PermaLoop pull strap
- Extruded alloy one piece heavy duty roller tube



GRANITE



### CONVENIENCE

Electronic switch opens or closes the awning at the touch of a button



### DURABLE

Heavy-duty materials for longer life even in harsh conditions



### EASY TO INSTALL

Installation is simple for most recreational vehicles



## DOMETIC 8300 SUNCHASER

Wall mounted awning

Strong and effective, the Sunchaser series awning provides effective protection from the sun. Made from heavy-duty, polyester-reinforced vinyl fabric, it is guaranteed to last. Not only is it practical but it also looks good, featuring attractive patterns available in multiple colours. The Sunchaser is a top quality awning at an affordable price.

- Scratch resistant vinyl fabric with UV protection
- Secure rafter lock system that stabilises the awning and has automatic tension
- Patented PermaLoop pull strap is part of system which makes this awning easy to operate
- Full 2.4 m extension in carport or patio position
- Positive-action foot-and-bracket system; one easy motion releases or locks the support arm foot
- Total operator control where one person can easily open or close the awning
- Ergonomically designed lock knobs



BLUE STEEL



SPLASH GRANITE



### ROBUST

Heavy-duty wind out mechanism



### DURABLE STITCHING

Made for long-lasting and reliable performance



### SMART LOOK

The straight valance looks excellent in all applications



**DOMETIC 8500 AWNING**

Wall mounted awning

The Dometic 8500 awning combines great looks and long life. Its heavy-duty, polyester reinforced vinyl fabric has the rich, vibrant horizon stripe color pattern that accents its color matched weather shield. This dependable awning is available with straight or curved hardware to fit virtually any vehicle. If you are looking for an easy to operate and long lasting awning with material that will protect you from the weather and not scratch or fade, then this is the ideal choice for you.

- Scratch resistant vinyl with UV protection
- Exclusive patented PermaLoop pull strap
- Total operator control allows one person to easily open or close the awning
- Secure rafter lock system that stabilises awning and has automatic tension
- Vinyl cushioned lift handles
- Extruded alloy one piece heavy duty roller tube
- Secure rafter lock system stabilizes the awning and provides automatic tension



**STYLISH SCALLOPED**


Scalloped valance adds an attractive touch of style

**ROBUST**

Heavy-duty hinge and wind out mechanism



**ONYX**



**AZURE**



## DOMETIC PERFECTWALL PW 1500

Wall mounted awning

Supplied in lengths of 2.6 m to 5.0 m, the PerfectWall 1500 awnings are compatible with most RVs currently available. Thanks to the automatic twisting front rail the awnings slide in and out easily and quietly, operated manually by a telescopic crank. A version with a fully integrated motor is also available.

- Easily set up by just one person
- One of the lightest awnings for large vehicles
- Support legs with patented Easy Lock Flipper to secure the awning
- Heavy duty UV-protected reinforced vinyl
- Telescopic crank
- Great quality with 100% aluminum end caps



### HIGH-QUALITY AWNING CLOTH

Made of one piece – no welding seam



### OPTIONAL MOTOR

Completely integrated, does not extend housing, with remote control



### TELESCOPIC CRANK

For a very smooth, manual operation of awning



### EASY LOCKING SYSTEM

Ensures safe fastening of the support legs with no accidental dropping

## DOMETIC PERFECTROOF PR 2500

Roof mounted awning

For vehicle lengths of 4.5 m and beyond there's no lighter and more compact roof awning around than the PerfectRoof 2500 awning. Its roof-mounted housing does not affect the vehicle's aerodynamics, and the end caps made of 100% aluminium make the awning extra-resistant to shock and impact. Patented locks on the front rail ensure perfect closing as well as additional safety while driving.

- Quick and easy to set up and adjust by one person
- The most lightweight awning on the market
- Patented Easy Flip Locking system securely holds support legs
- Aluminium end caps are resistant to rust, shock and impact
- For vehicle lengths of 3.5 m up to 4.5 m
- Made from a tough vinyl material with a transparent acrylic coating
- The optimised housing design does not affect the vehicle's aerodynamics



### OPTIMISED HOUSING DESIGN

Minimal weight



### ALUMINIUM END CAPS

Even better resistance to shock, impact and weather



### TELESCOPIC CRANK

For operation of the very smooth running gear



### PATENTED EASY LOCK


For hassle-free and safe fastening of the support legs

# ACCESSORIES FOR AWNINGS



## DOMETIC POWER AWNING HARDWARE

Power awning hardware - White  
Ref No. 9108672230



## DOMETIC POWER AWNING HARDWARE

Power awning hardware - black  
Ref No. 9108672236




## DOMETIC UNIVERSAL AWNING HARDWARE

Tall white universal awning hardware  
Ref No. 9108846449



## DOMETIC UNIVERSAL AWNING HARDWARE

Tall black universal awning hardware  
Ref No. 9108846450



## DOMETIC UNIVERSAL AWNING HARDWARE

Short white universal awning hardware  
Ref No. 9108846452



## DOMETIC UNIVERSAL AWNING HARDWARE

Short black universal awning hardware  
Ref No. 9108846454




## DOMETIC UNIVERSAL AWNING HARDWARE

Ultra short white universal awning hardware  
Ref No. 9108847580




# MOUNTING BRACKETS

Dometic vehicle specific adapters for wall and roof awnings, ensure your awning fits your vehicle perfectly.




## DOMETIC PR-ADAPT

Roof awning adapter for Fiat Ducato, Citroen Jumper and Peugeot Boxer  
Ref No. 9103103890




## DOMETIC PW-ADAPT

Wall awning adapter  
Ref No. 9103103805




## DOMETIC PW-ADAPT

Wall awning adapter  
Ref No. 9103103809



## DOMETIC PW-ADAPT

Wall awning adapter  
Ref No. 9103103810



## DOMETIC PR-ADAPT

Roof awning adapter for Mercedes Sprinter / VW Crafter (2006 - 2017), 3 pcs  
Ref No. 9103103908

## DOMETIC PR-ADAPT

Universal roof awning adapter for caravans / Renault Master / Opel Movano (2011 -), 3 pcs  
Ref No. 9103103901

# OTHER PRODUCTS



## DOMETIC CLAMP PROFILE

Right fabric clamp  
Ref No. 9103104008



## DOMETIC CLAMP PROFILE

Left fabric clamp  
Ref No. 9103104009



**WINDOWS**



**S & DOORS**



## STAY WITH A VIEW

Our wide selection of doors and windows let the light in – and keep noise, cold, rain and unwanted guests out. Privacy and security are so important. That's why we provide high-quality windows and blinds as well as doors that are both functional and virtually impossible to open without a key.



## DOORS

If you are looking for a door that offers high quality, superior functionality and top-level security, you are in the right place. Dometic offers a wide range of door systems (including locker doors) – all of which have been thoroughly tested to ensure top-level performance. Entry doors come with or without windows and an optional full-size flyscreen.



## SKYLIGHTS

There's no easier way to maximise the enjoyment of your journey than to get as much natural light as possible. Not only will you feel good, but your interior will also appear more spacious and welcoming. That's why we urge you to check out our skylights. They are reliable, easy to install, long-lasting and available in numerous versions.



## WINDOWS

Whether you want to protect yourself from the sun and insects, or let more light and air in, we offer a broad selection of high-quality windows. This includes roof lights, top-hung windows, insect screens and blind systems – also available for retrofitting. Each window comes with a fixing kit for easy installation.



## ACCESSORIES

Dometic offers a wide selection of indispensable, value-adding accessories to our windows and doors, including vents, roof lights, service hatches, insect screens and fixing kits for easy installation. Each product is designed to offer dependable performance even under the toughest conditions.

# CARAD DOORS A NEW ERA IN RV DOORS

Specifically designed to fit a wide range of recreational vehicles, the Dometic CaraD door range provides peace of mind with a number of world-class safety features. Available in alucobond or glass door, CaraD doors feature tried and tested, highly resistant safety mesh that is virtually indestructible.

**ROBUST**

**LOCKING SYSTEM**

**HIGH-PERFORMANCE**



# SECURE AND MODERN

The Dometic CaraD door is a modern caravan door designed with safety in mind. A key feature of the door is its highly resistant safety mesh. Tested by an independent company in Germany, the door can withstand 180 J of impact. The mesh will let air into your caravan without having to sacrifice

your security. Another safety feature is the four-point locking system and an easy to operate chrome door lever, which ensures extra protection and comfort when travelling. It also includes a stylish integrated blind that blocks light from entering the caravan and provides additional privacy.

- Highly durable glass
- Highly resistant safety mesh
- Four-point locking system
- Easy to operate chrome door lever
- Integrated blind that blocks incoming light



### KEEP SAFE

Four-point locking system provides extra-safety and comfort while traveling



### BLOCK OUT

Integrated blind is ideal for blocking out the sun or to ensure privacy



### SECURED

Window clip keeps panel in position when closed

Products	Size H x W (mm)	Cut out size H x W (mm)	Weight (kg)	Ref No.
1850 LH Aluminium caravan door	1870 x 653	1851 x 622	24.5	9104114672
1850 RH Aluminium caravan door	1870 x 653	1851 x 622	24.5	9104114673
1750 LH Aluminium caravan door	1770 x 653	1751 x 622	24	9104114676
1750 RH Aluminium caravan door	1770 x 653	1751 x 622	24	9104114677
1850 LH Glass caravan door	1870 x 653	1851 x 622	24.5	9104117908
1750 LH Glass caravan door	1770 x 653	1751 x 622	24	9104114266
1750 RH Glass caravan door	1770 x 653	1751 x 622	24	9104114267
1750 RH vented aluminium caravan door	1770 x 653	1751 x 622	24	9104117551
1850 LH vented aluminium caravan door	1870 x 653	1851 x 622	24.5	9104117552
1850 RH vented aluminium caravan door	1870 x 653	1851 x 622	24.5	9104117553
1750 LH vented glass caravan door	1770 x 653	1751 x 622	24	9104117121

# DOMETIC SKYLIGHTS

Anyone who likes a lot of daylight and fresh air in their motorhome or caravan has come to the right place. These classic “lift-and-tilt” roof lights are the biggest ones in the Heki range. They have been installed innumerable times and are highly valued for their quality, durability and ease of use. All models come with snug-fitting roller blinds and fly screens.

CONVENIENT OPENING

INDOOR COMFORT

MAXIMIZE FRESH AIR



## DOMETIC HEKI 2

Skylight

- Pneumatic springs for easy opening
- Separately adjustable darkening and fly screens
- Forced ventilation
- Double acrylic glazing

Ref No. 9104104874



## DOMETIC MIDI HEKI

Skylight

- Open and close the dome via push-up bar
- LED lights featuring day light white and night light blue
- Dome with new double acrylic glazing
- Separately adjustable darkening and fly screens
- Opening angle of 45 degrees
- Improved aerodynamics to reduce noise

Ref No. 9104120362



## DOMETIC MIDI HEKI

Skylight

- Opens to three positions: fully open, half-open, and bad weather position
- Dome with double acrylic glazing
- Separately adjustable darkening and fly screens
- Crank-operated
- Hassle-free cleaning

Ref No. 9104120383





### DOMETIC MIDI HEKI

Skylight, motorised

- An electric motor opens and closes the dome.
- Dome with double acrylic glazing
- Separately adjustable darkening and fly screens
- Hassle-free cleaning

Ref No. 9104120386



### DOMETIC MINI HEKI PLUS

Skylight

- Using handles, it can be placed in three different positions: fully open, half-open, and bad weather
- Separately adjustable darkening and fly screens keep light and insects out
- Forced ventilation maximises intake of fresh air
- 400 x 400 mm
- For roofs 43–60 mm thick
- Insulated dome with single acrylic glazing

Ref No. 9104119636



### DOMETIC MINI HEKI PLUS

Skylight

- Using handles, it can be placed in three different positions: fully open, half-open, and bad weather
- Separately adjustable darkening and fly screens keep light and insects out
- Forced ventilation maximises intake of fresh air
- 400 x 400 mm
- For roofs 25–42 mm thick
- Insulated dome with single acrylic glazing

Ref No. 9104119638

Products	Size D x W (mm)	Cut out size H x W (mm)	Ventilation opening (cm <sup>2</sup> )	Weight (kg)	Ref No.
Heki 2	760 x 1048	655 x 960	115	11	9104104874
Midi Heki LED	617 x 846	500 x 700	150	8	9104120362
Midi Heki crank handle	617 x 858	500 x 700	150	8.5	9104120383
Midi Heki motorised	617 x 858	500 x 700	150	9	9104120386
Mini Heki Plus	520 x 535	400 x 400	160	3.3	9104119636
Mini Heki Plus	520 x 535	400 x 400	160	3.3	9104119638

## ACCESSORIES



### DOMETIC HEKI-SPLR

Skylight spoiler - 810 mm

Dimensions (W x H x D) mm: 810 x 50 x 110

Weight (kg): 0.35

Ref No. 9104100236



### DOMETIC HEKI-SPLR

Skylight spoiler - 1100 mm

Dimensions (W x H x D) mm: 1100 x 50 x 110

Weight (kg): 0.46

Ref No. 9104100237

# DOMETIC S7 WINDOWS ALUMINIUM FRAME WINDOWS

A perfect match for RVs with curved outlines: S7P windows look great with their slightly curved, flush-fitting pane and dark-tinted double acrylic glazing. The lightweight, powder-coated aluminium frame ensures excellent insulation and a perfect finish.



## DOMETIC S7P

Top-hung hinged wall window for curved outlines

- Multi-locking system provides security against intruders
- Powder-coated profiles for outstanding insulation
- Aluminium frame reduces the weight
- Double dark-tinted acrylic glazing
- Curvature radius of 5000 mm
- For walls 27 mm thick
- 1000 x 250 mm

Product	Description	Size H x W (mm)	Cut out size H x W (mm)	Weight (kg)	Ref No.
Dometic S7P	Wall window, Top-hung 500 x 400	428 x 528	400 x 500	2.5	9104115605
Dometic S7P	Wall window, Top-hung 510 x 510	538 x 538	510 x 510	3	9104115606
Dometic S7P	Wall window, Top-hung 700 x 510	538 x 728	510 x 700	3.8	9104115607
Dometic S7P	Wall window, Top-hung 700 x 900	928 x 728	900 x 700	5.8	9104115608
Dometic S7P	Wall window, Top-hung 800 x 400	428 x 828	400 x 800	3.8	9104115609
Dometic S7P	Wall window, Top-hung 800 x 450	478 x 828	450 x 800	4	9104115610
Dometic S7P	Wall window, Top-hung 800 x 510	538 x 828	510 x 800	4.4	9104115611
Dometic S7P	Wall window, Top-hung 900 x 500	528 x 928	500 x 900	4.8	9104115612
Dometic S7P	Wall window, Top-hung 1000 x 510	538 x 1028	510 x 1000	5.3	9104115613
Dometic S7P	Wall window, Top-hung 1200 x 600	628 x 1228	600 x 1200	7	9104115614
Dometic S7P	Wall window, Top-hung 1300 x 510	538 x 1328	510 x 1300	7.5	9104115615
Dometic S7P	Wall window, Top-hung 500 x 250	278 x 528	250 x 500	1.9	9104115616
Dometic S7P	Wall window, Top-hung 920 x 990	1018 x 948	990 x 920	8.97	9104115617
Dometic S7P	Wall window, Top-hung 1180 x 575	603 x 1208	575 x 1180	7.3	9104115618
Dometic S7P	Wall window, Top-hung 900 x 900	928 x 928	900 x 900	8.13	9104115619
Dometic S7P	Wall window, Top-hung 1100 x 450	478 x 1128	450 x 1100	7.5	9104115620
Dometic S7P	Wall window, Top-hung 1000 x 250	278 x 1028	250 x 1000	3.6	9104115621
Dometic S7P	Wall window, Top-hung 1570 x 575	603 x 1598	575 x 1570	11.8	9104115622
Dometic S7P	Wall window, Top-hung 1400 x 575	603 x 1428	575 x 1400	10.7	9104115623

## DOMETIC DLUX WINDOW

Product	Description	Size H x W (mm)	Cut out size H x W (mm)	Weight (kg)	Ref No.
Dometic D-Lux	Wall window, Top-hung 300 x 500	330 x 544	298 x 499	4.6	9104122495
Dometic D-Lux	Wall window, Top-hung 450 x 500	480 x 544	448 x 500	5.1	9104122496
Dometic D-Lux	Wall window, Top-hung 550 x 700	581 x 745	549 x 700	7.8	9104122565
Dometic D-Lux	Wall window, Top-hung 800 x 800	831 x 846	800 x 801	10.7	9104122497
Dometic D-Lux	Wall window, Top-hung 450 x 900	480 x 948	448 x 902	8.2	9104122498
Dometic D-Lux	Wall window, Top-hung 550 x 900	581 x 948	549 x 902	9	9104122499
Dometic D-Lux	Wall window, Top-hung 800 x 1000	832 x 1048	802 x 1002	12.4	9104122566
Dometic D-Lux	Wall window, Top-hung 450 x 1100	481 x 1148	448 x 1103	9.7	9104122500
Dometic D-Lux	Wall window, Top-hung 550 x 1100	581 x 1148	549 x 1102	10.6	9104122567
Dometic D-Lux	Wall window, Top-hung 300 x 1200	330 x 1248	297 x 1201	8.7	9104122568
Dometic D-Lux	Wall window, Top-hung 500 x 1200	531 x 1249	500 x 1203	11.7	9104122501
Dometic D-Lux	Wall window, Top-hung 550 x 1450	581 x 1500	549 x 1453	14.4	9104122502

# SERVICE HATCHES

Beautiful design, easy to fit without holes and screws

Looking for a stylish service hatch to blend in with the body of your motorhome or caravan? Our designers have taken care of every detail to give you a flawless solution: weatherproof, securely locking and easy to fit vertically or horizontally, without holes and screws.



**DOMETIC SK 4**  
Service Hatch

- Durable service hatch made from spray cast ASA
- Quick and easy installation without the need for screws
- Can be fitted vertically or horizontally
- Features a secure multi-point locking and closing system

Dimensions (W x H) mm:  
409 x 338  
Cut out (W x H) mm:  
375 x 305  
Weight (kg): 0.99 kg

Ref No. 9104106729



**DOMETIC SK 4**  
Service Hatch

- Durable service hatch made from spray cast ASA
- Quick and easy installation without the need for screws
- Can be fitted vertically or horizontally
- Features a secure multi-point locking and closing system

Dimensions (W x H) mm:  
734 x 338  
Cut out (W x H) mm: 700 x 305  
Weight (kg): 1.45 kg

Ref No. 9104106730



**DOMETIC SK 4**  
Service Hatch

- Durable service hatch made from spray cast ASA
- Quick and easy installation without the need for screws
- Can be fitted vertically or horizontally
- Features a secure multi-point locking and closing system

Dimensions (W x H) mm:  
1034 x 338  
Cut out (W x H) mm: 1000 x 305  
Weight (kg): 2 kg

Ref No. 9104106731



**DOMETIC SK 4**  
Service Hatch

- Durable service hatch made from spray cast ASA
- Quick and easy installation without the need for screws
- Can be fitted vertically or horizontally
- Features a secure multi-point locking and closing system

Dimensions (W x H) mm:  
734 x 438  
Cut out (W x H) mm: 700 x 405  
Weight (kg): 1.56 kg

Ref No. 9104106733

# ACCESSORIES



**DOMETIC ACCESS HATCH DOOR 1**  
Access door

Dimensions (W x H) mm: 401 x 351  
Cut out (W x H) mm: 372 x 322  
Weight (kg): 1.49  
Ref No. 9600026339



**DOMETIC SAFETY NET**  
Safety net

Meets the standards of the automotive industry, for heights of up to 900 mm  
Size: 1500 x 580 mm  
Secure and safe

Dimensions W x H (mm): 1800 x 580  
Weight (kg): 1.13  
Ref No. 9104105086



# EBERSP HEAT



# PÄCHER TERS



Eberspächer

# EBERSPÄCHER AIRTRONIC AIR HEATER

Cosy warmth during the day and night

The Eberspächer AIRTRONIC provides a level of performance and comfort that excels over all other heaters in its class.

Two models are available. With smooth controllability the AIRTRONIC D2 delivers 2.2 kW, and the D4 an impressive 4 kW of hot blown air, automatically reducing the power level and the fan speed as the temperature rises for quiet operation and fuel economy. AIRTRONIC can also be operated whilst on the move so you and your passengers are kept warm for the whole journey.

Smooth, automatic room temperature control with temperature pre-set facility.

- Fully electronic microprocessor control.
- More comfort through wide control range and quiet night-time operation.
- Continuous temperature monitoring.
- Low fuel and power consumption.
- Diagnostic system.
- Small and compact design to save space and easy installation within the interior of the vehicle.
- Four stage power to maximise economy and minimise interior noise levels.
- Can be operated whilst on the move.
- Fuel supplied from the vehicle's own tank (diesel powered vehicles only).
- Can be serviced without removal.



AIRTRONIC D2					AIRTRONIC D4 PLUS			
<b>Voltage</b>	12 or 24 V				12 V			
<b>Heating settings</b>	Power	High	Medium	Low	Power	High	Medium	Low
<b>Heat flow</b>	2200 W	1800 W	1200 W	850 W	4000 W	3000 W	2000 W	900 W
<b>Electrical power consumption</b>	34 W	22 W	12 W	8 W	55 W	30 W	16 W	7 W
<b>Fuel consumption</b>	0.28 L/h	0.23 L/h	0.15 L/h	0.10 L/h	0.51 L/h	0.38 L/h	0.25 L/h	0.11 L/h
<b>Dimensions (W x H x D) mm</b>	115 x 122 x 310 mm				150 x 140 x 376 mm			
<b>Weight</b>	2.7 kg*				4.5 kg*			

\* Excludes accessories. Note: In some cases D2 & D4 kits require a controller and fuel standpipe be ordered separately.

Product	Ref No.
<b>RV</b>	
<b>Eberspächer D2 12 V single air outlet kit</b> (inc. 801 Modulator controller)	9108400105
<b>Eberspächer D2 24 V single air outlet kit</b> (inc. 801 Modulator controller)	9108400624
<b>Eberspächer D2 12 V twin air outlet kit</b> (inc. 801 Modulator controller)	9108400108
<b>Eberspächer D4 12 V triple air outlet kit</b>	9108400111
<b>Eberspächer D2 12 V single air outlet kit</b> (Marine)	9108400107
<b>Eberspächer D2 12 V twin air outlet kit inc. silencer &amp; exhaust</b> (Marine)	9108400109

# ACCESSORIES



## EBERSPÄCHER 801 MODULATOR CONTROLLER

Heater accessory

Dimensions (W x H x D) mm: 65 x 55 x 17  
Weight (kg): 0.50  
Ref No. 9108400103



## EBERSPÄCHER DIGITAL SWITCH KIT

Heater accessory

Dimensions (W x H x D) mm: 62 x 78 x 12  
Weight (kg): 0.50  
Ref No. 9108400113



## ORIFA FUEL TANK

Fuel tank

Dimensions (W x H x D) mm: 450 x 450 x 78  
Weight (kg): 4.30  
Ref No. 9108400114



## EBERSPÄCHER FUEL STANDPIPE

D2/D4 dh fuel standpipe

Dimensions (H) mm: 600  
Weight (kg): 0.10  
Ref No. 9108400519



## EBERSPÄCHER FILTER KIT

DH Fuel filter kit

Dimensions (W) mm: 100  
Weight (kg): 0.10  
Ref No. 9108400530



## EBERSPÄCHER AIR SILENCER

D2/D4 air intake silencer

Dimensions (W) mm: 420  
Weight (kg): 0.10  
Ref No. 9108400521

Eberspächer 60 mm ducting per metre

9108400512

Eberspächer 75 mm ducting per metre

9108400511

## VEHICLE SPECIFIC CONNECTION KITS

Product	Ref No.
<b>Sender kit Mercedes Sprinter without KL1</b> (Fuel connection kit to suit Mercedes Sprinter, Volkswagen Crafter vehicles without KL1 or 9M8 option codes from factory)	292199017220
<b>Sender kit Ducato, Boxer Daily</b> (Fuel connection kit to suit Peugeot Boxer, Citroën Relay, Fiat Ducato, Iveco Daily vehicles)	292199018093
<b>Sender kit Ducato OEM-52X</b> (Fiat Ducato, with OEM factory connection in sender)	292180010237
<b>Sender kit Master/Traffic/Crafter</b> (Renault Master & Traffic - pre 2014), (VW Crafter - pre 2012)	292199017119
<b>Eberspächer truck wiring kit</b>	9108400117

# EBERSPÄCHER HYDRONIC HEATING & HOT WATER


All-in-one heating and hot water

A warm living area, a warm bedroom and hot water - the multi-talented Eberspächer Hydronic heater gives you all this, economically powered by diesel fuel. Not only can you enjoy the benefits of a perfectly heated caravan or RV, your water will always be at the temperature you want in the kitchen or in the shower.

The Eberspächer Hydronic heater allows fitment to a wide range of vehicle types and configurations. Whether you have a motorhome, caravan or camper trailer, you can configure the system to suit your needs. Each system is scalable, with the ability to easily add or subtract components to help make the system suit your needs.

- Some of the key benefits of the Eberspächer Hydronic heating and hot water includes:
- Compact in size
- High efficiency – low operating costs
- Scalable system to suit needs of vehicle and conditions
- Continuous on-demand hot water (after initial system heat-up period)
- Durable, intelligent design
- Easy to service


The Hydroplate system can effectively supply hot water 'on demand', requiring only a short 10-15 min period to pre-heat.



## HYDROPLATE BASIC KIT

Hot water and heating

- Suited to caravans, RV's and campers where basic single room heating is needed
- Hot water for showers and/or washing
- No thermostat control
- Extra components can be added as required



## HYDROPLATE STANDARD KIT

Hot water and heating

- Similar setup to Basic kit, however has thermostatic control using 801 Modulator controller
- Suited to caravans, RV's and campers where basic single room heating is needed
- Hot water for showers and/or washing
- Extra components can be added as required



## HYDRONIC HYDROPLATE


Heater		HYDRONIC D4WSC	
Heating Medium		Coolant	
Control of the Heat Flow		Large	Small
Heat Flow		4300 W	2400 W
Fuel Consumption		0.53 L/h	0.27 L/h
Mean Electrical Power	In operation	48 W	23 W
	At start-up		120 W
	Pump only		21 W
Rated Voltage		12 V DC	
Optimal Domestic Water Pump Flow Rate		6 to 11 L/per min	
Weight		3* kg approx.	
Hydroplate Basic kit		9108400684	
Hydroplate Standard kit		9108400685	

## ACCESSORIES (for use with Hydroplate kits)

1.7 kW Std Fan Matrix Add-on	9108400638
1.7 kW Thermostat Matrix Add-on	9108400639
Water hose 15 mm, per metre	81173601895

Other accessories are available such as vehicle specific fuel connection kits, heater hoses and diesel tanks.\* Excludes accessories





/ PORTABLE REFRIGERATION

/ REFRIGERATORS


/ COOKING

# FOOD &





**BEVERAGE**



## COOLING ON THE MOVE

Just because you're far from the nearest restaurant, it doesn't mean you can't enjoy a delicious meal, washed down with a cold beverage. Dometic's range of reliable, high-performance solutions will keep you well fed and refreshed.



## PORTABLE REFRIGERATION

Specifically designed to fit all kinds of vehicles, the CFX Series is a range of compact portable compressor fridges and/or freezers to keep food and drinks well chilled or even frozen while out on the road. The range includes a variety of models including an ultra-compact cooler and one with two separate temperature zones for simultaneous cooling and freezing.

## REFRIGERATORS

We started out making refrigerators, so it's not surprising that more outdoor people use our cooling products than any other brand. Over the years, we have sold many millions of units. Dometic refrigeration solutions come with features you will not find anywhere else, including automatic locking systems, versatile racking, adjustable shelf guards and more.

## COOKING


You may be far from home, but that doesn't mean you can't enjoy a delicious home-cooked meal using local ingredients. Dometic helps make your journey even more pleasurable with a range of innovative solutions for your kitchen.

One of the challenges of cooking on the move is having enough room to do the job. Making the most of very little space is something our designers think about a lot. That's why our hob and sink combinations with a glass lid are so popular. You lift the lid up when it's time to cook or clean – and when the lid is lowered you have an extra surface for preparation. Smart design.

 **DOMETIC**

CFX

# PORTA REFRIGER



A close-up, slightly blurred photograph of a person's hands cooking in the cargo area of a truck. The person is using a metal spatula to flip a piece of food on a black griddle. In the background, a white bucket with a blue interior sits on a black surface. The scene is set outdoors, with trees and foliage visible in the background. The lighting is natural, suggesting daytime. The overall tone is practical and focused on outdoor cooking.

# ABLE RATION



Take control of outdoor adventures like never before with the Dometic CFX3. Enjoy fresher food at your fingertips thanks to Dometic's market leading VMSO3 variable speed compressor with optimised software for better cooling, freezing and power consumption. The CFX3 features durable fender frames that protect the edges of the fridge/freezer, making it ideal for rugged trips. Strong, spring-loaded aluminium handles make it easy to lift and carry. Set the cooling temperature of your CFX3 on the TFT display

screen and pack all your favourite foods. Download the CFX3 app and roam free from worry. Once your CFX3 is connected through your phone, you can set the ideal temperature, and get a detailed history of energy consumption and temperatures. We also offer a range of accessories to get the most out of your fridge/freezer, including a durable insulated protective cover and a fridge slide for easy access to your favourite items.



**USER-FRIENDLY INTERFACE**

Weatherproof high-resolution user interface displays operating status



**RUGGED CONSTRUCTION**

ExoFrame construction protects the unit from damage



**EFFICIENT POWER CONSUMPTION**

Optimised VMSO<sup>3</sup> compressor cooling technology



# BENEFITS OF CFX3

- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VM3SO<sup>3</sup> compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Gasket Technology provides a superior seal to retain cool air and minimise power consumption



FOOD & BEVERAGE



Model	Ref No.	Storage capacity (l)	Dimensions (W x H x D) mm	Weight (kg)
CFX3 35	9600025299	36	398 x 407 x 694	16.9
CFX3 45	9600025300	46	398 x 476 x 694	18.7
CFX3 55	9600025301	55	720 x 480 x 455	20.4
CFX3 55IM	9600025302	53	720 x 480 x 455	21.3
CFX3 75DZ	9600025303	75	892 x 472 x 495	27.8
CFX3 95DZ	9600025304	94	962 x 472 x 530	29.8



### FLEXIBLE POWER OPTIONS

Powered by AC, DC and solar



### CONVENIENT CFX3 APP

Temperature control and performance monitoring via CFX3 app



### EASY TO CARRY

Strong aluminium carry handles

# YEARS OF INNOVATION FOR COOLING PERFECTION



With the new Dometic CFX3, you have control of your experiences like never before. On-road, off-road, or in the backyard, your ordinary and extraordinary adventures will be fuelled by fresher, safer food, less waste and more confidence, giving you the power to be present in any moment.

# DOMETIC CFX3 55IM

Portable fridge/freezer with ice maker, 53 l

This ultimate portable fridge/freezer produces seriously impressive cooling, allowing you to bring more of the food and drinks you love wherever you go. Its robust design is built for tough outdoor use. Enjoy efficient cooling and freezing with convenience thanks to a mobile app which puts the control of your Dometic CFX3 at your fingertips. Go further, stay longer, and experience more.



## FEATURES

- Generous storage capacity of 53 l to fit 83 cans
- Rapid Freeze Plate and included silicon ice trays produces ice in a matter of hours
- Heavy-duty yet lightweight ExoFrame construction with ExoFrame protected edges and aluminium alloy handles
- Powerful VM30<sup>3</sup> compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history



### REMOVABLE ICE TRAYS

Produces ice in a few hours



### USER-FRIENDLY INTERFACE

The stylish, high-resolution TFT LCD user interface displays operating status



### RUGGED CONSTRUCTION

ExoFrames protect the unit from damage



### OPTIMISED VM30<sup>3</sup> CONTROLLED COMPRESSOR

Efficient variable-speed cooling



### FLEXIBLE POWER OPTIONS

Powered by AC or DC battery power and solar



### NEW CFX3 APP

Temperature control via CFX3 app

FOOD & BEVERAGE  
PORTABLE REFRIGERATION



# CFX3 APP\*

For Android and IOS





The Dometic CFX3 app allows you to monitor and control your fridge/freezer whilst on the move.



## BLUETOOTH & WIFI ENABLED APP FEATURES

- Bluetooth & WiFi enabled smart phone app
- Download the CFX3 app for free in the App Store or on Google Play. Simply search 'CFX3'
- Set & monitor your current CFX3 compartment temperatures
- Monitors temperature history & tracks DC energy consumption graphically
- Displays supply voltage type (AC or DC)
- Displays DC voltage level
- Turn CFX3 on/off or just one compartment (DZ models)
- Temperature alarm function
- Set or review your preferred battery protection level
- Low voltage alert
- Lid open alert

\* The new CFX3 app is not backwards compatible with previous CFX models.



## GENUINE DOMETIC WAECO COMPRESSORS WITH INTEGRATED AC ELECTRONICS

Genuine Dometic Waeco compressors have been developed with input from Dometic engineers based on demanding Australian climate, usage and road conditions. Proprietary VMSO<sup>3</sup> electronics support the extreme (-22 °C) performance capability whilst contributing to the power efficiency of the Dometic CFX3 range.

## VMSO<sup>3</sup> VARIABLE MOTOR SPEED OPTIMISATION – POWERFUL, EFFICIENT, RELIABLE

Now with third generation VMSO<sup>3</sup> control logic, the CFX3 range takes performance and efficiency to the next level. Differential temperature activated compressor speed variation optimises cooling performance and energy efficiency, whilst ramped compressor speed soft-start/stop logic reduces compressor on/off cycle noise.

The compressor runs at turbo speed when needed, economy speed when possible, with moderate speeds in-between & smooth transitions between speeds. All of this means faster yet more efficient cooling in a wide range of conditions, and less wear and tear on the compressor.



**DOMETIC WAECO CFX 28**

Portable fridge/freezer, 43 cans

- Generous capacity of 28.2 l, to fit up to 43 cans and upright 2 l soft drink bottle
- Optional quick release fixing kit allows secure install with mobility
- Designed with the driver in mind, the Polypropylene lid can be opened from the short side, is detachable and the inside shelf is at the back so it's easy to reach in
- Ability to set temperatures between 10 °C to -18 °C (normal use) with the ability to run at -22 °C up to 50 °C below ambient temperature
- Energy efficient genuine compressor technology provides fast and efficient refrigeration and freezing, even in extremely high outside temperatures
- Rugged features and robust design – made to endure extreme environments
- Store fresh food and drinks effortlessly with removable wire basket with divider



**DOMETIC CFX3 35**

Portable fridge/freezer, 36 l

- Generous storage capacity of 36 l to fit 50 cans
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO3 compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Gasket technology provides a superior seal to retain cool air and minimise power consumption



**DOMETIC CFX3 45**

Portable fridge/freezer, 46 l

- Generous storage capacity of 46 l to fit 67 cans
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO3 compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Gasket technology provides a superior seal to retain cool air and minimise power consumption



**DOMETIC CFX3 55**

Portable fridge/freezer, 55 l

- Generous storage capacity of 55 l to fit 85 cans
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO3 compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Gasket technology provides a superior seal to retain cool air and minimise power consumption



### DOMETIC CFX3 55IM

Portable fridge/freezer with ice maker, 53 l

- Generous storage capacity of 53 l to fit 83 cans
- Rapid Freeze Plate and included silicon ice trays produces ice in a matter of hours
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VM3SO3 compressor cooling technology efficiently refrigerates and deep-freezes to  $-22^{\circ}\text{C}$
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history



### DOMETIC CFX3 75DZ

Portable fridge/freezer, 75 l

- Generous storage capacity of 75 l to fit 113 cans
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VM3SO3 compressor cooling technology efficiently refrigerates and deep-freezes to  $-22^{\circ}\text{C}$
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Dual storage compartments with independent temperature control for simultaneous cooling and freezing



### DOMETIC CFX3 95DZ


Portable fridge/freezer, 94 l

- Generous storage capacity of 94 l to fit 133 cans
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VM3SO3 compressor cooling technology efficiently refrigerates and deep-freezes to  $-22^{\circ}\text{C}$
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Dual storage compartments with independent temperature control for simultaneous cooling and freezing

**FOOD & BEVERAGE**  
**PORTABLE REFRIGERATION**


<b>SPECIFICATIONS</b>	<b>DOMETIC CFX 28</b> Portable fridge or freezer	<b>DOMETIC CFX3 35</b> Compressor fridge or freezer	<b>DOMETIC CFX3 45</b> Compressor fridge or freezer
<b>Storage capacity (l)</b>	28	36	46
<b>Can count (375ml)</b>	43	50	67
<b>Voltage</b>	12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC
<b>USB charging outlet</b>	5 V / 500 mA rating	5 V / 2 A rating	5 V / 2 A rating
<b>Power consumption (DC 12 V)</b>	Average current draw x running time. Average 0.75 Ah/h†	Average current draw x running time. Average 0.98 Ah/h (@12 V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)	Average current draw x running time. Average 1.03 Ah/h (@12 V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)
<b>Temperature range</b>	+10 °C to -22 °C (although capable of -22 °C, minimum setting of -18 °C recommended for normal usage)	+10 °C to -22 °C (Minimum setting of -18 °C recommended for normal usage)	+10 °C to -22 °C (Minimum setting of -18 °C recommended for normal usage)
<b>Insulation</b>	CFC-free PU foam, substantial thickness on lid, bottom & sides	CFC-free PU foam, generous thickness	CFC-free PU foam, generous thickness
<b>System</b>	Fully hermetic Waeco AMV13JZ compressor with integrated control electronics, low voltage protection adjustable for leisure and starter battery via electronic system, electronic fuse/automatic reverse pole protection, dynamically ventilated fin/tube condenser, aluminium rollbond evaporator	Domestic Waeco ACV20DC compressor with integrated VMISO <sup>3</sup> electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated condenser, aluminium rollbond evaporator	Domestic Waeco ACV20DC compressor with integrated VMISO <sup>3</sup> electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated condenser, aluminium rollbond evaporator
<b>Material</b>	Cabinet & lid: polypropylene, Handle ends: glass filled nylon, Handle rod: powder coated steel, Hinges: die cast stainless steel. All screws are stainless steel	Cabinet & lid: polypropylene, Handles: aluminium alloy, Hinges: aluminium alloy & stainless steel	Cabinet & lid: polypropylene, Handles: aluminium alloy, Hinges: aluminium alloy & stainless steel
<b>Colour</b>	Body: pale grey/light grey; lid: light grey	Body: dark grey; Lid: light grey	Body: dark grey; Lid: light grey
<b>Weight (kg)</b>	13.1	16.9	18.7
<b>Dimensions (W x H x D) mm</b>	342 x 425 x 620	398 x 407 x 694	398 x 476 x 694
<b>Quality features</b>	Detachable lid, interior light. CFX VMISO2 electronics with soft start and turbo cooler, USB port, dimmable display, 4 point M6 nutserts in base	Bluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMISO <sup>3</sup> electronics, USB port, TFT LCD display (dimnable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in base	Bluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMISO <sup>3</sup> electronics, USB port, TFT LCD display (dimnable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in base
<b>Scope of delivery</b>	DC and AC connection cables, removable wire basket, spring-loaded carrying handles	DC and AC connection cables, removable wire basket, spring-loaded carrying handles	DC and AC connection cables, 2 x removable wire baskets, spring-loaded carrying handles
<b>Ref No.</b>	9105306503	9600025299	9600025300

† 12 V, +5 °C interior, 32 °C ambient temperature





<b>DOMETIC CFX3 55</b> Compressor fridge or freezer	<b>DOMETIC CFX3 55IM</b> Compressor fridge or freezer, ice maker	<b>DOMETIC CFX3 75DZ</b> Compressor fridge and freezer	<b>DOMETIC CFX3 95DZ</b> Compressor fridge and freezer
55	53	75	94
85	83	113 (68/45)	133 (81/52)
12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC
5 V / 2 A rating	5 V / 2 A rating	5 V / 2 A rating	5 V / 2 A rating
Average current draw x running time. Average 1.10 Ah/h (@12 V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)	Average current draw x running time. Average 1.20 Ah/h (@12 V, 4°C set, 32°C ambient, ice maker on/maintenance, Bluetooth on, WiFi off)	Average current draw x running time. Average 3.04 Ah/h (@12 V, 4°C (large), -15°C (small), 32°C ambient, Bluetooth on, WiFi off)	Average current draw x running time. Average 3.57 Ah/h (@12 V, 4°C (large), -15°C (small), 32°C ambient, Bluetooth on, WiFi off)
+10 °C to -22 °C (Minimum setting of -18 °C recommended for normal usage)	+10 °C to -22 °C (Minimum setting of -18 °C recommended for normal usage)	+10 °C to -22 °C (Minimum setting of -18 °C recommended for normal usage)	+10 °C to -22 °C (Minimum setting of -18 °C recommended for normal usage)
CFC-free PU foam, generous thickness	CFC-free PU foam, generous thickness	CFC-free PU foam, generous thickness	CFC-free PU foam, generous thickness
Dometic Waeco ACV20DC compressor with integrated VMSO <sup>3</sup> electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated condenser, aluminium rollbond evaporator	Dometic Waeco ACV20DC compressor with integrated VMSO <sup>3</sup> electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated condenser, aluminium rollbond evaporator	Dometic Waeco ACV20DC compressor with integrated VMSO <sup>3</sup> electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated condenser, aluminium rollbond evaporator	Dometic Waeco ACV25DC compressor with integrated VMSO <sup>3</sup> electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated condenser, aluminium rollbond evaporator
Cabinet & lid: polypropylene, Handles: aluminium alloy, Hinges: aluminium alloy & stainless steel	Cabinet & lid: polypropylene, Handles: aluminium alloy, Hinges: aluminium alloy & stainless steel	Cabinet: steel & polypropylene, Lid: polypropylene, Handles: aluminium alloy, Hinges: aluminium alloy & stainless steel	Cabinet: steel & polypropylene, Lid: polypropylene, Handles: aluminium alloy, Hinges: aluminium alloy & stainless steel
Body: dark grey; Lid: light grey	Body: dark grey; Lid: light grey	Body: dark grey; Lid: light grey	Body: dark grey; Lid: light grey
20.4	21.3	27.8	29.8
720 x 480 x 455	720 x 480 x 455	892 x 472 x 495	962 x 472 x 530
Bluetooth & WiFi enabled, detachable/reversible lid, interior light, drain plug, CFX3 VMSO <sup>3</sup> electronics, USB port, TFT LCD display (dimnable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in base	Bluetooth & WiFi enabled, ice maker, detachable/reversible lid, interior light, drain plug, CFX3 VMSO <sup>3</sup> electronics, USB port, TFT LCD display (dimnable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in base	Bluetooth & WiFi enabled, dual zone refrigeration or freezing, detachable/reversible lids, interior lights, drain plugs, CFX3 VMSO <sup>3</sup> electronics, USB port, TFT LCD display (dimnable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in base	Bluetooth & WiFi enabled, dual zone refrigeration or freezing, detachable/reversible lids, interior lights, drain plugs, CFX3 VMSO <sup>3</sup> electronics, USB port, TFT LCD display (dimnable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in base
DC and AC connection cables, 2 x removable wire baskets, spring-loaded carrying handles	DC and AC connection cables, 2 x removable wire baskets, spring-loaded carrying handles, ice maker housing with lid, 2 x ice trays with lid	DC and AC connection cables, 3 x removable wire baskets, spring-loaded carrying handles	DC and AC connection cables, 3 x removable wire baskets, spring-loaded carrying handles
9600025301	9600025302	9600025303	9600025304



# ACCESSORIES

## CFX3 PROTECTIVE COVERS

Accessories for the compact portable fridge/freezer range



Whether it's downhill, off-road, in the outback or in the backyard, the CFX3 protective covers provide the ultimate peace of mind for CFX3 owners. Not only does the thermoformed EVA and 1200D nylon construction protect the CFX3 from dirt, dust and damage, it also looks great in the back of the 4WD thanks to its elegant charcoal design. The tight-fitting four-piece design assembles with concealed zips and the clip-on lid cover means that detaching the lid cover to open the lid is a thing of the past. CFX3 protective covers come with integrated storage pockets for carrying power cords and other valuables. Equip a CFX3 portable fridge/freezer with a protective cover for the ultimate confidence to travel further and experience more.

### DOMETIC CFX3 PC35

Protective cover for CFX3 35

- Suitable for use with CFX3 35 portable fridge/freezer
- Made from tough 1200D nylon and thermoformed EVA
- Protects against dirt, dust, sand, moisture and water splashes
- Integrated storage pockets with zipper at the front and sides of the cover
- Four-piece design fits securely against the CFX3

Ref No. 9600026468



### DOMETIC CFX3 PC45

Protective cover for CFX3 45

- Suitable for use with CFX3 45 portable fridge/freezer
- Made from tough 1200D nylon and thermoformed EVA
- Protects against dirt, dust, sand, moisture and water splashes
- Integrated storage pockets with zipper at the front and sides of the cover
- Four-piece design fits securely against the CFX3

Ref No. 9600026469

### DOMETIC CFX3 PC55

Protective cover for CFX3 55 & 55IM

- Suitable for use with CFX3 55 & 55IM portable fridge/freezer
- Made from tough 1200D nylon and thermoformed EVA
- Protects against dirt, dust, sand, moisture and water splashes
- Integrated storage pockets with zipper at the front and sides of the cover
- Four-piece design fits securely against the CFX3

Ref No. 9600026470

### DOMETIC CFX3 PC75

Protective cover for CFX3 75

- Suitable for use with CFX3 75 portable fridge/freezer
- Made from tough 1200D nylon and thermoformed EVA
- Protects against dirt, dust, sand, moisture and water splashes
- Integrated storage pockets with zipper at the front and sides of the cover
- Four-piece design fits securely against the CFX3

Ref No. 9600026471

### DOMETIC CFX3 PC95

Protective cover for CFX3 95

- Suitable for use with CFX3 95 portable fridge/freezer
- Made from tough 1200D nylon and thermoformed EVA
- Protects against dirt, dust, sand, moisture and water splashes
- Integrated storage pockets with zipper at the front and sides of the cover
- Four-piece design fits securely against the CFX3

Ref No. 9600026472



#### EASY ACCESS

Contoured cutout for easy access to CFX3 user interface



#### HEAVY-DUTY CONSTRUCTION

Resilient thermoformed EVA panels protect the CFX3 from scuffing



#### A PERFECT FIT

The four-piece design fits securely against the CFX3



#### ADDED STORAGE

Integrated storage pockets for carrying cords and other accessories



#### VENT CLEARANCE

Avoids overheating and ensures reliable performance



#### PREMIUM FINISH

Durable fabric in a modern charcoal color



# CF/CFF SERIES

THE COMPACT SERIES THAT CAN GO ANYWHERE

## CF SERIES

The compact CF series that can go anywhere

With a handy shoulder strap (CF 11 only) and carry handles, the CF Series is a range of compact fridge/freezers that you can take anywhere. Super-slim and easy to fit in the smallest of spaces, the CF fridge/freezers can deep-freeze food and drinks with minimal power consumption. Offering greater convenience the CF Series is even lighter than its predecessor thanks to its new compact compressor.

## CFF SERIES

A great companion for embarking on life's greatest adventures

This series is designed to keep adventurers off the grid for longer, integrating impressive cooling or freezing with efficient interior storage. Whether it's storing for short stays, long trip dinners, or wine and soft drink bottles, the CFF series makes the most of its optimized capacity and allows everyone to enjoy everything cool that Dometic has to offer.



# CFF 45 COMPRESSOR FRIDGE OR FREEZER

DOUBLE-SIDED  
OPENING LID



The mid-sized Dometic CFF 45 boasts a digital electronic control system and can keep its interior as low as  $-18^{\circ}\text{C}$ . Families will enjoy the convenience of being able to choose between a fridge or a freezer, allowing them to pack for short stays or long trip dinners. Its new and improved handles provide comfort like never seen before. The 45 l capacity can hold wine and soft drink bottles upright, meaning the CFF 45 is a great companion for any adventure.

The integrated compartment allows for a more effective use of storage space, whilst the generous insulation optimises cooling performance and energy efficiency. The innovative double-sided opening lid is a first for Dometic portable refrigeration, providing consumers with a portable fridge or freezer that is user-friendly, robust and easy on the eye.



### DOMETIC COOLFREEZE CF 11

Portable fridge/freezer, 13 cans

- Extremely compact, super-slim design
- Refrigeration and deep-freezing
- With shoulder strap for easy transport
- Compact compressor, therefore light in weight
- 12 or 24 V DC, 100-240 V AC
- Storage volume 10.5 l
- Refrigeration from +10 °C to -18 °C



### DOMETIC WAECO CF-18

Portable fridge/freezer, 27 cans

- Extremely compact design
- Refrigeration and deep-freezing
- Compact compressor, therefore light in weight
- 12 or 24 V DC
- Storage volume 18 l
- Refrigeration from +10 °C to -18 °C






### DOMETIC CFF 45

Portable fridge/freezer, 62 cans

- 45 l of storage volume for convenient cooling
- Single compartment allows either refrigeration or freezing
- Energy efficient design provides fast and excellent cooling and freezing, even in extremely high outside temperatures
- Can be set between 10°C and -18°C, with the ability to run at -18°C up to 50°C below ambient temperature
- Optimised footprint allows it to be used with the CFX-SLD35/40 fridge slide
- Double sided opening lid
- Compact design ensures excellent portability

<b>Gross volume</b>	11 l	18 l	44 l
<b>Voltage</b>	12/24 V DC, 100 - 240 V AC	12/24 V DC	12/24 V DC, 100 - 240 V AC
<b>Power input (AC 230 V)</b>	30 W	N/A	56 W
<b>Power consumption (DC 12 V)</b>	Average current draw x running time. Average 0.45 Ah/h†	Average current draw x running time. Average 0.50 Ah/h†	Average current draw x running time. Average 0.88 Ah/h†
<b>Temperature range</b>	+10 °C to -18 °C, continuously variable via electronic thermostat with digital temperature readout	+10 °C to -18 °C, continuously variable via rotary knob control	+10 °C to -18 °C, continuously variable via electronic thermostat with digital temperature readout
<b>Insulation</b>	CFC-free PU foam	CFC-free PU foam	CFC-free PU foam
<b>System</b>	Compressor with integrated control electronics, low voltage protection (can be adjusted), electronic fuse/automatic reverse pole protection	Compressor with low-voltage protection adjustable for leisure or starter battery by means of a slide switch, electronic fuse/automatic reverse pole protection, dynamically ventilated wire tube condenser, aluminium rollbond evaporator	Secop compressor with integrated control electronics, low voltage protection adjustable for leisure and starter battery via electronic system, electronic fuse/automatic reverse pole protection, dynamically ventilated wire tube condenser, aluminium rollbond evaporator
<b>Material</b>	Housing and lid polypropylene	Cabinet: polypropylene, Lid: polyethylene	Cabinet & lid: polypropylene, Handle ends: glass filled nylon, Handle rod: powder coated steel, Hinges: acetyl. All screws are stainless steel.
<b>Colour</b>	Body: Dark grey sides, Lid: light grey	Pale grey/dark grey	Body: Dark grey sides with light grey top highlight, Lid: light grey
<b>Weight</b>	8.5 kg	12 kg	18.6 kg
<b>Dimensions (W x H x D) mm</b>	235 x 358 x 540	465 x 414 x 300	590* x 475 x 398 (*715 inc. handles)
<b>Quality features</b>	Extremely compact design, electronic thermostat with digital temperature display, 3-stage battery monitor, LED interior light, adjustable shoulder strap, two drink holders, easy and secure fastening with the vehicle safety belt	Detachable fold-up lid, sturdy carrying handle, vertical space for standing 2 litre bottles	Double-sided opening lid, interior light, dimmable display, 4 point M6 nutserts in base, vertical space for standing wine or soft drink bottles
<b>Scope of delivery</b>	DC and AC connection cable, carry strap	DC connection cable, folding shelf	DC and AC connection cables, removable wire basket, detachable carrying handles
<b>Ref No.</b>	9600010779	9105303084	9600026650




+12 V, +5 °C interior, 32 °C ambient temperature

NEW

# TROPICOOOL

TROPICOOOL HIGH-TECH FOOD COOLER AND WARMER



## DOMETIC COOLPRO TCX 14

Portable thermoelectric cooler, 14 l

- Convenient 12 or 24 V DC and 230 V AC cooler
- Cooling down to 1 °C (max. 27°C below ambient temperature), heats up to +65 °C
- Seven-level temperature regulation
- Priority circuit for mains operation

Dimensions (W x H x D) mm: 303 x 328 x 450

Weight (kg): 5.8

Ref No. 9600014289



## DOMETIC COOLPRO TCX 21

Portable thermoelectric cooler, 21 l

- Convenient 12 or 24 V DC and 230 V AC cooler
- Cooling down to 1 °C (max. 27 °C below ambient temperature), heats up to +65 °C
- Seven-level temperature regulation
- Priority circuit for mains operation

Dimensions (W x H x D) mm: 303 x 420 x 450

Weight (kg): 7.30

Ref No. 9600014290



# BORDBAR

THE COOL PERFORMER FOR LIFE'S BIG ADVENTURE



## DOMETIC WAECO BORDBAR TB 08

Thermoelectric car cooler, 8 l

- Cooling up to 20 °C below ambient temperature
- Heating up to +65 °C
- Convenient in and out of the car, with shoulder strap included
- Easy to fasten with the seat belt on front passenger seat or centre of rear seat
- 8 l capacity, fits 375 ml cans and 0.5 l bottles
- 12 V DC

Dimensions (W x H x D) mm: 200 x 298 x 442

Weight (kg): 3.1

Ref No. 9105302017



## DOMETIC WAECO BORDBAR TB 15

Thermoelectric car cooler, 15 l

- Cooling up to 20 °C below ambient temperature
- Heating up to +65 °C
- Surprisingly spacious and convenient in the car
- Easy to fasten with the seat belt on front passenger seat or centre of rear seat
- 15 l capacity, fits 2 l bottles
- 12 V DC

Dimensions (W x H x D) mm: 282 x 328 x 462

Weight (kg): 5.6

Ref No. 9105302025

# ACCESSORIES



## DOMETIC CFX-28 FIXING KIT

Fixing kit

- Suitable for the CFX-28 only

Ref No. 9105306218



## DOMETIC CFX FIXING KIT

Fixing kit

- Suits all CFX portable fridge and freezers

Ref No. 9108300002



## DOMETIC CFX-SLD3545

Fridge slide

- Suitable for use with CFX3 35, CFX3 45 and CFX35W/40W, CFF45, CF40/50
- Maximum load capacity of 100 kg

Dimensions (W x H x D) mm: 418 x 85 x 735

Extended: 1418 mm (inc. lever)

Weight (kg): 14.2

Ref No. 9610000651



## DOMETIC CFX-SLD55

Fridge slide

- Suitable for use with CFX3 55, CFX3 55IM and legacy CFX models of comparable size
- Maximum load capacity of 100 kg

Dimensions (W x H x D) mm: 539 x 85 x 759

Extended: 1496 mm (inc. lever)

Weight (kg): 15.7

Ref No. 9610000652



## DOMETIC CFX-SLD75

Fridge slide

- Up to 100 kg max load capacity
- Secure fridge/freezer to slide with tie-down straps or screws from underneath

Dimensions (W x H x D) mm: 580 x 79 x 940

Extended: D 1710 mm (inc. lever)

Weight (kg): 20.5

Ref No. 9105306633



## DOMETIC CFX-SLD95/100

Fridge slide

- Up to 115 kg max load capacity
- Secure fridge/freezer to slide with tie-down straps or screws from underneath

Dimensions (W x H x D) mm: 613 x 79 x 1011

Extended: 1850 mm (inc. lever)

Weight (kg): 22

Ref No. 9105306558



## DOMETIC CFX CORNER CAP/BRACKETS 75

Corner caps for CFX 75DZW

- Made from strong acetal material
- Installation tool and screws included

Dimensions (W x H x D) mm: 90 x 90 x 48

Ref No. 9600013945



## DOMETIC CFX CORNER CAP/BRACKETS 95

Corner caps for CFX 95DZW & CFX 100W

- Made from strong acetal material
- Installation tool and screws included

Dimensions (W x H x D) mm: 90 x 90 x 48

Ref No. 9600013946



# OTHER PRODUCTS



## DOMETIC CFF-IC45

Protective cover

- Suits CFF 45 only

Ref No. 9600012920




## DOMETIC COOLFREEZE CB-CF18

Protective cover

- Suits CF-18 only

Ref No. 9109002219



## DOMETIC COOLFREEZE AC-UFK

Fixing kit

- Vehicle fixing kit for CF-25 - CF-60

Ref No. 9105303708



## DOMETIC RAPS72 KIT

Battery cradle

- Cradle for two RAPS battery packs

Ref No. 9105303701



## DOMETIC TROPICOOOL AC-UFK-T

Fixing kit

- Vehicle fixing kit for TCX14/21 and TC 14/21

Ref No. 9105303709



## DOMETIC HWK

Hardwiring kit

Weight (kg): 1.19 kg

Dimensions (W x H x D) mm: 115 x 55 x 89

Ref No. 9600024832



## DOMETIC COOLFREEZE FRIDGE STAND

Fridge Stand

- Up to 80 kg load

Dimensions (W x D) mm: 450 x 330

Weight (kg): 1.98

Ref No. 9108400101



**FOOD & BEVERAGE**  
**ICEBOXES**

**COOL ICE**

Ice boxes in heavy duty design

Dometic iceboxes feature an extremely effective insulation system. Once filled with ice, they can keep groceries, drinks, fish, and bait fresh for several days. The new facelift models of the popular

Cool Ice series are even cooler. Practical accessories like seat cushions, fishing rod holders and bottle openers make them indispensable companions for beach-goers, fishermen, and other adventurers. The modular storage system, consisting of wire baskets and dividers, help to organise food and drink neatly.



**EASY LOCK AND SEAL**

Lock and seal cold air inside for longer lasting ice



**EASY TO CARRY**

Strong carry strap makes transportation easy (WCI models only)



**STRONG DROPDOWN HANDLES**

Strong, ergonomic handles for easy transport




**ROBUST DESIGN**

Strong, seamless, food grade polyethylene construction



**TIE-DOWN POINTS**

Integrated tie-down points below handles



**KEEP ICE FOR UP TO 10 DAYS\***

The labyrinth seal prevents any heat from making its way into the interior

\* Ice will last from 3 to 10 days depending on usage and conditions



### DOMETIC COOL ICE WCI 13

Capacity of 13 l  
Dimensions (W x H x D) mm: 388 x 305 x 245  
Weight (kg) 2.8

Ref No. 9108400056



### DOMETIC COOL ICE WCI 22

Capacity of 22 l  
Dimensions (W x H x D) mm: 388 x 313 x 360  
Weight (kg) 4.2

Ref No. 9108400060



### DOMETIC COOL ICE WCI 33

Capacity of 33 l  
Dimensions (W x H x D) mm: 420 x 440 x 360  
Weight (kg) 6.1

Ref No. 9108400063



### DOMETIC COOL ICE CI 42

Capacity of 43 l  
Dimensions (W x H x D) mm: 640 x 355 x 418  
Weight (kg): 8.7

Ref No. 9600000541



### DOMETIC COOL ICE CI 55

Capacity of 56 l  
Dimensions (W x H x D) mm: 570 x 432 x 515  
Weight (kg): 10.6

Ref No. 9600000542



### DOMETIC COOL ICE CI 70

Capacity of 71 l  
Dimensions (W x H x D) mm: 690 x 432 x 515  
Weight (kg): 11.8

Ref No. 9600000543



### DOMETIC COOL ICE CI 85

Capacity of 87 l  
Dimensions (W x H x D) mm: 840 x 432 x 525  
Weight (kg): 14

Ref No. 9600000544



### DOMETIC COOL ICE CI 85W

Capacity of 86 l  
Dimensions (W x H x D) mm: 840 x 432 x 525  
Weight (kg): 14.6

Ref No. 9600000545



### DOMETIC COOL ICE CI 110

Capacity of 111 l  
Dimensions (W x H x D) mm: 1055 x 442 x 535  
Weight (kg): 18.1

Ref No. 9600000546



**NEW**

### DOMETIC COOL ICE CI 92L

Storage capacity of 92 l  
Dimensions (W x H x D) mm: 1055 x 427 x 441  
Weight (kg) 15.3

Ref. No 9600025763

\*Refer to 68 for full range of CI icebox accessories



The Dometic Cool Ice iceboxes, was a winner of the iF Design Award, a world-renowned design prize. 63 independent experts from all over the world were impressed by the Cool Ice iceboxes ability to keep ice frozen for up to ten days and range of optional accessories\*. For 65 years, the iF Design Award has been recognised as an arbiter of quality for exceptional design.

# CI ICEBOX ACCESSORIES

Accessories for Dometic's new portable icebox range



Enhance the capabilities of your Dometic CI Icebox and improve your comfort while traveling. We have accessories that optimise storage through better organisation, hold drinks or your fishing rod, and you can even turn your icebox into a comfortable seat! Customise your icebox with accessories to suit your own needs.



## DOMETIC CI-SC42 - CI-SC110

Seat cushion

This lightweight and comfortable seat cushion is suitable for use with CI 42 - CI 110 iceboxes

Product	Ref No.
CI-SC42	9108400892
CI-SC55	9108400893
CI-SC70	9108400894
CI-SC85/85W	9108400895
CI-SC110	9108400896



### DOMETIC CI-DIVS

Small divider for CI 42

- Manages storage in Dometic iceboxes
- Made from durable low-density polyethylene material
- Available in grey colour
- Easy to install and remove as required

Ref No. 9108400897



### DOMETIC CI-DIVL

Large divider for CI 55 - CI 110

- Manages storage in Dometic iceboxes
- Made from durable low-density polyethylene material
- Available in grey colour
- Easy to install and remove as required

Ref No. 9108400898



### DOMETIC CI-BSKS

Small basket for CI 42

- Manages storage in Dometic iceboxes
- Made from durable powder coated steel
- Available in grey colour
- Easy to install and remove as required

Ref No. 9108400899



### DOMETIC CI-BSKL

Large basket for CI 55 - CI 110

- Manages storage in Dometic iceboxes
- Made from durable powder coated steel
- Available in grey colour
- Easy to install and remove as required

Ref No. 9108400900



### DOMETIC CI-DR-HBRK

Bracket and drink holder for CI iceboxes

- Suitable for use with CI iceboxes
- Holds a range of new accessories
- Easy to install and remove as required
- Made from durable PBT material

Ref No. 9108400901



### DOMETIC CI-RDH

Rod holder for CI iceboxes

- Suitable for use with CI iceboxes
- Easy to install and remove as required
- Made from durable PBT material

Ref No. 9108400903



### DOMETIC CI-DRH

Drink holder for CI iceboxes

- Suitable for use with CI iceboxes
- Easy to install and remove as required
- Made from durable PBT material

Ref No. 9108400902



### DOMETIC CI-BOP

Bottle opener for CI iceboxes

- Suitable for use with CI iceboxes
- Easy to install and remove as required
- Made from durable stainless steel

Ref No. 9108400904



### DOMETIC CI-FK

Fixing kit for CI iceboxes

- Suitable for use with CI iceboxes
- Heavy duty straps
- Low profile tie-down anchor points

Ref No. 9108400905

## DOMETIC WAECO SPARE PARTS



**12 V CABLE**  
Suits CF 25/35/40/50/  
50DZ /60  
# 80-T2-2000AG  
Ref No. 9108400557



**12 V CABLE**  
CF 18 only  
# 80-T2-2000AI  
Ref No. 9108400558



**12 V CABLE**  
Suits CF 80/80DZ/110  
# 80-T2-1500AG1  
Ref No. 9108400559



**12 V CABLE**  
For thermoelectric models  
# 80-T1-2800AA  
Ref No. 9108400568



**12 V CABLE**  
Suits CFX28, CFX3  
35/45/55/55IM/75DZ,  
CFX35W-75DZW  
Ref No. 4450016808



**12 V CABLE**  
Suits CFX  
95DZ2/95DZW  
Ref No. 4450016805



**12 V CABLE**  
Suits CFX3 95DZ  
Ref No. 4450021339



**CHARGE CABLE**  
Suits RAPS 36/44  
# 80-T2-1500JL  
Ref No. 9108400562



**240 V CABLE**  
Suits CFX & CF range  
# 38-AU-2000B4  
Ref No. 9108400560



**240 V CABLE**  
For thermoelectric models  
#38-AU-2000B1  
Ref No. 9108400569



**HINGE ASSEMBLY**  
Suits CF 80/80DZ/110  
# 028-HINGEASA  
Ref No. 9108400561



**LATCH ASSEMBLY**  
Suits CF  
80/80DZ/110  
# 028LOCKASA  
Ref No. 9108400563



**LID LANYARD**  
Suits CF  
50/50DZ/60  
# 005NYLONASA  
Ref No. 9108400564



**LID LANYARD**  
Suits CF  
80/80DZ/110  
# 028NYLONASA  
Ref No. 9108400565



**LATCH BUNGEE**  
WCI Icebox, pair  
# WCI-2001  
Ref No. 9108400465



**LATCH FRONT**  
WCI Icebox, pair  
# WCI-2002  
Ref No. 9108400466



**BUNG**  
Suits WCI & CI icebox  
range  
#CI-007  
Ref No. 9600008929



**LATCH**  
Suits CI icebox range,  
pair #CI-001  
Ref No. 9600016477

# REFRIGER





**GENERATORS**



# STAY COOL



## RV REFRIGERATORS

Are you in the market for a new refrigerator? Choose from the most comprehensive range currently available. If you'd like the option to use gas for cooling, take a look at our noiseless absorption appliances. They are ultra-convenient, even when powered with electricity. Our compressor refrigerators provide high-performance cooling regardless of ambient temperatures. They run on battery power and are tailor-made for operation using a solar power system.



## TRUCK REFRIGERATORS

What is your way of having a break? Are you the "just-grab-a-snack-while-driving" type? Or do you feel like something more substantial now and then? Is food storage for longer journeys an issue for you? Or are you in the market for a matching refrigerator to fill an unused corner of your truck cab? Whatever it is, Dometic has the right refrigerator to suit your break habits, your vehicle and your budget.



## BOAT REFRIGERATORS

Are you looking for a new refrigerator? A space-saving fitted model with ample capacity for a longer cruise? We have put together a collection of cooling solutions that satisfy every need – compact and mid-sized drawer fridges, top loaders using the depth of the cupboard space and free-standing premium refrigerators well equipped like your refrigerator at home.



# A NEW BENCHMARK IN RV REFRIGERATION

## RUA SERIES



### DOMETIC RUA 5208X

Absorption refrigerator, 188 l

- Narrow cabinet design with slim footprint
- Dimensions (W x H x D) mm: 550 x 1191 x 677
- Reversible door suits any layout
- Freezer compartment with internal door
- Easy-to-use control panel with colour TFT display
- T-rated cooling system ensures excellent cooling performance in all conditions
- Adjustable shelves and door bins

Gross volume: 188 l

Fridge storage volume: 134 l

Freezer storage volume: 46 l

Weight (kg): 60

Ref No. 9600008777

### DOMETIC RUA 6408X

Absorption refrigerator, 188 l

- 2 door fridge & freezer
- Generous storage capacity of 180 l
- Dimensions (W x H x D) mm: 550 x 1447 x 677
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions
- Automatic switching from DC to AC power when AC mains is available
- Easy-to-use control panel with colour TFT display
- Adjustable shelves and wire doors

Gross volume: 188 l

Fridge storage volume: 134 l

Freezer storage volume: 46 l

Weight (kg): 60 kg

Ref No. 9600008777

### DOMETIC RUA 8408X

Absorption refrigerator, 224 l

- 2 door fridge & freezer
- Generous storage capacity of 216 l
- Dimensions (W x H x D) mm: 550 x 1657 x 677
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions
- Automatic switching from DC to AC power when AC mains is available
- Easy-to-use control panel with colour TFT display
- Adjustable shelves and door bins

Gross volume: 224 l

Fridge storage volume: 170 l

Freezer storage volume: 46 l

Weight (kg): 64 kg

Ref No. 9600003697

## RUC SERIES



### DOMETIC RUC 6408X

Compressor refrigerator, 188 l

- 2 door fridge & freezer
- Generous storage capacity of 180 l
- Dimensions: 550 x 1447 x 677 mm
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions
- Automatic switching from DC to AC power when AC mains is available
- Easy-to-use control panel with colour TFT display
- Adjustable shelves and wire doors

Gross volume: 188 l

Fridge storage volume: 134 l

Freezer storage volume: 46 l

Weight (kg): 43

Ref No. 9600008779

### DOMETIC RUC 6408X

Compressor refrigerator, 188 l

- 2 door fridge & freezer
- Generous storage capacity of 180 l
- Dimensions: 550 x 1447 x 677 mm
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions
- Automatic switching from DC to AC power when AC mains is available
- Easy-to-use control panel with colour TFT display
- Adjustable shelves and wire doors

Gross volume: 188 l

Fridge storage volume: 134 l

Freezer storage volume: 46 l

Weight (kg): 43

Ref No. 9600008779

### DOMETIC RUC 8408X

Upright compressor refrigerator, 224 l

- 2 door fridge & freezer
- Generous storage capacity of 216 l
- Dimensions: 550 x 1657 x 677 mm
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions
- Automatic switching from DC to AC power when AC mains is available
- Easy-to-use control panel with colour TFT display
- Adjustable shelves and door bins

Gross volume: 224 l

Fridge storage volume: 170 l

Freezer storage volume: 46 l

Weight (kg): 46

Ref No. 9600003698



## RM SERIES

Cool food and drink on the go for any mobile space

For keeping food and drink cool and fresh while on the road, the Americana refrigerators are reliable, efficient and stylish. The internal layout is well designed to maximize capacity. Available in a range of sizes and a choice of single or double doors, the Americana is designed to suit a wide range of needs – all at an affordable price.



### ABSORPTION REFRIGERATION FOR 12 V, 240 V AND GAS

- Famous 3-way silent operation LP Gas, 12 V and 240 V
- Performance enhanced cooling units - designed and manufactured for harsh Australian conditions
- AES and UES models (RM 2356, RM 2555 and RM 4606) allow the user to simply turn the refrigerator on and the refrigerator will select the best available energy source; 240 V being its first option then sourcing 12 V (senses when your engine is running) and gas thereafter
- Doors can be hinged from right to left opening
- RM 8501 and RMDX21 are also available in left or right opening options at time of ordering
- Friendly to the environment - CFC free
- Door panels are replaceable to suit any décor (except RMDX21)
- Automatic flame failure safety device shuts off the gas supply if the flame is extinguished
- Flame indicator for gas operation (manual models only)
- Lockable doors for travelling
- Magnetic door seals
- Full 3-year warranty

### CHOOSE FROM 4 OPTIONS:

1. Manual control
2. MES: Manual Energy Selection with Automatic Gas Ignition
3. AES: Automatic Energy Selection (fully automatic)
4. UES: Universal Energy Selection (switchable between MES & AES)





### DOMETIC RM 2350

Absorption refrigerator, 90 l

- Gross capacity of 90 l
- Dimensions: 556 x 577 x 766 mm
- Cut-out dimensions: 521 x 520 x 756 mm
- T-rated cooling unit ensures excellent performance in all conditions
- Manual Energy Selection (MES)
- Powerful absorption refrigeration technology
- No moving parts results in completely silent operation

Weight (kg): 29 kg  
Ref No. 9105304001



### DOMETIC RM 2356

Absorption refrigerator, 95 l

- Patented UES (Universal Energy Selection) control system that is switchable between manual (MES) and automatic energy select (AES)
- Same cut out size as most 0.85 cubic metre models but 10% bigger inside
- User friendly control panel featuring LED indicator lights
- Generous door and wall insulation for greater performance
- Includes hinge kit to easily change the door's opening direction
- Easy access to inter

Weight (kg): 28 kg  
Ref No. 9105305687



### DOMETIC RM 4606

Absorption refrigerator, 186 l

- Generous capacity of 186 l
- Dimensions: 632 x 1385 x 661 mm
- Cut-out dimensions: 607 x 1365 x 620 mm
- T-rated cooling unit ensures excellent performance in all conditions
- Powerful absorption refrigeration technology
- No moving parts results in completely silent operation

Weight (kg): 56.5 kg  
Ref No. 9105306251

## COOLMATIC RPD SERIES

For keeping food and drink cool and fresh while on the road, the Americana refrigerators are reliable, efficient and stylish. The internal layout is well designed to maximize capacity. Available in a range of sizes and a choice of single or double doors, the Americana is designed to suit a wide range of needs – all at an affordable price.



### DOMETIC COOLMATIC RPD 190

Compressor refrigerator, 190 l

- Generous capacity of 190 l
- Dimensions: 633 x 580 x 1451 mm
- Cut-out required: 620 x 1412 mm
- T-rated climate class
- CFC-free polyurethane foam provides excellent insulation
- Electronic control with turbo and economy modes
- Comes standard with flush mount frame

Fridge storage volume: 143.5 l  
Freezer storage volume: 44 l  
Weight (kg): 46 kg  
Ref No. 9105306093



### DOMETIC COOLMATIC RPD 218

Compressor refrigerator, 218 l

- Generous capacity of 218 l
- Dimensions: 633 x 580 x 1607 mm
- Cut-out required: 620 x 1570 mm
- T-rated climate class
- CFC-free polyurethane foam provides excellent insulation
- Electronic control with turbo and economy modes
- Comes standard with flush mount frame

Fridge storage volume: 171.5 l  
Freezer storage volume: 44 l  
Weight (kg): 48 kg  
Ref No. 9105306095

# COOLMATIC CRX THE 3-IN-1 COOLING SOLUTIONS



The CRX Series of refrigerator is a veritable chameleon. It's a fridge, it's a fridge-freezer and it's a freezer. This patented invention is down to the removable freezer compartment and smart electronics that regulate the compressor speed, simultaneously saving energy. The freezer compartment can simply be pulled out to make a larger fridge or short-term freezer and the desired temperature manually set. (CRX 110 and 140 does not include removable freezer compartment).



## COOLER THAN EVER

The compressor refrigerators in the Coolmatic CRX series are ingenious quick change artists. Their trick is no secret, but a patented Dometic invention. The freezer compartment can simply be pulled out to make room for a larger fridge or short-term freezer. The desired temperature is set on the soft touch control panel which is mounted flush in the inner wall and elegantly integrates the LED light. There's smart electronics behind it: the system regulates the compressor speed therefore achieving energy savings of up to 25%. Small or medium-sized motorhome or boat, single person or big family – nobody has to go without a Dometic Coolmatic refrigerator.

- Variable Motor Speed Optimisation ensures excellent energy efficiency
- CFC-free polyurethane foam provides excellent insulation
- Fully hermetic compressor with integrated control electronics
- Ambient temperature controlled fan speed to reduce noise



### TWO-IN-ONE

The fridge's control panel also has an integrated light.



### ORGANISED STORAGE

The fridge interior is well organised with shelves.



### SEPARATE STORAGE

The separate compartment is ideal for storing fresh fruit and vegetables.

## DOMETIC COOLMATIC CRX 50

Compressor refrigerator, 47 l

Gross volume: 47 l  
Fridge storage volume: 41.2 l  
Freezer storage volume: 4.4 l  
Dimensions (W x H x D) mm: 380 x 534 x 500  
Weight (kg): 17 kg  
Ref No. 9105306157

## DOMETIC COOLMATIC CRX 65

Compressor refrigerator, 60 l

Gross volume: 60 l  
Fridge storage volume: 50.0 l  
Freezer storage volume: 7.0 l  
Dimensions (W x H x D) mm: 448 x 525 x 545  
Weight (kg): 19 kg  
Ref No. 9105306175

## DOMETIC COOLMATIC CRX 80

Compressor refrigerator, 81 l

Gross volume: 81 l  
Fridge storage volume: 70.6 l  
Freezer storage volume: 7.5 l  
Dimensions (W x H x D) mm: 475 x 640 x 528  
Weight (kg): 21 kg  
Ref No. 9105306176

## DOMETIC COOLMATIC CRX 110

Compressor refrigerator, 109 l

Gross volume: 109 l  
Fridge storage volume: 98.0 l  
Freezer storage volume: 9.5 l  
Dimensions (W x H x D) mm: 520 x 745 x 558  
Weight (kg): 27.6 kg  
Ref No. 9105306265

## DOMETIC COOLMATIC CRX 140

Compressor refrigerator, 136 l

Gross volume: 136 l  
Fridge storage volume: 124.0 l  
Freezer storage volume: 11.0 l  
Dimensions (W x H x D) mm: 525 x 812 x 620  
Weight (kg): 30.6 kg  
Ref No. 9105306266

# CD SERIES

THE CD SERIES OF REFRIGERATION TURNS A SMALL UNUSED SPACE INTO A VERY USABLE DRAWER FRIDGE



## DOMETIC COOLMATIC CD 20

Drawer fridge, 20 l

- Convenient access with easy-pull drawer running on roller bearing slides
- The cooling unit can be installed remotely giving you flexibility of position
- The door is both elegant and robust

Gross volume: 20 l

Dimensions (W x H x D) mm: 440 x 250 x 564

Weight (kg): 16.1 kg

Ref No. 9600008369



## DOMETIC COOLMATIC CD 30

Drawer fridge, 30 l

- Convenient access with easy-pull drawer running on roller bearing slides
- The cooling unit can be installed remotely giving you flexibility of position
- The door is both elegant and robust

Gross volume: 30 l

Dimensions (W x H x D) mm: 440 x 250 x 730

Weight (kg): 18 kg

Ref No. 9105330083



**DOMETIC MYFRIDGE MF V5M**

Thermoelectric mini fridge, 5 l

Elegant 5 l thermoelectric mini fridge. Perfect coffee-maker accessory for use in cafes, in the office or at home.

- Compact and lightweight modern design for easy transportation
- Small personal refrigerator for versatile use in kitchen, bar, terrace or garden
- Cooling capacity up to 30 °C below ambient temperature and heating to 65 °C (set point thermostat)

Dimensions (W x H x D) mm: 190 x 313 x 305

Weight (kg): 3.7 kg

Ref No. 9600003728



**DOMETIC MYFRIDGE MF15**

Thermoelectric mini fridge, 14 l

Ultra-modern 14 l thermoelectric personal mini fridge to keep food and drink cool or hot. It has a lightweight and compact design and blends in perfectly with any office or home decor.

- Compact and lightweight modern design for easy transportation
- Small personal refrigerator for versatile use in kitchen, bar, terrace or garden
- Cooling capacity up to 18 °C below ambient temperature and heating to 65 °C (set point thermostat)

Dimensions (W x H x D) mm: 285 x 435 x 355

Weight (kg): 5.9 kg

Ref No. 9600003729



# REFRIGERATOR ACCESSORIES

**EFM FLUSH**

Dometic CoolMatic flush mount installation frame.

A flush mount installation frame for various models of Dometic Coolmatic fridge: CR and CRX.



**DOMETIC COOLMATIC CR-IFFM-50-N**

Flush mount installation frame for CRX 50

Ref No. 9105306410

**DOMETIC COOLMATIC CR-IFFM-65-N**

Flush mount installation frame or CRX 65

Ref No. 9105306411

**DOMETIC COOLMATIC CR-IFFM-80-N**

Flush mount installation frame for CRX 80

Ref No. 9105306412

**DOMETIC COOLMATIC CR-IFFM-110-N**

Flush mount installation frame for CRX 110

Ref No. 9105306413

**DOMETIC COOLMATIC CR-IFFM-140-N**

Flush mount installation frame for CRX 140

Ref No. 9105306414

**EST STANDARD**

Dometic CoolMatic standard installation frame

A standard installation frame for various models of Dometic Coolmatic fridge: CR and CRX.



**DOMETIC COOLMATIC CR-IFST-50-N**

Standard installation frame for CRX 50

Ref No. 9105306405

**DOMETIC COOLMATIC CR-IFST-65-N**

Standard installation frame for CRX 65

Ref No. 9105306406

**DOMETIC COOLMATIC CR-IFST-80-N**

Standard installation frame for CRX 80

Ref No. 9105306407

**DOMETIC COOLMATIC CR-IFST-110-N**

Standard installation frame for CRX 110

Ref No. 9105306408

**DOMETIC COOLMATIC CR-IFST-140-N**

Standard installation frame for CRX 140

Ref No. 9105306409

## LS SERIES

### Ventilation grills

Ventilation grill for single and double-door models: Attached to the outside of the vehicle. Specially designed ventilation system for mounting on the outside wall of the vehicle. Built to prevent energy wasting heat accumulation behind the fridge. In addition, they allow easy access for service and maintenance without removing the fridge. The lower ventilation grill leads cold air behind

the refrigerator while the upper grill allows hot air to escape. Consists of a mounting frame, exhaust stake, grill with fly screen and winter protection. LS 300 vents are designed for models with two doors, which can be used for both top and bottom.



### DOMETIC VENTILATION GRILL LS300

Black ventilation grill

Avoid wasting energy by removing heat which builds up around your fridge  
The lower grill allows cool air in while the upper grill allows warm air to escape  
Suitable for Dometic single-door models of fridge

Dimensions (W x H x D) mm: 518 x 278 x 42  
Ref No. 9600003022



### DOMETIC VENTILATION GRILL LS300

White ventilation grill

Avoid wasting energy by removing heat which builds up around your fridge  
The lower grill allows cool air in while the upper grill allows warm air to escape  
Suitable for Dometic single-door models of fridge

Dimensions (W x H x D) mm: 518 x 278 x 42  
Ref No. 9600003033



### DOMETIC REFRIGERATOR VENT

Lower side wall refrigerator vent

Vent for lower side walls  
Provides excellent circulation  
Constructed from durable plastic

Ref No. 9108554332

COOL





KING



# SOLUTIONS FOR A MOBILE MASTERCHEF



SKS101



SKL101



The Dometic Slide Out Kitchen were a winner of the 2018 iF Design Award, a world-renowned design prize. 63 independent experts from all over the world were impressed by the Slide Out Kitchen's versatile functionality and lightweight aluminium construction. For 65 years, the iF Design Award has been recognised as an arbiter of quality for exceptional design.

## A REVOLUTION FOR THE RV KITCHEN SPACE

The future of cooking outdoors

Not only does the Dometic Slide Out Kitchen save valuable space, but its telescopic runners also make it quick and easy to pull-out and stow away after use. It provides all the kitchen essentials: a sink, double-side access storage, three-burner cooktop, and a chopping board. Various additional features can be added such as a bottle opener, cup and utensil holders. The kitchen's modular aluminium construction makes it lighter, while a generous amount of built-in storage keeps dining and cooking equipment safe and secure. Easy to install on most RVs thanks to its simple three-step installation method, the Small Slide Out Kitchen takes cooking outdoors to new levels of convenience!

### DOMETIC SMALL SLIDE OUT KITCHEN

Slide out kitchen, small

- Dedicated area for cooking, cleaning, and chopping
- Easy 3-step installation process
- Compatible with all popular access doors
- Lightweight aluminium construction
- Large dual side storage compartment
- Range of accessories available, including chopping board, and utensil holder

Dimensions (W x H x D) mm: 630 x 280 x 1220

Weight (kg): 34

Ref No. 9600019015

### DOMETIC SLIDE OUT KITCHEN

Slide out kitchen

- Dedicated area for cooking, cleaning, chopping and serving
- Easy 3-step installation process
- Compatible with all popular access doors
- Lightweight aluminium construction
- Large dual side storage compartments
- Range of accessories available, including chopping board, and utensil holder

Dimensions (W x H x D) mm: 640 x 335 x 1670

Weight (kg): 44

Ref No. 9600006441

# HBG SERIES

Integrated hobs with glass lid: cooking in close quarters



Our compact HBG hobs let you cook in the confined spaces of your mobile kitchen almost like at home. They are fitted flush with the worktop, and the knobs are ergonomically placed for convenient

cooking control. When there are no pots and pans on the hob, you can close the glass lid to gain additional workspace and protect your hob at the same time.



## DOMETIC PI8022

Two burner gas hob

- Two burners
- Stylish stainless steel finish
- Durable glass lid

Dimensions (W x H x D) mm: 480 x 370 x 80

Weight (kg): 3.58

Ref No. 9102302735

## DOMETIC 2 BURNER

Two burner stove

- Integrated heat-resistant safety glass lid offers extra workspace
- Detachable chrome pan supports for easy cleaning
- Low profile rubber seal
- Stainless steel burner caps
- Safety ignition system
- Recessed controls

Dimensions (W x H x D) mm: 460 x 80 x 335

Weight (kg): 3

Ref No. 9103301031

## DOMETIC 3 BURNER

Three burner stove

- Integrated heat-resistant safety glass lid offers extra workspace
- Detachable chrome pan supports for easy cleaning
- Low profile rubber seal
- Stainless steel burner caps
- Safety ignition system
- Recessed controls

Dimensions (W x H x D) mm: 520 x 80 x 445

Weight (kg): 6

Ref No. 9103301080

# HSG SERIES

Hob/sink combinations with glass lids: cooking and washing up in small kitchens

If you want to save on space without compromising on quality, one of our hob/sink combinations is perfect for you. Made from stainless steel, they are easy to clean and long lasting too.

HSG series hob/sink combos feature a heat resistant safety glass lid – or separate lids for the hob and sink. The practical glass cover gives you some extra workspace when folded down.



## DOMETIC COMBI UNIT

Burner and sink

- Two integrated heat-resistant safety glass lids for extra workspace when not in use
- Detachable chrome pan supports for easy cleaning
- Low profile bench top rubber seal
- Three burner hob with gas, 12 V ignition on all burners and gas safety valves fitted

Dimensions (W x H x D) mm: 859 x 147 x 436

Weight (kg): 7.2

Ref No. 9103301927

## DOMETIC COMBI UNIT

Burner and sink, hot and cold tap

- Two integrated heat-resistant safety glass lids for extra workspace when not in use
- Detachable chrome pan supports for easy cleaning
- Low profile bench top rubber seal
- Three burner hob with gas, 12 V ignition on all burners and gas safety valves fitted

Dimensions (W x H x D) mm: 840 x 155 x 436

Weight (kg): 8 kg

Ref No. 9108400352

# OVENS

Ovens with grill and hob: cooking, baking and grilling on board

Why do without familiar ways of cooking food just because you are on the move? The SunLight and StarLight ovens give you a choice of fully fledged stoves: ovens with a grill inside and a hob on top.

Treat your family and yourself to a delicious home-made meal wherever you are. Enjoy the sparkling sight of your kitchen or galley, and rest assured that everything is safe.



## DOMETIC COOKERS

Cooktop, Grill, Oven

- Integrated black glass lid that will extend the bench top when not needed
- All gas burners fitted with flame failure safety devices. The cover also features a safety cut off for both gas and electricity for when the lid is closed
- Gas burner, grill or oven options to cook meals wherever you go
- Detachable pan support for easy cleaning
- Enameled burner caps

Dimensions (W x H x D) mm: 514 x 592 x 485

Weight (kg): 24 kg

Ref No. 9103303838

## DOMETIC COOKERS

Cooktop and grill

- Integrated black glass lid that will extend the bench top when not needed
- All gas burners fitted with flame failure safety devices. The lid also features a safety cut off for both gas and electricity for when the lid is closed
- Gas burner or grill to cook meals wherever you go
- Detachable pan support for easy cleaning
- Enameled burner caps

Dimensions (W x H x D) mm: 535 x 277 x 514

Weight (kg): 16 kg

Ref No. 9103303837



### EASY TO CLEAN

Pan supports are conveniently removed for easy cleaning

### STAINLESS STEEL

Premium stainless steel finish on handles and lid

# CK SERIES

Rangehoods: Enjoy fresh air in your mobile kitchen

Dometic rangehoods quickly draw cooking fumes, odours and moisture out of the vehicle. They do their job just as well as your rangehood at home – with integrated lights, easy controls and a washable grease filter. Pick the model to suit your idea of comfort and the installation requirements of your motorhome, caravan or boat.



## DOMETIC CK 150

Rangehood

- Quickly draws cooking fumes, odours and moist air out of the cabin
- Compact fan is integrated into the roof dome and not into the unit itself
- One fan speed equipped with 12 V motor

Dimensions (W x H x D) mm: 401 x 70 x 165

Weight (kg): 1.99 kg

Ref No. 9107300000



## DOMETIC CK 155

Rangehood

- Quickly draws cooking fumes, odours and moist air out of the cabin
- Compact fan is integrated into the roof dome and not into the unit itself
- Two fan speeds equipped with 12 V motor

Dimensions (W x H x D) mm: 399 x 71 x 277

Weight (kg): 3 kg

Ref No. 9107300316

# GY SERIES

Roof ventilators: Get rid of kitchen fumes and unpleasant odours!



## DOMETIC GY 11

Roof ventilator with motor

- Powerful motorised roof ventilator
- Adjustable two-speed fan
- Robust waterproof roof dome

Dimensions (W x D) mm: 200 x 64

Weight (kg): 0.6 kg

Ref No. 9107300318

# SNG SERIES

Sinks and drainers with a beautiful glass lid

Washing up, cleaning the place – do it all with style! SNG series sinks and sink/drainer combinations are practical to use, easy to clean and a pleasure to look at. All products in this product family come with a beautiful, heat-resistant glass lid.



## DOMETIC SINK AND DRAINER COMBINATION

Sink and drainer

- Integrated heat-resistant safety glass lid offers extra workspace
- Integrated waste tray
- Low profile bench top rubber seal
- Tap fitting inside
- Supplied with hole for tap [Ø 39 mm]

Dimensions (W x H x D) mm:  
600 x 445 x 130  
Weight (kg): 4.73 kg  
Ref No. 9103302279



## DOMETIC SINK AND DRAINER COMBINATION

Sink and drainer, hot and cold tap

- Integrated heat-resistant safety glass lid offers extra workspace
- Integrated waste tray
- Low profile bench top rubber seal
- Tap fitting inside
- Supplied with hole for tap [Ø 39 mm]
- Hot and cold tap included

Dimensions (W x H x D) mm:  
600 x 445 x 130  
Weight (kg): 4.73 kg  
Ref No. 9108400349



## DOMETIC OVAL WASHBOWL

Wash bowl

- Oval design sink to suit kitchen fittings
- Includes built-in waste tray
- Constructed from durable and long lasting materials
- Low profile bench top rubber seal
- Stylish stainless steel finish

Dimensions (W x H x D) mm:  
442 x 301 x 120  
Weight (kg): 1.2 kg  
Ref No. 9103302328



## DOMETIC SINK AND DRAINER COMBINATION

Sink and drainer

- Low profile bench top rubber seal
- Made from easy to clean and tough stainless steel

Dimensions (W x H x D) mm:  
325 x 200 x 128  
Weight (kg): 2.25 kg  
Ref No. 9103302211

# MICROWAVE



## DOMETIC MWO 24

Truck microwave oven with integrated 24 V power supply

- Built for the road with ruggedness and convenient features to make truckers' lives easier
- Approved by leading truck manufacturers
- LED lighted cavity
- 2 fixing brackets (included in scope of delivery)
- Tested durable build for professional trucking

Dimensions (W x H x D) mm: 449 x 280 x 336  
Weight (kg): 10 kg  
Ref No. 9600000535

# KETTLE



## DOMETIC PERFECTKITCHEN MCK 750

Kettle, 12 V

- A kettle designed to run off a 12 V power source
- Especially designed for mobile use
- Robust relay technology
- Automatic switch-off when boiling temperature is reached
- Boil-dry protection
- Status indication

Dimensions (W x H x D) mm: 190 x 205 x 125  
Weight (kg): 0.75 kg  
Ref No. 9600014796

# ACCESSORIES



## DOMETIC DM-WT01

Sink tap

- Made from long-lasting chrome plated brass
- Easy to use with the spout on the left-hand side and handle on the right-hand side
- Maximum water temperature of 75 °C
- Maximum working pressure of 500 kPa
- Suitable for most motorhomes, caravans and camper trailers

Ref No. 9600006140



## DOMETIC VACUUM SEALER

Vacuum sealer

- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Close the lid until it locks into place, press the START button and seal food in seconds
- Locks in flavour, colour and nutrition

Dimensions (W x H x D) mm:

373 x 85 x 150

Weight (kg): 1.41 kg

Ref No. 9108400481



## DOMETIC VACUUM SEALER ROLLS

Sealer rolls

- 8" bag size
- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Locks in flavour, colour and nutrition
- Eliminate freezer burn and wasted food
- For outdoor and indoor use
- Maximize fridge and freezer space

Dimensions (W x H x D) mm:

90 x 45 x 203

Weight (kg): 0.24 kg

Ref No. 9108400482



## DOMETIC VACUUM SEALER ROLLS

Sealer rolls

- 11" bag size
- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Locks in flavour, colour and nutrition
- Eliminate freezer burn and wasted food
- For outdoor and indoor use
- Maximize fridge and freezer space

Dimensions (W x H x D) mm:

90 x 45 x 280

Weight (kg): 0.33 kg

Ref No. 9108400483



## DOMETIC SKA-UH

Utensil holder

- Keep everything in one place, easily accessible during your cooking
- Utensil accessory for Dometic Slide Out Kitchen
- Made from durable PBT material which is resistant to solvents
- Dimensions (W x H x D) mm: 204 x 52 x 48

Ref No. 9600014077



## DOMETIC SKA WIND DEFLECTOR

Wind deflector

Ref No. 9600015515

/ DRIVING SUPPORT

# SAFETY &





A white motorhome is driving on a winding asphalt road that curves through a rugged, mountainous landscape. The road is flanked by steep, rocky slopes covered in dense green and yellowish-brown vegetation. In the background, misty mountains rise under a hazy sky. The word "SECURITY" is overlaid in large, bold, white capital letters across the middle of the image.

**SECURITY**

# REVERSING SYSTEMS

Safely navigate your precious vehicle through winding backstreets or into narrow parking spaces and tight-spots, your PerfectView safety assistant shows you all you need to see to avoid bumps and scrapes. The ready-to-install set includes all essential components: a brilliant LCD monitor, a watchful camera, plus all cables and mounting accessories. You can easily upgrade it for more safety.



## DOMETIC PERFECTVIEW RVS 545

Reversing video system with silver colour camera and 12.7 cm monitor

- Flat, elegant 12.7 cm LCD monitor
- Up to three cameras can be connected
- Automatic recognition of a trailer camera
- Great image quality in all light conditions
- Small colour camera with closed housing for nearly invisible guidance of cable
- Normal or mirrored picture function
- Microphone



## DOMETIC PERFECTVIEW RVS 745

Reversing video system with silver colour camera and 17.8 cm monitor

- Flat, elegant 17.8 cm LCD monitor
- Up to three cameras can be connected
- Automatic recognition of a trailer camera
- Great image quality in all light conditions
- Small colour camera with closed housing for nearly invisible guidance of cable
- Normal or mirrored picture function
- Temperature-controlled heater



### SAFE CONNECTION

Lockable plug-in connectors are both dust and waterproof



### EASY TO USE

With illuminated keys and day-night switching



### ANTI-REFLECTION TECHNOLOGY

Bright, high-contrast display ensures excellent readability in all light conditions

## REVERSING SYSTEMS SPECIFICATIONS

Product	RVS 545	RVS 745
Input Voltage (DC)	12 V	12/24 V
Weight	0.55 kg	0.6 kg
Ref No.	9600000562	9600000563

# MONITORS: SUPER-FLAT MONITORS WITH BRILLIANT IMAGE QUALITY

Flat, compact and easy to adjust: a PerfectView monitor is the ideal teammate for your reversing camera. You can easily connect more cameras – up to three, depending on the model. The range includes monitors with 12.7 cm or 17.8 cm screens, all with advanced digital LCD technology to give you high-contrast images day and night. Some models are designed and certified for professional use.



## DOMETIC PERFECTVIEW M 55L

Digital 12.7 cm LCD monitor

- Digital LCD technology with LED backlighting achieve top image quality – day and night
- Flat, compact and easy to adjust thanks to a ball mounting
- Up to three cameras can be connected for safe all-around vision
- Image settings can be saved separately for each camera input
- Automatic trailer camera recognition
- Elegant monitor base with concealed cable routing
- Mirror function can be set to give you a familiar rear mirror view

## DOMETIC PERFECTVIEW M 75L

Digital 17.8 cm LCD monitor

- Digital LCD technology with LED backlighting achieve top image quality – day and night
- Flat, compact and easy to adjust thanks to a ball mounting
- Up to three cameras can be connected for safe all-around vision
- Image settings can be saved separately for each camera input
- Automatic trailer camera recognition
- Elegant monitor base with concealed cable routing
- Mirror function can be set to give you a familiar rear mirror view



### CONVENIENT HANDLING

Precisely adjustable ball mount for optimal positioning of the monitor



### EASY TO USE

With illuminated keys and day-night switching



### ANTI-REFLECTION TECHNOLOGY

Bright, high-contrast display ensures excellent readability in all light conditions

## MONITORS SPECIFICATIONS

Product	M 55L	M 75L
Dimensions (D x H x W) mm	26 x 87 x 148	26 x 110 x 190
Input Voltage (DC)	12/24 V	12/24 V
Resolution	384000 px	384000 px
Weight	0.35 kg	0.4 kg
Ref No.	9600000061	9600000062

# REVERSING CAMERAS: EXTRA EYES FOR BETTER VISION

Regardless of what you are driving – a motorhome, van or truck – drive with a peace of mind. PerfectView cameras keep a watchful eye on what is happening around your vehicle. There's a perfect model for every demand: standard

or heavy-duty, with one or two eyes, or as a custom fit for tricky mounting conditions. Enjoy clear pictures day and night, on cold winter days and in the summer sun.



## DOMETIC PERFECTVIEW CAM18

Colour ball camera, black, 140° diagonal

- Compact design – easy to align
- 5 LEDs for improved night vision
- 140° wide-angle lens with large picture angle
- Suitable for use as a reversing or side camera
- Integrated microphone
- Sturdy ABS plastic housing – dust and waterproof according to IP 69K



## DOMETIC PERFECTVIEW CAM44

Colour twin camera

- Close range wide angle lens 140° diagonal and long range angle lens 50° diagonal view
- Anodised and powder coated aluminium housing with stainless steel cap and mount
- Distance marks (3 lines) in reversing mode
- Microphone
- Manual or automatic switching between the cameras
- 20 m monitor to camera connection cable plus installation fittings for all components
- LRD-controlled infrared LEDs for improved night vision



## DOMETIC PERFECTVIEW CAM45

Colour camera, silver, PAL

- Housing with nearly invisible guidance of cable
- Separate infrared LEDs for optimal night-time vision
- Temperature-controlled heater for cold climate use
- Integrated microphone
- Normal or mirrored picture function
- Protection class: IP 69K
- Prepared for connection to navigation systems

### REVERSING CAMERA SPECIFICATIONS

Product	CAM18	CAM44	CAM45
Dimensions (D x H x W) mm	44 x 58 x 84	65 x 74 x 114	50 x 60 x 78
Input Voltage (DC)	12 V	12 V	12 V
Resolution	350000 px	290000 px	250000 px
Weight	0.15 kg	0.4 kg	0.2 kg
Ref No.	9600000053	9600000043	9600000523

# CABLE SETS FOR TRAILERS AND TRACTOR-TRAILERS



## DOMETIC PERFECTVIEW SYSTEM

Extension cable 5 m

- Extension cable
- Waterproof 6-pin screw connectors
- For light-duty applications
- 5 m extension cable

## DOMETIC PERFECTVIEW SYSTEM

Extension cable 10 m

- Extension cable
- Waterproof 6-pin screw connectors
- For light-duty applications
- 10 m extension cable

## DOMETIC PERFECTVIEW SYSTEM

Extension cable 20 m

- Standard cable
- Waterproof 6-pin screw connectors
- For light-duty applications
- 20 m extension cable



## DOMETIC PERFECTVIEW CAB 38

Quick coupler set including two trailer cables, 30 cm

- Includes surface mounted sockets
- Ready-to-use



## DOMETIC PERFECTVIEW ACCESSORIES ADAPT 2

Cable adapter

- Plug and play system upgrading
- No need to lay new cables when replacing older makes of cameras
- 6-pin DIN black cable – adapts to Dometic CRT systems built until 2009
- Connects new socket and old plug



## DOMETIC PERFECTVIEW ACCESSORIES ADAPT 3

Cable adapter

- Plug and play system upgrading
- No need to lay new cables when replacing older makes of cameras
- 6-pin DIN black cable – adapts to Dometic CRT systems built until 2009
- Connects new socket and old plug

### REVERSING SYSTEMS ACCESSORIES SPECIFICATIONS

Product	PerfectView system extension cable 5 m	PerfectView system extension cable 10 m	PerfectView system extension cable 20 m	PerfectView CAB 38	PerfectView Adapt 2	PerfectView Adapt 3
Ref No.	9600000206	9600000207	9600000208	9600000223	9600000214	9600000215

/ ENERGY & LIGHTING

/ CONTROL

# POWER &



A photograph of a motorhome's interior at night, viewed through the front windshield. The interior is warmly lit with a hanging lantern-style light fixture. Two seats are visible, and the dashboard area is partially seen. The word "CONTROL" is overlaid in large, white, bold, sans-serif capital letters across the center of the image. The exterior of the motorhome is dark, with some lights visible on the roof and front. A person's head is partially visible on the left side of the frame.

**CONTROL**

# TEC GENERATOR: 230V ANYTIME, ANYWHERE



## DOMETIC TEC29

Petrol generator

- Small footprint for flexible internal or external mounting
- Inverter technology – 230 V  $\pm 1\%$  pure sine wave with total distortion maximum 1 %
- Low unleaded petrol fuel consumption, generator RPM adjusts to the load applied at max 1.2 l/h
- Stainless steel cabinet
- High continuous and peak output power (2600/2900 W)
- Parallel connection to boost power to 4800 W
- Bonded earth to neutral for RCD fitment

Dimensions (W x H x D) mm: 480 x 290 x 385

Weight (kg): 44 kg

Ref No. 9102900291





# CHARGERS

Perfectcharge MCA

IUOU automatic chargers

Starter batteries and supply batteries are designed for different tasks. To start the engine, starter batteries must initially supply a high current level and will then serve as an energy buffer with smaller partial cycles. Supply or on-board batteries, in contrast, are discharged at lower current levels over longer periods of time and then charged again. This means they are subjected to considerably higher loads.

These special features must be considered by the charging technology to protect the batteries from damage and ensure they have a long service life. The IUOU battery chargers function using a unique six-stage charging cycle. They provide optimum charging for all gel, AGM and wet batteries, because they charge quickly and gently at the same time.



## DOMETIC PERFECTCHARGE MCA1215

Battery charger

15 A charger

Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology

Simultaneous charging of one battery plus the starter battery

Very compact design, lightweight and easy to install

Sleep mode for quiet charging at half power

- ideal at night or in parking spaces with low electrical circuit protection

Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions (W x H x D) mm: 179 x 63 x 238

Weight (kg): 1.6 kg

Ref No. 9108400809



## DOMETIC PERFECTCHARGE MCA1225

Battery charger

25 A charger

Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology

Simultaneous charging of one battery plus the starter battery

Very compact design, lightweight and easy to install

Sleep mode for quiet charging at half power

- ideal at night or in parking spaces with low electrical circuit protection

Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions (W x H x D) mm: 179 x 63 x 238

Weight (kg): 1.7 kg

Ref No. 9108400810



## DOMETIC PERFECTCHARGE MCA1235

Battery charger

35 A charger

Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology

Simultaneous charging of one battery plus the starter battery

Very compact design, lightweight and easy to install

Sleep mode for quiet charging at half power

- ideal at night or in parking spaces with low electrical circuit protection

Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions (W x H x D) mm: 179 x 63 x 274

Weight (kg) 1.9 kg

Ref No. 9108400811

# ACCESSORIES

## DOMETIC MPC 01

Battery management system with display and battery sensor



- Offers users full control over their batteries
- Easy to use control panel displays all important battery parameters
- Battery low warning prevents unexpected power problems
- Can be upgraded with three additional battery sensors
- CI bus interface for integration in complex power management systems
- The ideal add-on for Dometic PerfectCharge battery chargers

Dimensions (W x H x D) mm: 150 x 136 x 16

Weight (kg): 0.4 kg

Ref No. 9102500073



## DOMETIC PERFECTCHARGE ACCESSORY MCA-RC1 REMOTE CONTROL

- Touch-button convenience
- Battery charging by remote control
- Sleep mode On/Off

Dimensions (W x H x D) mm: 58 x 72 x 28

Weight (kg): 0.19 kg

Ref No. 9102500037

# INVERTERS

## SINEPOWER

Pure sine wave inverters

Dry your hair, brew an espresso, watch your favourite movies as you would at home. Travel with all the amenities you love. Your SinePower sine wave inverter will gladly deliver the perfect voltage. Simply select the model to suit your wattage needs.



### DOMETIC SINEPOWER MSI 412

Sine wave inverter

- 230 V AC – like at home
- Suitable for supplying sensitive devices
- Quick and easy installation
- Compact design – easy to store
- 350 W continuous output
- 700 W peak output

Dimensions (W x H x D) mm:  
124 x 49 x 199  
Weight (kg): 0.8 kg  
Ref No. 9108400851

### DOMETIC SINEPOWER MSI 912

Sine wave inverter

- 230 V AC – like at home
- Suitable for supplying sensitive devices
- Quick and easy installation
- Compact design – easy to store
- 800 W continuous output
- 1600 W peak output

Dimensions (W x H x D) mm:  
197.5 x 94 x 291  
Weight (kg): 3 kg  
Ref No. 9108400812

### DOMETIC SINEPOWER MSI 1812T

Sine wave inverter

- 230 V AC - like at home
- Suitable for supplying sensitive devices
- With battery saving mains priority circuit
- Compact design - easy to store
- 1600 W continuous output
- 3200 W peak output

Dimensions (W x H x D) mm:  
197.5 x 94.3 x 406  
Weight (kg): 6.5 kg  
Ref No. 9108400813

### DOMETIC PERFECTPOWER MCI-150-12

Power inverter

- Compact: the size of a drinks can, it will conveniently fit in vehicle's cup holder!
- 150 W continuous output
- USB output for charging
- Overload, short circuit, high voltage and battery polarity protection system
- Low voltage shutdown
- Peak output power 250 W
- DC cigarette lighter socket

Dimensions (W x H x D) mm:  
21 x 21 x 173  
Weight (kg): 0.49 kg  
Ref No. 9109002373

# ACCESSORIES



### DOMETIC SINEPOWER ACCESSORY MCR-7

Remote control

- Inverter operation by remote control
- On/Off and sleep mode switch
- Standby and power-save modes indicated by LED
- LED error indication (over-voltage, low voltage, overheating, short circuiting)
- Battery voltage indicator

Dimensions (W x H x D) mm: 130 x 120 x 25  
Weight (kg): 0.4 kg  
Ref No. 9108400852



### DOMETIC SINEPOWER ACCESSORY MCR-9

Remote control

- Inverter operation by remote control
- On/Off and sleep mode switch
- Standby and power-save modes indicated by LED

Dimensions (W x H x D) mm: 58 x 72 x 25  
Weight (kg): 0.04 kg  
Ref No. 9108400853

# BATTERIES

## DOMETIC PLB40

Portable lithium battery, 40 Ah

The Dometic PLB40 Ah Lithium Iron Phosphate battery delivers high levels of mobile power – This means that one full charge of the PLB40 allows campers to get the most out of their trip when they're living mobile. Designed for powering portable fridge/freezers and other 12 V appliances while being off-grid. Thanks to its lightweight and compact design you can enjoy true independence and travel off-grid for longer.

- Enables you to travel off-grid for longer
- Three-way charging via 12 V socket, solar panel or AC house power
- Extremely lightweight, ergonomically designed stainless steel carry-handle
- Built-in LCD screen displays: capacity, charging status and output
- Specifically designed for Dometic CFX and other powered fridge or freezers
- Powerful battery cells provide 512 Wh of energy, 40 Ah
- The Dometic PLB40 Ah Lithium Iron Phosphate battery delivers high levels of mobile power – One full charge allows campers to get the most out of their trip while living mobile

Dimensions (W x H x D) mm: 197 x 257 x 197

Weight (kg): 7.54 kg

Ref No. 9600009460



reddot award 2019 winner

POWER & CONTROL



### USB PORTS

Ideal for charging mobile devices



### BRING TO ANY REMOTE LOCATION

Lightweight and ergonomically designed stainless steel handle



### EASY TO USE

Built-in LCD screen displays charging status and output



### THREE-WAY CHARGING

Via 12 V socket, solar panel or AC house power



## DOMETIC COOLPOWER RAPS44

Battery pack

- Dual output sockets (12 V and hella)
- 44 Ah deep cycle AGM battery cells
- Benefits of dual battery systems that are normally fitted permanently into cars, 4WD's, trucks and boats, except that it is portable, for added flexibility and convenience.
- Built-in charging posts for charging via 240 V DC charger (charger not included)
- 1.5 m 12 V charging lead
- Battery condition LED's/test button
- Rechargeable via solar panels

Dimensions (W x H x D) mm: 230 x 245 x 227

Weight (kg): 13.5 kg

Ref No. 9105330164



# BATTERIES



## DOMETIC PORTABLE SOLAR PS120A

Portable solar panel

- Fold up easily and is compact
- Battery temperature sensor
- Adjustable feet for optimum angle to the sun
- 12 V, 10 A heavy duty regulator
- High performance monocrystalline silicon 6.63 A output
- 5 m lead with alligator clips anderson plug connector
- Lightweight at only 12.25 kg with cables and protective carry bag included

Dimensions (W x H x D) mm: 534 x 754 x 70  
 Weight (kg): 12.25 kg  
 Ref No. 9108400883



## DOMETIC PORTABLE SOLAR PS180A

Portable solar panel

- Folds up easily and is compact
- Battery temperature sensor
- Three adjustable feet for optimum angle to the sun
- 12 V, 20 A heavy-duty regulator
- High performance monocrystalline silicon 9.95 A output
- 5 m lead with alligator clips anderson plug connector
- Lightweight at only 17 kg with cables and protective carry bag included

Dimensions (W x H x D) mm: 538 x 758 x 115  
 Weight (kg): 17 kg  
 Ref No. 9108400917



## DOMETIC RTS150

Solar panel

- Easily installed to the rooftop of most recreational vehicles
- Withstands extreme wind
- Efficient monocrystalline silicon cells
- Topped with durable tempered glass
- Strong aluminium frame

Dimensions (W x H x D) mm: 670 x 35 x 1480  
 Weight (kg): 12 kg  
 Ref No. 9600005818

# ACCESSORIES



## DOMETIC COOLPOWER RAPS72 KIT

Battery cradle

- Fits two RAPS battery kits
- Sturdy powder coated cradle
- Connection lead included

Dimensions (W x H x D) mm: 232 x 215 x 450  
 Weight (kg): 1.04 kg  
 Ref No. 9105303701



## DOMETIC SC1230

30 A Solar charge controller

- 3 stage intelligent PWM solar charging
- Twin USB ports
- Low voltage disconnect
- Suitable for use with a range of battery types
- Informative backlight LCD display
- Operating temperature range of -25°C - +55°C
- Multiple load control modes

Dimensions (W x H x D) mm: 181 x 100.9 x 59.8  
 Weight (kg): 0.55 kg  
 Ref No. 9600005819



## DOMETIC BK-150 mm DOMETIC BK-300 MM

Bracket

- Made from durable materials
- Easy to install to the rooftop of RVs
- Allows airflow to circulate under the solar panel

Ref No. 9600005820 (150 mm)  
 Ref No. 9600005820 (300 mm)

# ELECTRONICS

Accessories for fridge/freezers and refrigerators



No need to accept any restrictions in the use of your cooling box, even if you have a simple or older make. CoolPower accessories give you plenty of flexibility. You can run a 12 V device from a 24 V battery, or from a mains supply in your holiday home. You can also connect a clever device to prevent excessive battery drainage.



## DOMETIC COOLPOWER MPS-50

Power adapter

240 V AC to 12 V DC rectifier adapter for problem free connection to 110–240 V mains systems. Suitable for Dometic compressor CD and CU models. Comes with switch mode for automatic priority of mains operation and integrated cigarette lighter socket.

- Adapter for problem free connection to 110–240 V
- Suitable for Dometic compressor CD and CU models
- Includes switch mode for automatic priority of mains operation

Dimensions (W x H x D) mm: 120 x 70 x 200

Weight (kg): 1 kg

Ref No. 9109002476



## DOMETIC COOLPOWER EPS-817

Power adapter

This rectifier adapter converts 240 V AC to 12 V DC power. Ideal for the connection of listed DC compressor driven fridges and freezers. Suitable for all other 12 V thermoelectric coolers or as a universal power unit via the vehicle's integrated cigarette lighter socket.

- Maximum power consumption of 72 W
- Ideal for use at home, in a hotel, or on a campsite
- Suitable for CF, CDF, MDC fridge/freezer models

Dimensions (W x H x D) mm: 115 x 65 x 170

Weight (kg): 0.6 kg

Ref No. 9109002086

**/ SANITATION**

**/ CLEANING**

**/ WATER HEATER**

# **HYGIENE SANITATION**



# ENE & ATION





# WHEN NATURE CALLS



## RV TOILETS

Compromising on sanitation affects your well-being and prevents you from really relaxing. In addition, the space in a recreational vehicle is very confined and the time you spend in it is far too precious. Treat yourself to a mobile toilet from Dometic and enjoy the comforts of home wherever you go.



## BOAT TOILETS

Convenient, space-saving hygienic comfort for your boat. The portable toilets from Dometic combine many useful functions in the smallest of spaces.



## ACCESSORIES

To keep your sanitation equipment clean and in good working order, we supply everything you need in the way of accessories. These include retrofit kits, spare parts, a comprehensive range of cleaning products and renew kits – allowing you to upgrade your toilet system without investing in a new one.



# RV TOILETS

Sometimes all you need to know is that you are choosing a comfortable, clean and safe toilet. The Saneo ceramic toilet is unrivalled in the conscientious design involved in ensuring your ultimate well-being is always protected. This ceramic toilet has patented safety features. We care and we think about it, so that you don't have to.



## DOMETIC Saneo CLP

Ceramic low-profile cassette toilet, 16 l

- Low profile console that is lightweight and allows more space at the top of the console
- Suitable for RVs with tight spaces
- Scratch-resistant, very easy to clean ceramic inlay
- Insens Touch Control Display
- Ergonomically shaped, comfortable seat
- Bowl can be adjusted up to 90° in both directions
- Built-in breather tube on the cassette helps to remove odours

Tank capacity wastewater: 16 l

Weight (kg): 13 kg

Dimensions (W x H x D) mm: 377 x 496 x 602

Ref No. 9600023296



## DOMETIC Saneo CS

Cassette toilet

- Scratch-resistant, very easy to clean ceramic inlay
- Insens Touch Control Display
- Ergonomically shaped, comfortable seat
- Bowl can be adjusted up to 90° in both directions
- Prepared for the SOG exhaust system

Tank capacity wastewater: 16 l

Weight (kg): 13.6 kg

Dimensions (W x H x D) mm: 377 x 680 x 602

Ref No. 9107100658



## DOMETIC Saneo BLP

Plastic low-profile cassette toilet, 16 l

- Low profile console that is lightweight and allows more space at the top of the console
- Suitable for RVs with tight spaces
- Scratch-resistant, very easy to clean ceramic inlay
- Insens Touch Control Display
- Ergonomically shaped, comfortable seat
- Bowl can be adjusted up to 90° in both directions
- Built-in breather tube on the cassette helps to remove odours

Tank capacity wastewater: 16 l

Weight (kg): 10.4 kg

Dimensions (W x H x D) mm: 377 x 496 x 602

Ref No. 9600023297



## ANTI-SPLASH

Ceramic bowl prevents splash back and improves ventilation



## ROBUST MATERIALS

Ensure reliable and long product life



# CT4000

A perfectly designed range of toilets for motorhomes

## CT4000

A perfectly designed range of toilets for motorhomes

The toilets within this CT4000 range are perfect for motorhomes as they are lightweight, functional and beautifully designed with a high-quality ceramic inlay bowl for a scratch resistant, hygienic finish. They can also be retrofitted with the SOG air ventilation system for an ultra fresh adventure into the unknown.

## DOMETIC CTS 4110

Cassette toilet

- The scratch-resistant ceramic inlay is also easy to clean
- It is 30% lighter than purely ceramic toilets
- An anatomically respectful design
- Seat adjustable by up to 90° in both directions to accommodate space
- Simple and accessible control panel

Tank capacity wastewater: 19 l

Weight (kg): 12 kg

Dimensions (W x H x D) mm: 382 x 672 x 530

Ref No. 9107100618



### OPTIMISED BOWL DESIGN

The ergonomic toilet bowl ensures comfort



### HIGH-POWER FLUSH

Optimised flush ring and vacuum breaker for impressive flushing capacity



# 500 SERIES

The premium quality 500 series of gravity flush toilets install into a diverse range of boats



## DOMETIC 510

Gravity Toilet

- Low-flush water consumption: less than 390 ml per flush
- Pedal flush requires no electric power
- Elongated enamelled wood seat and residential-style deep bowl for enhanced comfort
- Proven in thousands of marine applications
- Integral vacuum breaker protects water supply

Weight (kg): 17.01 kg

Dimensions (W x H x D) mm: 387 x 476 x 521

Ref No. 9108552866

## DOMETIC 511 PS

Gravity-Flush Toilet

- This gravity drop toilet requires no electricity
- Efficient: the patented flush uses less than 0.5 l of water
- Robust by design, yet elegant in appearance with a high gloss china finish
- Designed to be installed directly above a holding tank with an air tight seal
- Available in sparkling white colour
- Integrated vacuum breaker protects the water supply

Weight (kg): 16.56 kg

Dimensions (W x H x D) mm: 438 x 372 x 521

Ref No. 9108685758



### QUALITY CERAMIC

High-quality lightweight ceramic inlay is scratch-resistant and easy to clean



### ERGONOMIC DESIGN

Adjustable seat height ensures maximum comfort



### COMPACT

Small footprint saves valuable space

# 970 SERIES

The 970 series of portable toilets provide comfort, simplicity and the latest technology

When on the move, people wish for the comforts of home and the 970 Series of portable toilets provides just that. The powerful touch-button flush technology sets this toilet range miles apart from their competitors as no

pumping or batteries are required. They are available in two sizes with an adult-sized seat comfortable beyond words.



## DOMETIC 972

Portable Toilet

- High-strength ABS construction withstands harsh environments; smooth, easy-to-clean finish
- Prismatic tank level indicator allows easy tank level monitoring
- Push-button flush clears bowl instantly
- Full-size seat for comfort; latching lid for security

Weight (kg): 5.44 kg

Dimensions (W x H x D) mm: 334 x 318 x 387

Ref No. 9108552682

## DOMETIC 976

Portable Toilet

- High-strength ABS construction withstands harsh environments; smooth, easy-to-clean finish
- Prismatic tank level indicator allows easy tank level monitoring
- Push-button flush clears bowl instantly
- Full-size seat for comfort; latching lid for security

Weight (kg): 6.35 kg

Dimensions (W x H x D) mm: 334 x 387 x 387

Ref No. 9108552688



### LESS PUMP

This effective system requires less pump action



### PUSH BUTTON OPERATION

A simple push button operation



### LESS MESS

Less mess due to an extra-long pivoting discharge spout

# ACCESSORIES



### DOMETIC ACCESS HATCH DOOR 1

Access door

Ref No. 9600026339



### DOMETIC BRUSH & STOW

Toilet cleaning brush

Ref No. 9600005999



### DOMETIC DRYROLL

Water tight tissue dispenser

Ref No. 9600024493



# CLEANING ADDITIVES & CONSUMABLES

## Toilet tank care

Standard sanitation fluids add unnecessary weight onboard, and it's easy to spill or use too much. These highly effective sanitation tabs are much lighter than a bottle and take up minimal storage space. Your hands stay clean and there is no more experimenting as the optimum amount always ends up in the tank rather than on your hands or the floor.



### DOMETIC POWERCARE TABS

Sanitation Additive

- No spills or mess
- The dose is pre-measured so no possible overdosing and waste
- Easy storage in a handy tub
- Suitable for all portable and cassette toilets
- Fast breakdown of waste without the build-up of unpleasant gas or odours
- Lighter in weight and less cumbersome than liquids
- Ready to use tabs in a soluble film

Ref No. 9600000125



### DOMETIC GREENCARE TABS

Sanitation Additive

- An environmentally friendly toilet tab that doesn't cost the earth
- The dose is pre-measured – preventing overdose and waste
- No spills or mess
- Suitable for all portable and cassette toilets
- Fast breakdown of waste without the build-up of unpleasant gas or odours
- Ready to use tabs in a soluble film
- Lighter in weight and less cumbersome than liquids

Ref No. 9600000133



### DOMETIC EXTRA CARE PINK

Sanitation Additive

- Provides a micro-thin protective layer against stains
- Protects the workings of your toilet to ensure a smoother flush
- Pleasant fragrance from an integrated deodoriser
- Suitable for all portable and cassette toilets

Ref No. 9107200001



### DOMETIC POWER CARE BLUE

Sanitation Additive

- A new and improved formula where one dose can last up to four days
- Highly effective at breaking down waste and preventing nasty odours
- Works even after freezing and thawing
- Has a handy dose measuring strip on the bottle
- Has a fresh and pleasant fragrance

Ref No. 9107200002



### DOMETIC SPECIAL CARE GREEN

Sanitation Additive

- Awarded with the ecological hallmark
- Environmentally friendly without compromising on performance
- Works even after freezing and thawing
- Has a handy dose measuring strip on the bottle
- Accepted at all campsites
- Has a fresh and pleasant fragrance

Ref No. 9107200003



### DOMETIC WMD 1050

Washing machine

- Compact washing machine is ideal for tight spaces
- Can be positioned under bench or free standing
- Designed to comfortably handle laundry loads of up to 3 kg
- Convenient cold water only connection
- Selectable range of hot or cold washing programs

Weight (kg): 54

Dimensions (W x H x D) mm: 495 x 670 x 515

Ref No. 9108400121



Dometic is a global company that makes mobile living easy – by providing great solutions to satisfy people’s essential needs when they are on the move. Like cooking, taking care of personal hygiene and maintaining a pleasant temperature. We offer smart and reliable products with outstanding design.







Dometic is a global market leader in branded solutions for mobile living in the areas of Food & Beverage, Climate, Power & Control, Safety & Security and Hygiene & Sanitation. Dometic operates in the Americas, EMEA and Asia Pacific, providing products for use in recreational vehicles, trucks and premium cars, pleasure and workboats, and for a variety of other uses. Our motivation is to create smart and reliable products with outstanding design. We sell our products in approximately 100 countries and we have a global distribution and dealer network in place to serve the aftermarket. Dometic employs approximately 7,200 people worldwide, had net sales of more than SEK 18.5 billion (USD 2.0 billion) in 2019 and is headquartered in Stockholm, Sweden. For more information on Dometic, please visit: [dometic.com](https://www.dometic.com)

E & OE. Please note: Dometic may introduce modifications to products, therefore details herein are subject to change without notice. No liability is accepted for errors. Printing processes may not depict colour accurately.

---

**DOMETIC AUSTRALIA PTY. LTD**

PO Box 1140

Clayton South, VIC 3169, Australia

**1800 21 21 21** | [dometic.com](https://www.dometic.com)