New Bloom Labs

Certificate of Analysis

[redacted]

Sample: [redacted]

Sample Received:06/13/2023;

Report Created: 06/20/2023; Expires: 06/13/2024

Gelato Cake INDOOR

Plant , Flower - Uncured

[redacted]

31.877 % Total THC	0.210 % Δ-9 THC
33.556 % Total Cannabinoids	<LOQ % Total CBD

Cannabinoids

Complete

(Testing Method:HPLC, CON-P-3000)

Date Tested: 06/13/2023

Analyte	LOD %	LOQ %	Mass %	Mass mg/g
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0503	0.0754	ND	ND
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0503	0.0754	0.210	2.1094
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0503	0.0754	31.400	314.000
Δ-9-Tetrahydrocannabiphorol (Δ-9-THCP)	0.0503	0.0754	ND	ND
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0503	0.0754	ND	ND
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0302	0.0754	<LOQ	<LOQ
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0503	0.0754	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0503	0.0754	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	0.0503	0.0754	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	0.0503	0.0754	ND	ND
Tetrahydrocannabinol Acetate (THCO)	0.0503	0.0754	ND	ND
Cannabidivarin (CBDV)	0.0503	0.0754	ND	ND
Cannabidivarinic Acid (CBDVA)	0.0503	0.0754	ND	ND
Cannabidiol (CBD)	0.0503	0.0754	ND	ND
Cannabidiolic Acid (CBDA)	0.0302	0.0754	<LOQ	<LOQ
Cannabigerol (CBG)	0.0302	0.0754	<LOQ	<LOQ
Cannabigerolic Acid (CBGA)	0.0503	0.0754	1.763	17.628
Cannabinol (CBN)	0.0503	0.0754	ND	ND
Cannabinolic Acid (CBNA)	0.0503	0.0754	ND	ND
Cannabichromene (CBC)	0.0503	0.0754	ND	ND
Cannabichromenic Acid (CBCA)	0.0503	0.0754	0.283	2.834
Total			33.556	335.557

Total THC = THCa * 0.877 + Δ9-THC;Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%
Total CBD Measurement of Uncertainty: ± 2.000%
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Amended report issued to reflect change in sample identification.

New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC 17025:2017

Natalie Siracusa
Laboratory Director