PROFESSIONAL WOOD CLEANERS



## Safety Data Sheet Wood Cleaner

### **SECTION 1: Identification**

1.1	Product identifier	
	Product name	Wood Cleaner
	Brand	EXPERT Clean & Bright
1.2	Other means of identification Yellow solution	
1.3	<b>Recommended use of the chemica</b> Wood cleaner. For specific intended- instruction sheet.	II and restrictions on use use guidance, please refer to the information provided on the package or
1.4	Supplier's details Name Address	Restorative Wood Products, LLC Stain & Seal Experts 1483 N. Mt. Juliet Rd Suite #135 Mt. Juliet, TN 37122 USA
	Telephone	615-785-1861
1.5	Emergency phone number(s)	615-785-1861

### **SECTION 2: Hazard identification**

### 2.1 Classification of the substance or mixture

### GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 1B
- Specific target organ toxicity (single exposure), Cat. 3
- Corrosive to metals, Cat. 1

### 2.2 GHS label elements, including precautionary statements

### Pictogram



### Safety Data Sheet Wood Cleaner

Signal word	Danger
Hazard statement(s)	
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation
Precautionary statement(s)	
P234	Keep only in original container.
P260	Do not breathe dust.
P264	Wash hands and exposed skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338+P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing. Immediately call a
	POISON CENTER/doctor.
P312	Call a POISON CENTER/doctor if you feel unwell.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material-damage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in a corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with applicable Federal, State and local laws and regulations.

# **2.3 Other hazards which do not result in classification** No data available.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Mixtures

Component	Concentration
Sodium metasilicate pentahydrate (CAS no.: 6834-92-0; EC no.: 229-912-9)	58 % (weight)
CLASSIFICATIONS: Specific target organ toxicity (single exposure), Cat. 3; Skin corrosior	n/irritation, Cat. 1B; Eye damage/irritation, Cat. 1;
Corrosive to metals, Cat. 1.	
Water (CAS no.: 7732-18-5; EC no.: 231-791-2)	42 % (weight)
CLASSIFICATIONS: Not classified.	

### **SECTION 4: First-aid measures**

### 4.1 Description of necessary first-aid measures

General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Immediately call a poison center or doctor.

4.2

In case of skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower for at least 15 minutes. Call a poison center or doctor if irritation develops or persists. Wash contaminated clothing before reuse.		
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.		
If swallowed	Call a poison center or doctor if you feel unwell. Rinse mouth with water. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel.		
Personal protective equipment for fire	st-aid responders Refer to Section 8 for specific personal protective equipment recommendations.		
	st important symptoms/effects, acute and delayed e most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11		
If inhaled	May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Severe tissue damage may occur due to the corrosive nature of the product.		
In case of skin contact	Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.		
In case of eye contact	Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.		
If swallowed			

may occur due to the corrosive nature of the product.

**4.3** Indication of immediate medical attention and special treatment needed, if necessary No data available.

### **SECTION 5: Fire-fighting measures**

- 5.1 Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.
- 5.2 Specific hazards arising from the chemical No data available.
- **5.3** Special protective actions for fire-fighters Wear self-contained breathing apparatus for firefighting if necessary.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Do not breathe dust. Ensure adequate ventilation. Avoid contact with skin and eyes. Wear appropriate personal protective equipment as described in Section 8.

### Safety Data Sheet Wood Cleaner

### 6.2 Environmental precautions

Keep out of drains, sewers, ditches, and waterways.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### **Reference to other sections**

For disposal see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practices. Avoid contact with skin and eyes. Avoid dust formation. Avoid inhalation of dust. Keep away from incompatible products. Eating, drinking and smoking is prohibited while using the product. Wash hands with soap and water after handling. Wear appropriate personal protective equipment as described in Section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers closed in a dry, cool and well-ventilated place. Keep away from incompatible products. Store in a corrosive resistant container. Keep out of the reach of children.

#### Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

No applicable occupational exposure limits. An exposure limit of 2 mg/m<sup>3</sup> (15 min TWA) is recommended.

#### 8.2 Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### 8.3 Individual protection measures, such as personal protective equipment (PPE)



### **Eye/face protection**

When engaged in activities where ingredients could contact the eye, wear safety glasses with side shields or goggles. Eye protection equipment must be tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

### **Skin protection**

Protective gloves, such as nitrile gloves.

#### **Body protection**

Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

### Safety Data Sheet Wood Cleaner

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

### **Thermal hazards**

No data available.

#### **Environmental exposure controls**

Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Stable under normal use conditions.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Aqueous solutions will react with aluminum, lead, zinc, tin and their alloys evolving hydrogen gas which can form an explosive mixture with air. Can react violently if in contact with acids. Can react with sugar residues to form carbon monoxide.

### 10.4 Conditions to avoid

Avoid contact with incompatible materials.

### 10.5 Incompatible materials

Acids, lead, tin, zinc, aluminum, strong oxidizing agents.

### 10.6 Hazardous decomposition products

No data available.

### **SECTION 11: Toxicological information**

### Information on toxicological effects

Likely Routes of Exposure: Eye contact. Skin contact. Ingestion. Acute and delayed symptoms and effects from skin and eye contact, inhalation and ingestion are listed in Section 4.

### Acute toxicity

Sodium metasilicate pentahydrate (CAS no.: 6834-92-0) LD50 Oral – Rat - 1152-1349 mg/kg LD50 Dermal – Rabbit - >5000 mg/kg LC50 Inhalation – Rat - >2.06 g/m<sup>3</sup>

### Skin corrosion/irritation

Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

### Serious eye damage/irritation

Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

### Respiratory or skin sensitization

No data available.

### Germ cell mutagenicity

No data available.

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available.

Summary of evaluation of the CMR properties

No data available.

### STOT-single exposure

May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

STOT-repeated exposure No data available.

Aspiration hazard

No data available.

### Additional information

Severe tissue damage may occur due to the corrosive nature of the product.

### **SECTION 12: Ecological information**

### Toxicity

Fish (Brachydanio rerio) LC50 (96 hour) 210 mg/l Aquatic invertebrates: (Daphnia magna) EC50 (48 hour) 1700 mg/l

#### Persistence and degradability

Inorganic. Soluble silicates, upon dilution, rapidly depolymerise into molecular species indistinguishable from natural dissolved silica.

#### **Bioaccumulative potential**

Inorganic. The substance has no potential for bioaccumulation.

### Mobility in soil

No data available.

### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### Other adverse effects

The alkalinity of this material will have a local effect on ecosystems sensitive to changes in pH.

### **SECTION 13: Disposal considerations**

#### Disposal of the product

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

#### **Disposal of contaminated packaging**

Dispose of as unused product.

#### Waste treatment

No data available.

### **SECTION 14: Transport information**

### DOT (US)

UN Number: 3253 Class: 8 Packing Group: III Proper Shipping Name: Disodium trioxosilicate

### IMDG

UN Number: 3253 Class: 8 Packing Group: III Proper Shipping Name: Disodium trioxosilicate

### IATA

UN Number: 3253 Class: 8 Packing Group: III Proper Shipping Name: Disodium trioxosilicate

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations specific for the product in question

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

### SARA 311/312 Hazards

Acute Health Hazard.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **HMIS Rating**

Wood Cleaner	
HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

### **NFPA Rating**



### **SECTION 16: Other information**

Date of preparation: September 02, 2020.

### 16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. All materials may present unknown hazards and should be used with caution. In no event shall we be held liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if we have been advised of the possibility of such damages.

### 16.2 **Preparation information**

SDS created by productSDS Global SDS Authoring Center www.productsds.com