

# SAFETY DATA SHEET (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

issue date 08/29/2023

reviewed on 08/29/2023

## 1 IDENTIFICATION

### Product Identifier

**Trade Name:** Oberk Haken Super Cut

**Relevant identified uses of the substance or mixture and uses advised against:** Scratch Remover

**Product Description:** abrasive paste polish

**Details of the Supplier of the Safety Data Sheet:**

**Manufacturer/Supplier:**

**OBERK CAR CARE**

**PO BOX 102**

**WAUKESHA, WI. US 53186z**

**Customer Service:** (775) 623-7517

**E-Mail:** info@oberkcarcare.com

### Emergency telephone number:

POISON CONTROL CENTER (24 hour) (877) 800-5553

CHEMTREC (US Transportation) (800) 424-9300

## 2 HAZARD(S) IDENTIFICATION

### 2.1. Classification of the substance or mixture:



Acute Toxicity - Oral 4 : H302 Harmful if swallowed.  
Acute Toxicity - Inhalation 4 : H332 Harmful if inhaled.  
Skin Irritation 2 : H315 Causes skin irritation.  
Eye Irritation 2A : H319 Causes serious eye irritation.

### 2.2. Label elements:

### 2.3. Hazard pictograms:



### 2.4. Signal word: Warning

### 2.5. Hazard-determining components of labeling:

C12-C14 Isoalkanes

Glycerin

### 2.6. Hazard statements:

H302+H332 : Harmful if swallowed or if inhaled.

H315 : Causes skin irritation.

H319 : Causes serious eye irritation.

### 2.7. Precautionary statements:

P261 : Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 : Wash thoroughly after handling.

P270 : Do not eat, drink or smoke when using this product.

P271 : Use only outdoors or in a well-ventilated area.

P280 : Wear eye protection / face protection.

P301+P312 : If swallowed: Call a poison center/doctor if you feel unwell.

P330 : Rinse mouth.

P302+P352 : If on skin: Wash with plenty of water.

P321 : Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P304+P340 : IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- P305+P351+P338 : If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313 : If skin irritation occurs: Get medical advice/attention.
- P362+P364 : Take off contaminated clothing and wash it before reuse.
- P337+P313 : If eye irritation persists: Get medical advice/attention.
- P501 : Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.8. Unknown acute toxicity:**

10 % of the mixture consists of component(s) of unknown toxicity.

**2.9. Classification system:**

**2.10. NFPA ratings (scale 0 - 4)**



Health = 2  
Fire = 0  
Reactivity = 0

**2.11. HMIS-ratings (scale 0 - 4)**



Health = 2  
Fire = 0  
Physical Hazard = 0

**2.12. Hazard(s) not otherwise classified (HNOC):** None known

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

| 3.1. Non-hazardous components: |   |        |
|--------------------------------|---|--------|
| 7732-18-5                      | Water, distilled water, deionized water | 60-90% |

**3.2. Chemical characterization:** Substance

**3.3. Description:** Mixture of substances listed below with non-hazardous additions.

| 3.4. Dangerous Components:          |  |        |
|-------------------------------------|--|--------|
| CAS: 1344-28-1<br>RTECS: BD 1200000 | Aluminum Oxide<br>⚠ Specific Target Organ Toxicity - Single Exposure 3, H335   | 15-35% |
| CAS: 68551-19-9                     | C12-C14 Isoalkanes<br>⚠ Aspiration Hazard 1, H304; ⚠ Acute Toxicity - Oral 4, H302;<br>Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227 | 5-10%  |
| CAS: 8042-47-5                      | White mineral oil, petroleum   | 2-12%  |
| CAS: 56-81-5<br>RTECS: MA 8050000   | Glycerin<br>⚠ Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2B, H320  | ≤2.5%  |

**3.5. Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 FIRST-AID MEASURES

**4.1. Description of first aid measures:**

**4.2. General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

**4.3. After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in the side position for transportation.

- 4.4. **After skin contact:** Generally, the product does not irritate the skin.
- 4.5. **After eye contact:** Rinse opened eye for several minutes under running water.
- 4.6. **After swallowing:**  
If swallowed and symptoms occur, consult a doctor.  
Immediately call a doctor.
- 4.7. **Information for doctor**
- 4.8. **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- 4.9. **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

## 5 FIRE-FIGHTING MEASURES

- 5.1. **Extinguishing media**
- 5.2. **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.3. **For safety reasons unsuitable extinguishing agents:** No further relevant information is available.
- 5.4. **Special hazards arising from the substance or mixture:**  
Combustible liquid. Vapors can travel to a source of ignition and flash back.  
Explosive mixtures may occur at temperatures at or above flashpoint.
- 5.5. **Advice for firefighters**
- 5.6. **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## 6 ACCIDENTAL RELEASE MEASURES

- 6.1. **Personal precautions, protective equipment and emergency procedures:** Ensure adequate ventilation.
- 6.2. **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to section 13.
- 6.3. **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 HANDLING AND STORAGE

- 7.1. **Handling**
- 7.2. **Precautions for safe handling:**  
Keep away from sources of ignition.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- 7.3. **Information about protection against explosions and fires:** Protect from heat.
- 7.4. **Conditions for safe storage, including any incompatibilities**
- 7.5. **Storage**
- 7.6. **Requirements to be met by storerooms and receptacles:**  
Store in a cool, dry place away from sparks and flame.
- 7.7. **Information about storage in one common storage facility:** Not required.
- 7.8. **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect from heat and direct sunlight.
- 7.9. **Specific end use(s):** No further relevant information available.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. **Additional information about design of technical systems:** No further data; see section 7.

8.2. **Control parameters:**

8.3. **Components with occupational exposure limits:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

|   |   |
|---|---|
| <b>8.4. 8042-47-5 White mineral oil, petroleum:</b> |   |
| ACGIH TLV   | Short-term value: 10 mg/m <sup>3</sup><br>Long-term value: 5 mg/m <sup>3</sup>        |
| OSHA PEL  | Long-term value: 5 mg/m <sup>3</sup>  |
| <b>8.5. 56-81-5 Glycerin:</b>                       |   |
| PEL   | Long-term value: 15* 5** mg/m <sup>3</sup><br>mist; *total dust **respirable fraction |
| TLV   | TLV withdrawn-insufficient data human occup. exp.                                     |

8.6. **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

8.7. **Exposure controls:**

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.

8.8. **Personal protective equipment**

8.9. **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

8.10. **Breathing equipment:** Not required.

8.11. **Protection of hands:**



Protective gloves

8.12. **Eye protection:**



Safety glasses

## 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. **Information on basic physical and chemical properties**

9.2. **General Information**

9.3. **Appearance:**

Form: : Emulsion

Color: : Cream

9.4. **Odor:** : Glycerin Like

9.5. **Odor threshold:** : Not determined.

9.6. **pH-value @ 20 °C (68 °F):** : 8

9.7. **Change in condition:**

Melting point/Melting range: : Not determined.

Boiling point/Boiling range: : 100 °C (212 °F)

9.8. **Flash point:** : None

9.9. **Flammability (solid, gaseous):** : Not applicable.

9.10 **Auto igniting:** : Not applicable.

- 9.11. **Decomposition temperature:** : Not determined.
- 9.12. **Ignition temperature:** : Product is not self-igniting.
- 9.13. **Danger of explosion:** : Not determined.
- 9.14. **Explosion limits:**  
**Lower:** : Not determined.  
**Upper:** : Not determined.
- 9.15. **Vapor pressure @ 20 °C (68 °F):** : 23 hPa (17.3 mm Hg)
- 9.16. **Density:**  
**Relative density:** : Not determined.  
**Vapor density:** : Not determined.  
**Evaporation rate:** : Not determined.
- 9.17. **Solubility in / Miscibility with:**  
**Water:** : Not miscible or difficult to mix.
- 9.18. **Partition coefficient (n-octanol/water):** : Not determined.
- 9.19. **Viscosity:**  
**Dynamic:** : Not determined.  
**Kinematic:** : Not determined.
- 9.20. **Other information:** : No further relevant information available.

## 10 STABILITY AND REACTIVITY

- 10.1. **Reactivity:** No further relevant information available.
- 10.2. **Chemical stability:** Stable under normal conditions.
- 10.3. **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- 10.4. **Possibility of hazardous reactions:** No dangerous reactions known.
- 10.5. **Conditions to avoid:** No further relevant information available.
- 10.6. **Incompatible materials:** No further relevant information available.
- 10.7. **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 TOXICOLOGICAL INFORMATION

- 11.1. **Information on toxicological effects:**
- 11.2. **Acute toxicity:**

|   |               |                       |
|---|---------------|-----------------------|
| <b>11.3. LD/LC50 values that are relevant for classification:</b> |               |                       |
| <b>1344-28-1 Aluminum Oxide</b>                                   |               |                       |
| Oral  | LD50          | >10,000 mg/kg (Rat)   |
| Inhalative  | LC50/4 h      | >2.6 mg/l (Rat)       |
| <b>8042-47-5 White mineral oil, petroleum</b>                     |               |                       |
| Oral  | LD50          | >5000 mg/kg (Rat)     |
| <b>56-81-5 Glycerin</b>   |               |                       |
| Oral  | LD50          | 12600 mg/kg (Rat)     |
| Dermal  | LD50          | >10000 mg/kg (rabbit) |
| Inhalative  | LC50/96 hours | >50,000 mg/l (Trout)  |

**11.4. Primary irritant effect:**

**11.5. On the skin:** No irritating effect.

**11.6. On the eye:** No irritating effect.

**11.7. Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

**11.8. Carcinogenic categories:**

|  |
|--|
| <b>11.9. IARC (International Agency for Research on Cancer):</b>         |
| None of the ingredients are listed.                                      |
| <b>11.10. NTP (National Toxicology Program):</b>                         |
| None of the ingredients are listed.                                      |
| <b>11.11. OSHA-Ca (Occupational Safety &amp; Health Administration):</b> |
| None of the ingredients are listed.                                      |

## 12 STABILITY AND REACTIVITY

**12.1. Toxicity:**

**12.2. Aquatic toxicity:** : No further relevant information available.

**12.3. Persistence and degradability:** : No further relevant information available.

**12.4. Behavior in environmental systems:**

**12.5. Bioaccumulative potential:** : No further relevant information available.

**12.6. Mobility in soil:** : No further relevant information available.

**12.7. Additional ecological information:**

**12.8. General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

**12.9. Results of PBT and vPvB assessment:**

**12.10. PBT:** : Not applicable.

**12.11. vPvB:** : Not applicable.

**12.12. Other adverse effects:** : No further relevant information available.

## 13 DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

**13.2. Recommendation:**

Observe all federal, state and local environmental regulations when disposing of this material.

**13.3. Uncleaned packaging**

**13.4. Recommendation:** Disposal must be made according to official regulations.

## 14 TRANSPORT INFORMATION

**14.1. UN-Number:**

**14.2. DOT, ADR/ADN, ADN, IMDG, IATA** : Non-Regulated Material

**14.3. UN proper shipping name:**

**14.4. DOT, ADR/ADN, ADN, IMDG, IATA** : Non-Regulated Material

**14.5. Transport hazard class(es):**

**14.6. DOT, ADR/ADN, ADN, IMDG, IATA**

**14.7. Class:** : Non-Regulated Material

- 14.8. **Packing group:**
- 14.9. **DOT, ADR/ADN, IMDG, IATA** : Non-Regulated Material
- 14.10. **Environmental hazards:** : Not applicable
- 14.11. **Special precautions for user:** : Not applicable
- 14.12. **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** : Not applicable
- 14.13. **UN "Model Regulation":** : Non-Regulated Material

## 15 REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:**

No further relevant information available.

**15.2. SARA (Superfund Amendments and Reauthorization):**

|  |
|--|
| <b>15.3. Section 355 (extremely hazardous substances):</b> |
| None of the ingredients are listed.                        |

|  |
|--|
| <b>15.4. Section 313 (Specific toxic chemical listings):</b> |
| 1344-28-1   Aluminum Oxide                                   |

|   |
|---|
| <b>15.5. TSCA (Toxic Substances Control Act):</b>   |
| 1344-28-1   Aluminum Oxide                          |
| 68551-19-9   C12-C14 Isoalkanes                     |
| 8042-47-5   White mineral oil, petroleum            |
| 56-81-5   Glycerin                                  |
| 7732-18-5   Water, distilled water, deionized water |

**15.6. California Proposition 65:**

|   |
|---|
| <b>15.7. Chemicals known to cause cancer:</b> |
| None of the ingredients are listed.           |

|  |
|--|
| <b>15.8. Chemicals known to cause reproductive toxicity for females:</b> |
| None of the ingredients are listed.                                      |

|  |
|--|
| <b>15.9. Chemicals known to cause reproductive toxicity for males:</b> |
| None of the ingredients are listed.                                    |

|  |
|--|
| <b>15.10. Chemicals known to cause developmental toxicity:</b> |
| None of the ingredients are listed.                            |

|  |
|--|
| <b>15.11. New Jersey Right-to-Know List:</b> |
| 1344-28-1   Aluminum Oxide                   |
| 56-81-5   Glycerin                           |

|  |
|--|
| <b>15.12. New Jersey Special Hazardous Substance List:</b> |
| None of the ingredients are listed.                        |

|  |                |  |
|--|----------------|--|
| <b>15.13. Pennsylvania Right-to-Know List:</b> |                |  |
| 1344-28-1                                      | Aluminum Oxide |  |
| 56-81-5  | Glycerin       |  |

|  |                |   |
|--|----------------|---|
| <b>15.14. Pennsylvania Special Hazardous Substance List:</b> |                |   |
| 1344-28-1  | Aluminum Oxide | E |

**15.15. Carcinogenic categories:**

|  |  |  |
|--|--|--|
| <b>15.16. EPA (Environmental Protection Agency):</b> |  |  |
| None of the ingredients are listed.                  |  |  |

|   |                |    |
|---|----------------|----|
| <b>15.17. TLV (Threshold Limit Value established by ACGIH):</b> |                |    |
| 1344-28-1   | Aluminum Oxide | A4 |

|   |  |  |
|---|--|--|
| <b>15.18. NIOSH-Ca (National Institute for Occupational Safety and Health):</b> |  |  |
| None of the ingredients are listed.   |  |  |

**15.19. GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**15.20. Hazard pictograms:**



**15.21. Signal word:** Warning

**15.22. Hazard-determining components of labeling:**

C12-C14 Isoalkanes  
Glycerin

**15.23. Hazard statements:**

H302+H332 Harmful if swallowed or if inhaled.  
H315 : Causes skin irritation.  
H319 : Causes serious eye irritation.

**15.24. Precautionary statements:**

P261 : Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 : Wash thoroughly after handling.  
P270 : Do not eat, drink or smoke when using this product.  
P271 : Use only outdoors or in a well-ventilated area.  
P280 : Wear eye protection / face protection.  
P301+P312 : If swallowed: Call a poison center/doctor if you feel unwell.  
P330 : Rinse mouth.  
P302+P352 : If on skin: Wash with plenty of water.  
P321 : Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
P304+P340 : IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 : If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 : If skin irritation occurs: Get medical advice/attention.  
P362+P364 : Take off contaminated clothing and wash it before reuse.  
P337+P313 : If eye irritation persists: Get medical advice/attention.  
P501 : Dispose of contents/container in accordance with local/regional/national/international regulations.

|   |  |  |
|---|--|--|
| <b>15.25. National regulations:</b>   |  |  |
| The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances. |  |  |

**15.26. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 OTHER INFORMATION

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

### 16.1. Contact:

### 16.2. Abbreviations and acronyms:

|   |   |
|---|---|
| ADR:  | The European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ADN:  | The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| IMDG:   | International Maritime Code for Dangerous Goods   |
| DOT:  | US Department of Transportation   |
| IATA:   | International Air Transport Association   |
| EINECS:   | European Inventory of Existing Commercial Chemical Substances                                       |
| ELINCS:   | European List of Notified Chemical Substances   |
| CAS:  | Chemical Abstracts Service (division of the American Chemical Society)                              |
| NFPA:   | National Fire Protection Association (USA)  |
| HMIS:   | Hazardous Materials Identification System (USA)   |
| LC50:   | Lethal concentration, 50 percent  |
| LD50:   | Lethal dose, 50 percent   |
| PBT:  | Persistent, Bioaccumulative and Toxic   |
| vPvB:   | very Persistent and very Bioaccumulative  |
| NIOSH:  | National Institute for Occupational Safety and Health   |
| OSHA:   | Occupational Safety & Health Administration   |
| TLV:  | Threshold Limit Value   |
| PEL:  | Permissible Exposure Limit  |
| REL:  | Recommended Exposure Limit  |
| Flammable Liquids 4:                                | Flammable liquids – Category 4  |
| Acute Toxicity - Oral 4:                            | Acute toxicity – Category 4   |
| Skin Irritation 2:                                  | Skin corrosion/irritation – Category 2  |
| Eye Irritation 2A:                                  | Serious eye damage/eye irritation – Category 2A   |
| Eye Irritation 2B:                                  | Serious eye damage/eye irritation – Category 2B   |
| Specific Target Organ Toxicity - Single Exposure 3: | Specific target organ toxicity (single exposure) – Category 3                                       |
| Aspiration Hazard 1:                                | Aspiration hazard – Category 1  |

### 16.3. \* Data compared to the previous version altered.

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106