SAFETY DATA SHEET

RioTinto Alcan

Section 1. Identification

Product name : Alumina hydrate - moist

Chemical name : Alumina hydrate

Product code : 336

Other means of identification

: Moist hydrate, H-10 filtercake, Filter cake, Alumina Trihydrate, ATH, Product Hydrate, Aluminium Hydroxide, Hydrated alumina, Aluminium Trihydroxide

Product type : Powder.

Relevant identified uses of the substance or mixture and uses advised against

Material uses

: Industrial applications: feedstock for the manufacture of aluminium oxide and other aluminium containing compounds, including aluminium fluoride, aluminium sulphate, PAC, zeolites, and sodium aluminate.

Supplier's details

: Rio Tinto Alcan

Bauxite & Alumina Business Unit

For Asia: Rio Tinto Alcan 123 Albert Street, Brisbane, 4000,

Australia

Telephone: +61 7 3625 3000 (BH)

Rio Tinto Alcan 12 Marina Boulevard,

#20-01 Marina Bay Financial Centre Tower 3,

Singapore, 018982 Telephone: +65 6679 9000

For North America: Rio Tinto Alcan

1188 Sherbrooke Street Montreal, Quebec, H3A362 Telephone +1 514 848 8115

e-mail address of person responsible for this SDS

: rta.msds@riotinto.com

Emergency telephone

number

: +1 215 207 0061 (Rio Tinto Alcan)

For advice on chemical emergencies, spillages, fires or first aid.

Section 2. Hazards identification

OSHA/HCS status

: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

: Not classified.

GHS label elements

Date of issue/Date of revision : 03/28/2014 Version : 2.01 1/10

Section 2. Hazards identification

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

Hazards not otherwise

classified

: Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

Section 3. Composition/information on ingredients

Substance/mixture : Substance
Chemical name : Alumina hydrate

CAS number/other identifiers

CAS number : 21645-51-2

Product code : 336

Ingredient name	%	CAS number
aluminium hydroxide	89 - 97	21645-51-2
water	3 - 11	7732-18-5
aluminium sodium dioxide	0 - 0.4	1302-42-7
sodium carbonate	0 - 0.4	497-19-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Move exposed person to fresh air. Get medical attention if symptoms occur.

Skin contact: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the eyes.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contactIngestionNo known significant effects or critical hazards.No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

irritation redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Date of issue/Date of revision : 03/28/2014 Version : 2.01 2/10

Alumina hydrate - moist

Section 4. First aid measures

Skin contact : No specific data.

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

: None.

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Put on appropriate personal protective equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods and materials for containment and cleaning up

Small spill Large spill

- : Recycle, if possible. Waste must be disposed of according to applicable regulations.
- : Avoid creating dusty conditions and prevent wind dispersal. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. Waste must be disposed of according to applicable regulations. Recycle, if possible.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

- : Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust.
- Advice on general occupational hygiene
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

Date of issue/Date of revision : 03/28/2014 Version : 2.01 3/10

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store so as to avoid dust generation and dispersal.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
	Rio Tinto 10 mg/m³ (Inhalable) 5 mg/m³ (Respirable)

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Skin protection

Hand protection

: Wear suitable gloves.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state : Solid. [Moist powder.]

Color : White. Pale color.

Odor : Odorless.

Odor threshold : Not applicable.

pH : Not applicable.

Melting point : 2072°C (3761.6°F)

Boiling point : 2977°C (5390.6°F)

Flash point : Not applicable.

Date of issue/Date of revision : 03/28/2014 Version : 2.01 4/10

Section 9. Physical and chemical properties

Burning time : Not applicable. **Burning rate** : Not applicable. **Evaporation rate** Not applicable.

Flammability (solid, gas) : Non-flammable in the presence of the following materials or conditions: open flames,

sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and

moisture.

Lower and upper explosive

(flammable) limits

: Not available.

Vapor pressure : Not applicable. : Not available. Vapor density **Bulk density** : 1.25 [g/cm³] **Granulometry** : 45 - 110 Microns

Relative density

Solubility Insoluble in the following materials: cold water and hot water.

Solubility in water : Not applicable. Partition coefficient: n-

octanol/water

: Not applicable.

Auto-ignition temperature : Not applicable. **Decomposition temperature** : 180°C (356°F) **SADT** : Not applicable. **Viscosity** : Not applicable.

Section 10. Stability and reactivity

No specific test data related to reactivity available for this product or its ingredients. Reactivity

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Not applicable.

Incompatible materials Not applicable

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
sodium carbonate	LD50 Oral	Rat	4090 mg/kg	-

Conclusion/Summary

Irritation/Corrosion

: No known significant effects or critical hazards.

Date of issue/Date of revision : 03/28/2014 Version : 2.01

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium carbonate	Eyes - Mild irritant	Rabbit	-	0.5 minutes 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Severe irritant Skin - Mild irritant	Rabbit Rabbit	-	50 milligrams 24 hours 500 milligrams	-

Conclusion/Summary

Skin : No significant irritation expected other than possible mechanical irritation.

Eyes: May cause mild eye irritation.

Respiratory: Inhalation of high concentrations of these nuisance particulates can result in mild

irritation of the respiratory tract

Sensitization

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Mutagenicity

Conclusion/Summary: No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary: No carcinogenic effect.

Reproductive toxicity

Conclusion/Summary: No known significant effects or critical hazards.

Teratogenicity

Conclusion/Summary: No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

: Not available.

Potential acute health effects

Eye contact: Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the eyes.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contactIngestionNo known significant effects or critical hazards.No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

irritation redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: No specific data.Ingestion: No specific data.

Date of issue/Date of revision : 03/28/2014 Version : 2.01 6/10

Section 11. Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects

: Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary: No known significant effects or critical hazards.

General : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
aluminium hydroxide EC50 >100 mg/l		Algae - Selenastrum capricornutum	72 hours
aluminium sodium dioxide sodium carbonate	EC50 >100 mg/l EC50 >100 mg/l Acute LC50 111 ppm Fresh water Acute EC50 242000 µg/l Fresh water Acute LC50 176000 µg/l Fresh water	Daphnia - Daphnia magna Fish - Salmo trutta Fish - Gambusia affinis - Adult Algae - Navicula seminulum Crustaceans - Amphipoda	46 hours 96 hours 96 hours 96 hours 48 hours
	Acute LC50 265000 µg/l Fresh water Acute LC50 300000 µg/l Fresh water	Daphnia - Daphnia magna Fish - Lepomis macrochirus	48 hours 96 hours

Conclusion/Summary: No known significant effects or critical hazards.

Persistence and degradability

Conclusion/Summary : Not biodegradable

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Alumina hydrate	-	-	Not readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
aluminium sodium dioxide	-	215	low

Mobility in soil

Date of issue/Date of revision : 03/28/2014 Version : 2.01 7/10

Alumina hydrate - moist

Section 12. Ecological information

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Recycle, if possible.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

Special precautions for user: Not applicable.

Transport in bulk according : Not applicable.

to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined U.S. Federal regulations

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)** : Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

: Not listed

Class II Substances

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals)

: Not listed

SARA 302/304

Date of issue/Date of revision : 03/28/2014 Version: 2.01

Section 15. Regulatory information

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	%	hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
aluminium sodium dioxide sodium carbonate		No. No.	No. No.	Yes. No.	Yes. Yes.	No. No.

State regulations

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: None of the components are listed.Pennsylvania: None of the components are listed.

International regulations

Australia inventory (AICS)

Canada inventory

China inventory (IECSC)

Europe inventory

Japan inventory

Korea inventory

New Zealand Inventory of Chemicals (NZIoC)

: All components are listed or exempted.

Philippines inventory

(PICCS)

: All components are listed or exempted.

United States inventory

(TSCA 8b)

: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Date of issue/Date of revision : 03/28/2014 Version : 2.01 9/10

Section 16. Other information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Date of issue/Date of

revision

: 03/28/2014

Date of previous issue

02/24/2014

Version

2.01

Key to abbreviations

: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

IMSBC = International Maritime Solid Bulk Cargoes Code LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References

: Not available.

Indicates information that has changed from previously issued version.

United States / EN-US

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot quarantee that these are the only hazards that exist.

Date of issue/Date of revision : 03/28/2014 Version : 2.01 10/10