SAFETY DATA SHEET



1. Identification

Product identifier VOLCLAY® 325 Other means of identification Not available.

Synonym(s) Smectite * Bentonite * Bentonite, Sodian * Bentonite, Calcian * Sodium-activated Bentonite *

Montmorillonite

Bentonite has a variety of uses. It can be used as a rheology modifier, binding agent, adsorbent, Recommended use

hydraulic-barrier, and filler.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name American Colloid Company **Address** 2870 Forbs Avenue

Hoffman Estates, IL 60192

United States

Telephone General Information 800 426-5564

Website http://www.colloid.com/ISG/ E-mail safetydata@amcol.com

Emergency phone number Not available.

1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962 **Americas**

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. Not classified. **OSHA** defined hazards

Label elements

Hazard symbol None.

Not available. Signal word Not available. **Hazard statement** Prevention Not available. Response Not available. **Storage** Not available. Disposal Not available.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Bentonite	Smectite	1302-78-9	100
	Bentonite		
	Bentonite, Sodian		
	Bentonite, Calcian		
	Sodium-activated Bentonite		
	Montmorillonite		

Bentonite is a UVCB substance sub-type 4. The purity of the product is 100 % w/w. Bentonite is composed mainly of smectite group minerals but the composition is varied, as expected for a UVCB substance, and other mineral constituents will be present in small and varying amounts. These minor constituents are not relevant for classification and labelling.

Material name: VOLCLAY® 325 SDS US

Composition comments

Bentonite is composed mainly of smectite group minerals but the composition is varied, as expected for a UVCB substance, and other mineral constituents will be present in small and varying amounts. These minor constituents are not relevant for classification and labelling. The purity of the product is 100% w/w. Impurities are not applicable for a UVCB substance. This product contains 10% total crystalline silica. The respirable crystalline silica as determined by the SWeRF method is <1% w/w. Details about the SWeRF method are available at www.crystallinesilica.eu.

4. First-aid measures

Inhalation

No specific first aid measures noted. Move to fresh air. Call a physician if symptoms develop or

Skin contact

No specific first aid measures noted. Wash skin with soap and water. Get medical attention if

irritation develops and persists.

Eye contact

No specific first aid measures noted. Flush thoroughly with water. If irritation occurs, get medical

assistance.

Ingestion

No specific first aid measures noted. Rinse mouth thoroughly. Get medical attention if any

discomfort occurs.

Most important

symptoms/effects, acute and

delayed

Dust in the eyes will cause irritation.

Indication of immediate medical attention and special

Provide general supportive measures and treat symptomatically.

treatment needed **General information**

No hazards which require special first aid measures. Provide general supportive measures and

treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Use any media suitable for the surrounding fires.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

None known. The product itself does not burn.

Special protective equipment and precautions for firefighters None known.

Fire-fighting

equipment/instructions

Material can be slippery when wet.

General fire hazards

This material will not burn.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

No special precautions are necessary beyond normal good hygiene practices. See Section 8 for additional personal protection advice when handling this product.

Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container.

Environmental precautions

No special environmental precautions required. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling

Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage. including any incompatibilities Store in a dry area. Keep the container dry. No special restrictions on storage with other products.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1916	0.1000)		
Constituents	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	5 mg/m3	Respirable fraction.

Material name: VOLCLAY® 325

SDS US

2/7

US. OSHA Table Z-3 (29 CFR 1910.1000)

Constituents	Туре	Value	Form
		15 mg/m3	Total dust.
		50 millions of particle	Total dust.
		15 millions of particle	Respirable fraction.
US. ACGIH Threshold Limit Valu	ies		
Constituents	Type	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	3 mg/m3	Respirable particles.
(,		10 mg/m3	Inhalable particles.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear dust-resistant safety goggles where there is danger of eye contact.

Hand protection No protection is ordinarily required under normal conditions of use.

Other No special protective equipment required. Normal work clothing (long sleeved shirts and long

pants) is recommended.

Use a particulate filter respirator for particulate concentrations exceeding the Occupational Respiratory protection

Exposure Limit.

Thermal hazards Not applicable.

General hygiene considerations

Use good industrial hygiene practices in handling this material.

9. Physical and chemical properties

Lump, granular or fine powder. **Appearance**

Solid. **Physical state Form** Various. Color Various. Odor None.

Odor threshold Not applicable.

8.5 - 11рH

Melting point/freezing point > 842 °F (> 450 °C) / Not applicable.

Initial boiling point and boiling

range

Not applicable.

Not applicable. Flash point **Evaporation rate** Not available.

Flammability (solid, gas) This product is not flammable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not applicable.

(%)

Flammability limit - upper

Not applicable.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not applicable. Vapor density Not applicable.

Relative density Solubility(ies)

Material name: VOLCLAY® 325

< 0.9 mg/lSolubility (water) Partition coefficient Not applicable. Not applicable. (n-octanol/water)

Version #: 26 Revision date: 07-March-2014 Print date: 07-March-2014

2.6 g/cm3

SDS US

Not applicable. **Auto-ignition temperature** > 932 °F (> 500 °C) **Decomposition temperature** Not applicable. **Viscosity**

Not applicable.

Other information

Viscosity temperature

0.9 - 1.4 g/cm³ **Bulk density** Not applicable. **Explosive limit** Not explosive **Explosive properties** Not applicable. **Explosivity** Flame extension Not applicable. **Flammability** Not applicable. Flammability (flash back) Not applicable. Flammability (Heat of Not applicable.

combustion)

Flammability (Train fire) Not applicable. Flammability class Not applicable. Flash point class Not flammable Molecular formula **UVCB** Substance Molecular weight Not applicable.

Oxidizing properties None. 0 % Percent volatile pH in aqueous solution 8.5 - 11

Not applicable. Specific gravity

VOC (Weight %) 0 %

10. Stability and reactivity

Not available. Reactivity

Stable at normal conditions. **Chemical stability**

Possibility of hazardous

reactions

Will not occur.

Moisture. Conditions to avoid None known. Incompatible materials None. **Hazardous decomposition**

products

11. Toxicological information

Information on likely routes of exposure

Ingestion Not classified.

Inhalation Not classified. Inhalation of dusts may cause respiratory irritation.

Skin contact Not classified.

Not classified. Dust in the eyes will cause irritation. Eye contact

None known.

Species

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

Not classified. **Acute toxicity**

Bentonite (CAS 1302-78-9) Acute Inhalation LC50 Rat > 5.27 mg/l, 4 hrOECD 436

LD50 Rat > 2000 mg/kgOECD 425

Skin corrosion/irritation Not classified.

Serious eye damage/eye Not classified. Mild irritant to eyes (according to the modified Kay & Calandra criteria)

irritation

Oral

Product

Material name: VOLCLAY® 325

SDS US 4/7

Test Results

Respiratory or skin sensitization

Respiratory sensitization Not classified.
Skin sensitization Not classified.
Germ cell mutagenicity Not classified.

Carcinogenicity No carcinogenicity data available for this product. Sepiolite was evaluated by IARC as class 3

("Cannot be classified as to carcinogenicity to humans"). Based on read-across with sepiolite,

bentonite was assessed as non-carcinogenic. Therefore classification of bentonite for

carcinogenicity is not warranted.

Reproductive toxicity
Specific target organ toxicity -

single exposure

Not classified.

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not available.

12. Ecological information

Ecotoxicity

Product		Species	Test Results
Bentonite (CAS 1302-	-78-9)		
Crustacea	EC50	Daphnia	> 100 mg/l, 48 hours
Other	EC50	Freshwater algae	> 100 mg/l, 72 hours
	LC50	Freshwater fish	16000 mg/l, 96 hours
		Marine water fish	2800 - 3200 mg/l, 24 hours
Aquatic			
Crustacea	EC50	Coon stripe shrimp (Pandalus danae)	24.8 mg/l, 96 hours
		Dungeness or edible crab (Cancer magister)	81.6 mg/l, 96 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	19000 mg/l, 96 hours

Persistence and degradability

Not relevant for inorganic substances

Bioaccumulative potential

Will not bio-accumulate.

Mobility in soil

Bentonite is almost insoluble and thus presents a low mobility in most soils.

Mobility in general

The product has poor water-solubility.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Store containers and offer for recycling of material when in accordance with the local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Material name: VOLCLAY® 325
4589 Version #: 26 Revision date: 07-March-2014 Print date: 07-March-2014

www.Lagunclay.com Laguna Clay Company

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Inventory name

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Food and Drug

Administration (FDA)

Total food additive
Direct food additive
GRAS food additive

US state regulations

US. Massachusetts RTK - Substance List

Not regulated

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Country(s) or region

International Inventories

		/
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

16. Other information, including date of preparation or last revision

Issue date 17-October-2013
Revision date 07-March-2014

Version # 26

Further information This safety datasheet only contains information relating to safety and does not replace any product

information or product specification.

Material name: VOLCLAY® 325

On inventory (yes/no)*

0 0

List of abbreviations

SWERF = Size Weighted Respirable Fraction methodology is a scientific method developed to quantify the content of respirable particles within a bulk product. All details about the SWERF method are available at www.crystallinesilica.eu.

UVCB = a substance of Unknown or Variable composition, Complex reaction products or

Biological materials

References For any information on literature references or toxicity/ecotoxicity studies, please contact the

supplier.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Information

Product and Company Identification: Alternate Trade Names



Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com