

# Part of Thermo Fisher Scientific

Revision Date 05-Aug-2014 Revision Number 1

# 1. Identification

Product Name Nickel (II) Carbonate

Cat No.: N51-100; N51-500

Synonyms Carbonic Acid Nickel Salt.

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Emergency Telephone Number

Fisher Scientific CHEMTREC®, Inside the USA: 800-424-9300
One Reagent Lane CHEMTREC®, Outside the USA: 001-703-527-3887

Fair Lawn, NJ 07410 Tel: (201) 796-7100

# 2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 4 Acute Inhalation Toxicity - Dusts and Mists Category 4 Skin Corrosion/irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Respiratory Sensitization Category 1 Skin Sensitization Category 1 Germ Cell Mutagenicity Category 2 Carcinogenicity Category 1A Reproductive Toxicity Category 1B Specific target organ toxicity - (repeated exposure) Category 1

# Label Elements

#### Signal Word

Danger

#### **Hazard Statements**

Nickel (II) Carbonate Revision Date 05-Aug-2014

Harmful if swallowed

Harmful if inhaled

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled

Suspected of causing genetic defects

May cause cancer by inhalation

May damage fertility or the unborn child

Causes damage to organs through prolonged or repeated exposure



#### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

# Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

# Storage

Store locked up

# **Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

# 3. Composition / information on ingredients

Component	CAS-No	Weight %
Nickel carbonate	3333-67-3	100

# 4. First-aid measures

Nickel (II) Carbonate Revision Date 05-Aug-2014

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Obtain medical

attention.

Ingestion Rinse mouth. Do not induce vomiting. Call a physician or Poison Control Center

immediately.

Most important symptoms/effects May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause

allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain,

muscle pain or flushing

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point

**Method -** No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

None under normal use conditions

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	0	N/A

# 6. Accidental release measures

**Environmental Precautions** See Section 12 for additional ecological information. Avoid release to the environment.

Collect spillage.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up** 

	7. Handling and storage
Handling	Do not breathe dust. Do not taste or swallow. Do not get in eyes, on skin, or on clothing. Wash hands before breaks and immediately after handling the product. Avoid dust formation.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.

Revision Date 05-Aug-2014 Nickel (II) Carbonate

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

NIOSH IDLH	OSHA PEL	ACGIH TLV	Component
IDLH: 10 mg/m <sup>3</sup> TWA: 0.015 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	Nickel carbonate
1 <sup>3</sup>	(Vacated) TWA: 1 mg/n	TWA: 0.2 mg/m <sup>3</sup>	Nickel carbonate

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Nickel carbonate	TWA: 1 mg/m <sup>3</sup>		TWA: 0.2 mg/m <sup>3</sup>

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures** 

**Personal Protective Equipment Eye/face Protection** 

Ensure adequate ventilation, especially in confined areas.

Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

Skin and body protection **Respiratory Protection** 

**Hygiene Measures** 

Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

**Physical State** Solid **Appearance** Light green Odorless Odor

No information available **Odor Threshold** 

pН

Melting Point/Range No data available

**Boiling Point/Range** 

**Flash Point** 

**Evaporation Rate** No information available Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available No data available Lower **Vapor Pressure** No information available **Vapor Density** No information available 2.6

**Relative Density** 

Insoluble in water Solubility Partition coefficient; n-octanol/water No data available **Autoignition Temperature** No information available No information available **Decomposition temperature Viscosity** No information available

Molecular Formula NiCO<sub>3</sub> **Molecular Weight** 118.6882

# 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stability Stable under normal conditions.

Revision Date 05-Aug-2014 Nickel (II) Carbonate

**Conditions to Avoid** Incompatible products. Avoid dust formation.

**Incompatible Materials** Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Component Information** 

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes, respiratory system and skin Irritation

Sensitization May cause sensitization by inhalation May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Nickel carbonate	3333-67-3	Group 1	Not listed	A1	X	Not listed

**Mutagenic Effects** Mutagenic Category 2 May cause heritable genetic damage

**Reproductive Effects** Category 1B. Suspect reproductive hazard - contains material which may injure unborn

child.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**Endocrine Disruptor Information** No information available

The toxicological properties have not been fully investigated. Other Adverse Effects

# 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Nickel carbonate	Not listed	306.9 mg/L LC50 96 h	Not listed	Not listed

**Persistence and Degradability** No information available

**Bioaccumulation/ Accumulation** No information available.

**Mobility** No information available.

Revision Date 05-Aug-2014

#### Nickel (II) Carbonate

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	<del>-</del> .		
14.	Transport	information	

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

# 15. Regulatory information

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Nickel carbonate	Х	Χ	-	222-068-2	-		Χ	Χ	Χ	Χ	Χ

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Nickel carbonate	3333-67-3	100	0.1

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

# Clean Water Act Not applicable

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Nickel carbonate	-	-	Х	-

#### Clean Air Act Not applicable

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Nickel carbonate	X		-

**OSHA** Occupational Safety and Health Administration

Not applicable

Nickel (II) Carbonate Revision Date 05-Aug-2014

#### **CERCLA**

Not applicable

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Nickel carbonate	3333-67-3	Carcinogen	-	Carcinogen

State Right-to-Know Not applicable

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Nickel carbonate	X	X	X	X	X

#### **U.S.** Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

#### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

# Other International Regulations

Mexico - Grade No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D1B Toxic materials

D2A Very toxic materials D2B Toxic materials



# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Revision Date 05-Aug-2014 Print Date 05-Aug-2014

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

#### Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# **End of SDS**