Brenntag Canada Inc.



MATERIAL SAFETY DATA SHEET

YELLOW IRON OXIDE, SOLID

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Brenntag Canada Inc. 43 Jutland Rd. Toronto, ON M8Z 2G6 (416) 259-8231

Website: http://www.brenntag.ca

WHMIS#: 00069923
Index: HCI9063/14C
Effective Date: 2014 August 27
Date of Revision: 2014 August 27

EMERGENCY TELEPHONE NUMBER (For Emergencies Involving Chemical Spills or Releases)

1 855 273 6824

PRODUCT IDENTIFICATION

Product Name: Yellow Iron Oxide, Solid.

Chemical Name: Yellow Iron Oxide.

Synonyms: CI No. 77492;

CI Pigment Yellow 42; Hydrated Ferric Oxide; Iron (III) Oxide Hydroxide; Synthetic Iron Oxide.

Products:

510P Lemon Yellow; 569 Iron Oxide Yellow; 3048 Iron Oxide Yellow; 3049 Iron Oxide Yellow; Iron Oxide Yellow CG 450; Oxide Yellow AC-0544;

Y1000; Y1050A; Y1075A; Y1100; Y1125; Y1150A; Y2100; Y2150; Y2150A; Y3100;

Yellow 1000 HRA; Yellow 1075A low OA;

Yellow Iron Oxide YB2087 - Pure; Yellow Iron Oxide YD1888 - ED; Yellow Iron Oxide YD1988 - ED; Yellow Iron Oxide YD2288 - ED; Yellow Iron Oxide YD3288 - ED; Yellow Iron Oxide YO2087 - Pure; Yellow Iron Oxide YO2587 - Pure; Yellow Iron Oxide YO5087 - Pure; Yellow Iron Oxide YO5087 - Pure; Yellow Iron Oxide YO6087 - Pure; Yellow Iron Oxide YO8087 - Pure; Yellow Iron Oxide YO8087 - Pure; Yellow Iron Oxide YP2100; Yellow Iron Oxide YP2100;

Chemical Family: Inorganic Pigment.

Molecular Formula: Fe2-H2-O4; Fe2O3.H2O.

Product Use: Pigmentation. Chemical intermediate.

WHMIS Number: 00069923

Page 2 of 7

WHMIS Classification / Symbol:

Not WHMIS Regulated.



READ THE ENTIRE MSDS FOR THE COMPLETE HAZARD EVALUATION OF THIS PRODUCT.

2. COMPOSITION, INFORMATION ON INGREDIENTS (Not Intended As Specifications)

Ingredient CAS# ACGIH TLV (TWA) % Concentration

Iron Oxide Yellow (Fe2O3.H2O) 51274-00-1 5 mg/m³ as Fe 95 - 100 (Dust and Fume)

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Mechanical hazard. Dust may cause mechanical irritation to skin, eyes and respiratory tract. Low hazard

for usual industrial or commercial handling. See "Other Health Effects" Section. Sealed containers may rupture from the pressure of water vapours released from crystals by intense heat. Can decompose at

2014 August 27

Date of Revision:

high temperatures forming toxic gases.

POTENTIAL HEALTH EFFECTS

Inhalation: Product may be mildly irritating to the nose, throat and respiratory tract and may cause coughing and

sneezing. Excessive contact with powder may cause drying of mucous membranes of nose and throat

due to absorption of moisture and oils. See "Other Health Effects" Section.

Skin Contact: This product may cause irritation due to abrasive action. Prolonged, confined (especially under the finger

nails, under rings or watch bands) or repeated exposure may cause skin irritation. Excessive contact with

powder may cause drying of the skin due to absorption of moisture and oils. May cause staining.

Skin Absorption: Not likely to be absorbed through the skin.

Eye Contact: This product may cause irritation, redness and possible damage due to abrasiveness. Excessive contact

with powder may cause drying of mucous membranes of the eyes due to absorption of moisture and oils. Product residues on fingers, hands or gloves may contact the eyes and cause eye irritation, redness and

pain.

Ingestion: Ingestion is not a likely route of exposure. This product may cause mild gastrointestinal discomfort.

Other Health Effects: Low hazard for usual industrial or commercial handling.

In general, long-term exposure to high concentrations of dust may cause increased mucous flow in the nose and respiratory system airways. This condition usually disappears after exposure stops. Controversy exists as to the role exposure to dust has in the development of chronic bronchitis (inflammation of the air passages into the lungs). Other factors such as smoking and general air

pollution are more important, but dust exposure may contribute.

Dust may cause coughing, sneezing and difficulty breathing. In rare cases, long term exposure to high

levels of Iron Oxide dusts have been associated with siderosis, a form of pneumoconiosis.

Pneumoconiosis is the deposition of dust in the lungs and the tissue's reaction to its presence. When

exposure to the dust is severe or prolonged, the lungs' defenses are overwhelmed.

4. FIRST AID MEASURES

FIRST AID PROCEDURES

Inhalation: If respiratory problems arise, move the victim to fresh air. Give artificial respiration ONLY if breathing

has stopped. Give cardiopulmonary resuscitation (CPR) if there is no breathing AND no pulse. Obtain

medical advice IMMEDIATELY.

Skin Contact: Start flushing while removing contaminated clothing. Wash affected areas thoroughly with soap and

water. If irritation, redness, or a burning sensation develops and persists, obtain medical advice.

Eye Contact: Immediately flush eyes thoroughly for 15 minutes with running water. Hold eyelids open during flushing.

If irritation persists, repeat flushing.

WHMIS Number: 00069923 Date of Revision:

Page 3 of 7

Ingestion: Do not attempt to give anything by mouth to an unconscious person. If victim is alert and not convulsing,

rinse mouth out and give 1/2 to 1 glass of water to dilute material. DO NOT induce vomiting. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus,

2014 August 27

rinse mouth and administer more water. Obtain medical attention IMMEDIATELY.

Note to Physicians: Treat symptomatically.

Medical conditions that may be aggravated by exposure to this product include diseases of the skin,

eyes or respiratory tract.

5. FIRE-FIGHTING MEASURES

		Flammability Limits in Air (%):	
Flashpoint (°C)	Autolgnition Temperature (°C)	LEL	UEL
Non-combustible (does not burn).	Not applicable.	Not applicable.	Not applicable.
Flammability Class (WHMIS):	Not regulated.		
Hazardous Combustion Products:	Thermal decomposition products are toxic and may include oxides of iron and irritating gases.		
Unusual Fire or Explosion Hazards:	Avoid accumulation and dispersion of dust. Enforce NO SMOKING rules. Do not flush with water as aqueous solutions or powders that become wet render surfaces extremely slippery. Sealed containe may rupture from the pressure of water vapours released from crystals by intense heat.		
Sensitivity to Mechanical Impact:	Not expected to be sensitive to mechanical impact.		
Rate of Burning:	Not available.		
Explosive Power:	Not available.		
Sensitivity to Static Discharge:	Not expected to be sensitive to static	c discharge.	
EXTINGUISHING MEDIA			
Fire Extinguishing Media:	Use media appropriate for surrounding fire and/or materials: Foam. Dry chemical, carbon dioxide or water spray.		
FIRE FIGHTING INSTRUCTIONS			
Instructions to the Fire Fighters:	Isolate materials that are not involved in the fire and protect personnel. Do not flush with water as aqueous solutions or powders that become wet render surfaces extremely slippery.		
Fire Fighting Protective Equipment:	Use self-contained breathing apparatus and protective clothing.		

6. ACCIDENTAL RELEASE MEASURES

Information in this section is for responding to spills, leaks or releases in order to prevent or minimize the adverse effects on persons, property and the environment. There may be specific reporting requirements associated with spills, leaks or releases, which change from region to region.

Containment and Clean-Up Procedures:

In all cases of leak or spill contact vendor at Emergency Number shown on the front page of this MSDS. Eliminate all sources of ignition. Do not flush with water as aqueous solutions or powders that become wet render surfaces extremely slippery. Wear respirator, protective clothing and gloves. Avoid dry sweeping. Do not use compressed air to clean surfaces. Vacuuming is preferred. Return all material possible to container for proper disposal. Minimize air borne spreading of dust. Collect product for recovery or disposal. Ventilate enclosed spaces. Notify applicable government authority if release is reportable or could adversely affect the environment.

Where a package (drum or bag) is damaged and / or leaking, repair it, or place it into an over-pack drum immediately so as to avoid or minimize material loss and contamination of surrounding environment. Any recovered product can be used for the usual purpose, depending on the extent and kind of contamination.

7. HANDLING AND STORAGE

WHMIS Number: 00069923 2014 August 27 Date of Revision:

Page 4 of 7

Handling Practices: Use normal "good" industrial hygiene and housekeeping practices. Avoid accumulation and dispersion of

dust. Clean up immediately to eliminate slipping hazard.

See Section 8, "Engineering Controls". Ventilation Requirements:

Other Precautions: Use only with adequate ventilation and avoid breathing dusts. Avoid contact with eyes, skin or clothing.

Wash thoroughly with soap and water after handling. Wash contaminated clothing thoroughly before re-

STORAGE

Store below 50 °C. (3) Storage Temperature (°C):

Ventilation Requirements: General exhaust is acceptable.

Storage Requirements: Store in a cool, dry and well-ventilated area. Keep away from heat, sparks and flames. Keep containers

closed. Avoid moisture contamination. Prolonged storage may result in lumping or caking. Protect

against physical damage.

Special Materials to be Used for

Packaging or Containers:

Materials of construction for storing the product include: Multi-layer bags or sacks. Confirm suitability of

any material before using.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Recommendations listed in this section indicate the type of equipment, which will provide protection against overexposure to this product. Conditions of use, adequacy of engineering or other control measures, and actual exposures will dictate the need for specific protective devices at your workplace.

ENGINEERING CONTROLS

Engineering Controls: General exhaust is acceptable. Local exhaust ventilation preferred. Make up air should be supplied to

balance air that is removed by local or general exhaust ventilation. Ventilate low lying areas such as

sumps or pits where dense dust may collect.

PERSONAL PROTECTIVE **EQUIPMENT (PPE)**

Eye Protection: Safety glasses with side shields are recommended to prevent eye contact. Use chemical safety goggles

when there is potential for eye contact. Contact lenses should not be worn when working with this

Skin Protection: Gloves and protective clothing made from cotton, leather, rubber or plastic should be impervious under

conditions of use. Prior to use, user should confirm impermeability. Discard contaminated gloves.

No specific guidelines available. Respiratory protection should not be necessary unless dust is created. Respiratory Protection:

50 mg/m³. An air-supplied respirator if concentrations are higher or unknown.

If while wearing a respiratory protection, you can smell, taste or otherwise detect anything unusual, or in the case of a full facepiece respirator you experience eye irritation, leave the area immediately. Check to make sure the respirator to face seal is still good. If it is, replace the filter, cartridge or canister. If the

seal is no longer good, you may need a new respirator. (6)

Other Personal Protective

Equipment:

Wear regular work clothing. The use of coveralls is recommended. Locate safety shower and eyewash

station close to chemical handling area. Take all precautions to avoid personal contact.

EXPOSURE GUIDELINES

SUBSTANCE OSHA PEL **ACGIH TLV** NIOSH REL (STEL) (TWA) (STEL) (TWA) (STEL)

Iron Oxide Yellow 10 mg/m3 (Fume) 5 mg/m3 as Fe (Fe2O3.H2O) (Dust and Fume)

9. PHYSICAL AND CHEMICAL PROPERTIES (Not intended as Specifications)

Physical State: Solid.

Appearance: Yellow powder. Odour: Odourless. Odour Threshold (ppm): Not available. Boiling Range (°C): Not applicable. > 1 000°C. (3) Melting/Freezing Point (°C): Vapour Pressure (mm Hg at 20° C): Not applicable. Vapour Density (Air = 1.0): Not applicable. Relative Density (g/cc): 4.1. (3)

WHMIS Number: 00069923 2014 August 27 Date of Revision:

Page 5 of 7

Not available. Bulk Density: Viscosity: Not applicable. Evaporation Rate (Butyl Acetate = 1.0): Not applicable. Not soluble in water. Solubility:

% Volatile by Volume: 0. (3)

Not available. Coefficient of Water/Oil Distribution: Not available. Volatile Organic Compounds (VOC): Not applicable.

Flashpoint (°C): Non-combustible (does not burn).

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY

Under Normal Conditions: Stable.

Under Fire Conditions: Not flammable. Will not occur. Hazardous Polymerization:

Conditions to Avoid: High temperatures, sparks, open flames and all other sources of ignition. At temperatures greater than

80 Degrees Celcius the product will convert to Iron Oxide Red (Fe2O3). (3)

Avoid moisture contamination. Avoid direct sunlight. Minimize air borne spreading of dust.

Materials to Avoid: Strong oxidizers. Lewis or mineral acids. Strong bases. Hydrazine. Hypochlorites. Peroxides. Ethylene

Oxide.

Decomposition or Combustion

Products:

Thermal decomposition products are toxic and may include oxides of iron and irritating gases.

11. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL DATA:

SUBSTANCE LD50 (Oral, Rat) LD50 (Dermal, Rabbit) LC50 (Inhalation, Rat, 4h)

Iron Oxide Yellow > 5 000 mg/kg (3)

(Fe2O3.H2O)

Carcinogenicity Data:

The ingredient(s) of this product is (are) not classed as carcinogenic by ACGIH, IARC, OSHA or NTP.

Reproductive Data: No adverse reproductive effects are anticipated. Mutagenicity Data: No adverse mutagenic effects are anticipated. Teratogenicity Data: No adverse teratogenic effects are anticipated.

Respiratory / Skin Sensitization

Data:

None known.

Synergistic Materials: None known. Other Studies Relevant to

Material:

None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Not available. May be harmful to aquatic life.

Environmental Fate: Not available. Product has an unaesthetic appearance and can be a nuisance. Can be dangerous if

allowed to enter drinking water intakes. Do not contaminate domestic or irrigation water supplies, lakes,

streams, ponds, or rivers.

13. DISPOSAL CONSIDERATIONS

Deactivating Chemicals: None required.

WHMIS Number: 00069923 Date of Revision: 2014 August 27

Page 6 of 7

Waste Disposal Methods: This information applies to the material as manufactured. Reevaluation of the product may be required

by the user at the time of disposal since the product uses, transformations, mixtures and processes may

influence waste classification. Dispose of waste material at an approved (hazardous) waste

treatment/disposal facility in accordance with applicable local, provincial and federal regulations. Do not

dispose of waste with normal garbage, or to sewer systems.

Safe Handling of Residues: Empty containers retain product residue. No special treatment required.

Disposal of Packaging: Recycling is encouraged. Treat package in the same manner as the product. Empty package may be

disposed of with normal garbage.

14. TRANSPORTATION INFORMATION

CANADIAN TDG ACT SHIPPING DESCRIPTION:

This product is not regulated by TDG.

Label(s): Not applicable. Placard: Not applicable. ERAP Index: ----. Exemptions: None known.

US DOT CLASSIFICATION (49CFR 172.101, 172.102):

This product is not regulated by DOT.

Label(s): Not applicable. Placard: Not applicable.

CERCLA-RQ: Not available. Exemptions: Not available.

15. REGULATORY INFORMATION

CANADA

CEPA - NSNR: All components of this product are included on the DSL.

CEPA - NPRI: Not included.

Controlled Products Regulations Classification (WHMIS):

Not WHMIS Regulated.

USA

Environmental Protection Act: All components of this product are included on the TSCA inventory.

OSHA HCS (29CFR 1910.1200): Not regulated.

NFPA: 0 Health, 0 Fire, 0 Reactivity (3) HMIS: 0 Health, 0 Fire, 0 Reactivity (3)

INTERNATIONAL

Not available.

16. OTHER INFORMATION

REFERENCES

- RTECS-Registry of Toxic Effects of Chemical Substances, Canadian Centre for Occupational Health and Safety RTECS database.
- Clayton, G.D. and Clayton, F.E., Eds., Patty's Industrial Hygiene and Toxicology, 3rd ed., Vol. IIA,B,C, John Wiley and Sons, New York, 1981.
- 3. Supplier's Material Safety Data Sheet(s).
- 4. CHEMINFO chemical profile, Canadian Centre for Occupational Health and Safety, Hamilton, Ontario, Canada.
- 5. Guide to Occupational Exposure Values, 2011, American Conference of Governmental Industrial Hygienists, Cincinnati, 2011.
- Regulatory Affairs Group, Brenntag Canada Inc.
- The British Columbia Drug and Poison Information Centre, Poison Managements Manual, Canadian Pharmaceutical Association, Ottawa, 1981.

WHMIS Number: 00069923 Date of Revision: 2014 August 27

Page 7 of 7

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Brenntag Canada Inc. will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein. This Material Safety Data Sheet is valid for three years.

To obtain revised copies of this or other Material Safety Data Sheets, contact your nearest Brenntag Canada Regional office.

British Columbia: 20333-102B Avenue, Langley, BC, V1M 3H1 Phone: (604) 513-9009 Facsimile: (604) 513-9010

Alberta: 6628 - 45 th. Street, Leduc, AB, T9E 7C9

Phone: (780) 986-4544 Facsimile: (780) 986-1070

Manitoba: 681 Plinquet Street, Winnipeg, MB, R2J 2X2 Phone: (204) 233-3416 Facsimile: (204) 233-7005

Ontario: 43 Jutland Road, Toronto, ON, M8Z 2G6

Phone: (416) 259-8231 Facsimile: (416) 259-5333

Quebec: 2900 Jean Baptiste Des., Lachine, PQ, H8T 1C8 Phone: (514) 636-9230 Facsimile: (514) 636-0877

Atlantic: A-105 Akerley Boulevard, Dartmouth, NS, B3B 1R7
Phone: (902) 468-9690 Facsimile: (902) 468-3085

Prepared By: Regulatory Affairs Group, Brenntag Canada Inc., (416) 259-8231.